Polymer Physics Edition

Index Supplement, 1984 Volume 22

# JOURNAL OF POLYMER SCIENCE

## Contents

Author Index to Volume 22 ..... 2289
Subject Index to Volume 22 ..... 2313

an Interscience® Publication
published by JOHN WILEY & SONS
JPLPAY 22(S) 2289–2330 (1984)
ISSN 0098–1273

*The Journal of Polymer Science* is published as follows: *Polymer Chemistry Edition*, monthly; *Polymer Physics Edition*, monthly; *Polymer Letters Edition*, monthly; *Polymer Symposia*, irregularly. Published monthly (one volume per year) by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Copyright © 1984 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law without permission of the copyright owner is unlawful. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the United States Copyright Law. The per-copy fee for each item is $4.00 and is to be paid through the Copyright Clearance Center, Inc., 21 Congress St., Salem, MA 01970. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

**Subscription price (1985):** $895.00 per volume. Postage and handling outside U.S.A.: $103.00 (surface mail); $576.00 (air mail). Back volumes, microfilm, and microfiche are available for previous years; request price list from Publisher. Please allow four weeks for processing a change of address.

**Claims** for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits.

**Postmaster:** Send address changes to *The Journal of Polymer Science*, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

**Advertising:** Inquiries concerning advertising should be forwarded to either the U.S. Advertising Representative, Weston Media Associates, 37 Gray's Farm Road, Weston, CT 06883, or to the European Advertising Representative, Michael J. Levermore, Advertisement Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO19 1UD, UK.

The contents of this journal are indexed in the following: *Applied Mechanics Reviews*, *Chemical Abstracts*, *Current Abstracts*, *Current Contents/Physical, Chemical and Earth Sciences*, *Science Citation Index*, *Engineering Index*, *RAPRA Abstracts*, and *Chemical Titles*.

# Author Index to Volume 22

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 22, 1984. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.


**Abe, Y.**
—; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. VI. Formation of a Gel-Like Silica Glass from Silicic Acid, 565L
—; Sekiguchi, T.; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. V. Condensation of Silicic Acid Butyl Esters and Formation of Silica Fiber from the Ester Solutions, 761C
—; Shintani, N.; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. VII. Effects of the Degree of Esterification and Alkyl Groups on Condensations of Silicic Acid Esters and Formation of Fibrous Silica, 3759C
**Abo Dorra, H.** See Latour, M., 345P
**Abrol, S. L.** See Misra, G. S., 1883C
**Abu-Shbak, M. M.** See Clark, D. T., 1C, 17C
**Achar, B. N.**
—; Fohlen, G. M.; Hsu, M. S.; Parker, J. A.: Mass Spectroscopy of Epoxylated Novolac Resin Cured with Phthalocyanine Tetraamines, 1471C
—; Fohlen, G. M.; Parker, J. A.: Studies on Heat-Resistant Poly(metal Phthalocyanine)imide Copolymers, 319C
**Ademu-John, C. M.** See Fowkes, F. M., 547C
**Afinogenova, L. L.** See Dolgoplosk, B. A., 1535C
**Aharoni, S. M.**
—; Hammond, W. B.; Szobota, J. S.; Masilamani, D.: Reactions in the Presence of Organic Phosphites. I. High Temperature Amidation in the Absence of Solvents, 2567C
—; Hammond, W. B.; Szobota, J. S.; Masilamani, D.: Reactions in the Presence of Organic Phosphites. II. Low-Temperature Amidation in Solvent, 2579C
**Ahlgren, G.**
—; Krische, B.; Pron, A.; Zagorska, M.: The Electrochemical Doping of Polyacetylene with $InCl_3$/LiCl in Nitromethane Solution, 173L
**Akbulut, U.** See Toppare, L., 2941C
—; Eren, S.; Toppare, L.: Electroinitiated Copolymerizations Involving Indene, Styrene, and Substituted Styrenes, 297L
**Akcasu, A. Z.** See Hammouda, B., 853P
**Akiyama, N.** See Higashi, F., 1653C, 3607C
**Akovali, G.**
—; Orhan, B.: Studies on Plasma-Initiated Polymerization of Acrylamide in Solid State and in Solution, 3351C
**Alamo, R.** See Domszy, R. C., 1727P
**Alig, I.**
—; Lochmann, R.; Wartewig, S.: PCILO Conformational Energy Calculation of Model Poly(vinyl Chloride) Molecules, 1097P
**Allaker, R. S.** See Munro, H. S., 2661C
**Allard, D.**
—; Fontanille, M.; Prud'homme, R. E.: Synthesis and Properties of Miscible Epoxy/Acrylic Interpenetrating Polymer Networks, 3827C
**Altena, F. W.** See Wijmans, J. G., 519P
**Altenberger, A. R.**
—; Tirrell, M.: Friction Coefficients in Self-Diffusion, Velocity Sedimentation, and Mutual Diffusion (Note), 909P
**Altomare, A.**
—; Carlini, C.; Ciardelli, F.; Solaro, R.; Rosato, N.: Photochromism of 4-Acryloxyazobenzene/(−)-Menthyl Acrylate Copolymers, 1267C
**Amemiya, S.** See Kamogawa, H., 383C
**Amer, A.**
—; Zimmer, H.; Mulligan, K. J.; Mark, H. B., Jr.; Pons, S.; McAleer, J. F.: Polymerization of 3-Methyl-2,5-Dibromothiophene Utilizing *n*-Butyl Lithium and Copper(II) Chloride, 77L
**Anderson, A. W.** See Callec, G., 287C
**Anderson, J. L.** See Long, T. D., 1261P
**Ando, T.** See Kumazawa, H., 61C
**Ando, Y.**
—; Fukada, E.: Piezoelectric Properties and Molecular Motion of Poly($\beta$-Hydroxybutyrate) Films, 1821P
**Andrady, A. L.**
—; Sefcik, M. D.: Transport of Hydrogen and Carbon Monoxide in Highly Crosslinked Poly(propylene glycol) Networks, 237P
**Andreis, M.**
—; Vekali, Z.; Vukovic, R.; Fles, D.: Electron Spin Resonance Studies of Spin Labeled Alternating Functional Copolymers, 2559C
**Angeloni, A. S.** See Laus, M., 587L
**Anvarshah, M.**
—; Tajuddin, I.; Anwaruddin, Q.: Polymerization of Methyl Methacrylate Initiated by a Peroxydisulfate–Thioacetamide Redox System (Note), 995C
**Anwaruddin, Q.** See Anvarshah, M., 995C; Salamone, J. C., 2005C
**Aoshima, K.** See Ishiwatari, T., 2345C
**Aoshima, S.**
—; Higashimura, T.: Synthesis of Functionalized Linear Poly(divinylbenzene). II. Synthesis of Poly(divinylbenzene) with Hydroxyl Pendants and/or Endgroups, 2443C
**Aponte, M. A.**
—; Butler, G. B.: Copolymers Containing Alternating Sequences of Nucleic Acid–Base Pairs. I. Monomer Synthesis, 2841C
—; Butler, G. B.: Copolymers Containing Alternating Sequences of Nucleic Acid Base Pairs. II. Polymerization Studies, 3715C
—; Butler, G. B.: Copolymers Containing Alternating Sequences of Nucleic Acid Base Pairs. III. Spectroscopic Studies, 3725C
**Arai, M.** See Nakanishi, F., 2095C
**Aras, L.** See Niezette, C. B. J., 1845P; Vanderschueren, J., 2261P
—; Baysal, B. M.: Dielectric Relaxation Studies of Some Linear Crosslinked and Branched Polymers, 1453P
**Aravindanath, S.**
—; Betrabet, S. M.; Chaudhuri, N. K.: Single Crystals of Dye in Cellulose Fibers Seen Through Electron Microscope, 1L
**Argani, R.** See Valenty, S. J., 3367C
**Arnaud, R.** See Lacoste, J., 3885C
**Arnold, M.** See Salamone, J. C., 2005C
**Arora, K. S.**
—; Overberger, C. G.: Syntheses of Poly[*N*-(1-Pyrenyl)acetyl Ethylenimine][Pyrene-Substituted Linear Poly(ethylenimine)] and Poly[Methyl 2-(1-Pyrenyl)-acetamidopropenoate][Pyrene-Substituted Poly(dehydroalanine Methyl Ester)], 1587C
**Arya, B. D.** See Misra, G. S., 3563C

**Asahi, T.**
The Hexagonal Phase and Melt of Low-Molecular-Weight Polyethylene, 175P
**Asrar, J.** See Blumstein, A., 13L
**Avakian, P.**
—; Hsu, W. Y.; Meakin, P.; Snyder, H. L.: Optical Absorption of Perdeuterated PMMA and Influence of Water, 1607P
**Avramov, I.** See Avramova, N., 311P
**Avramova, N.**
—; Fakirov, S.; Avramov, I.: Cumulative "Memory" Effect in Nylon-6 (Note), 311P
**Awasthi, A.** See Tewari, R. S., 1875C
**Aydogan, A. C.** See Yagci, Y., 103L
**Ayrey, G.**
—; Hsu, S. Y.; Poller, R. C.: The Use of Organotin Compounds in the Thermal Stabilization of Poly(vinyl Chloride). VI. An Assessment of the Relative Importance of HCl-Scavenging, Exchange, and Addition Reactions, 2871C

**Babu, G. N.** See Dhal, P. K., 1817C
—; Lu, P. H.; Hsu, S. L.; Chien, J. C. W.: Radiolysis of Resist Polymers. III. Copolymers of Methyl-α-Chloroacrylate and Trihaloethylmethacrylates, 195C
—; Lu, P. H.; Hsu, S. L.; Chien, J. C. W.: Radiolysis of Resist Polymers. IV. Poly(*p*-Substituted-α-Methylstyrene)s, 213C
**Bagheri, R.**
—; Chakraborty, K. B.; Scott, G.: Mechanisms of Antioxidant Action: Transformations of 4-Hydroxy-2,2,6,6-Tetramethylpiperidinoxyl (HTMPO) in Polypropylene during Processing, 1573C
**Bajpai, A. K.** See Bajpai, U. D. N., 1803C
**Bajpai, U. D. N.**
—; Bajpai, A. K.: Permanganate/Glycine-Initiated Polymerization of Acrylamide, 1803C
**Bakhru, H.** See Valenty, S. J., 3367C
**Bakker, A.** See Koenhen, D. M., 2145P
**Balakrishnan, T.**
—; Devarajan, R.; Santappa, M.: Stereospecific Polymerization of Some Methyl Aryloxymethacrylates, 1909C
**Balasubramanya, R. H.** See Paralikar, K. M., 543L
**Baldrian, J.** See Spevacek, J., 617P
**Ballard, M. J.**
—; Napper, D. H.; Gilbert, R. G.: Kinetics of Emulsion Polymerization of Methyl Methacrylate, 3225C
**Banerjee, M.** See Biswas, M., 1997C
—; Konar, R. S.: Comment on the Paper "Polymerization of Acrylonitrile Initiated by $K_2S_2O_8$–Fe(II) Redox System" (Note), 1193C
—; Konar, R. S.: Comment on the Paper, "Vinyl Polymerization Initiated by Peroxydiphosphate. III. Polymerization of Methyl Methyacrylate Initiated by a Peroxydiphosphate–Silver Ion Redox Systems" (Note), 1191C
**Bansleben, D. A.**
—; Hersman, M. J.; Vogl, O.: Poly(alkylene Oxide) Ionomers. VII. Use of Triethylaluminum/Water/Acetylacetone (1.0:0.5:1.0) for the Polymerization of Oxiranes, 2489C
—; Janovic, Z.; Vogl, O.: Poly(alkylene Oxide) Ionomers XIII. Copolymers of Trioxane with the Epoxide and 1,3-Dioxolane of Methyl 10-Undecenoate, 3263C
**Baran, T.**
—; Duda, A.; Penczek, S.: Anionic Polymerization of Norbornene Trisulfide (exo-3,4,5-Trithia-Tricyclo[5.2.1.$0^{2,6}$]decane), 1085C
**Barboiu, V.** See Carpov, A., 269C
**Barford, R. A.** See Fishman, M. L., 899P
**Barham, P. J.** See Martinez-Salazar, J. M., 1085P
**Bart, J. C. J.** See Moggi, G., 357P
**Basheer, R.**
—; Dole, M.: Effects of Copolymer Composition on the Formation of Ionic Species, Hydrogen Evolution, and Free-Radical Reaction in γ-Irradiated Styrene-Butadiene Random and Block Copolymers, 1313P
**Bassi, P. S.** See Miara, G. S., 1883C
**Bataille, P.**
—; Gonzalez, A.: Emulsion Polymerization of Styrene. III. Effect of Ti(III) and Cl(1) on the Polymerization of Styrene Initiated by Potassium Persulfate, 1409C
**Bauer, D. R.** See Gerlock, J. L., 447L
—; Dickie, R. A.; Koenig, J. L.: Magic-Angle $^{13}C$-NMR of Cured and Degraded Acrylic Copolymer/Melamine Formaldehyde Coatings, 2009P
**Baysal, B. M.** See Aras, L., 1453P; Kilic, S., 453C
**Beach, D. L.** See Kissin, Y. V., 333C
—; Kissin, Y. V.: Dual Functional Catalysis for Ethylene Polymerization to Branched Polyethylene. I. Evaluation of Catalytic Systems, 3027C
**Bello, A.**
—; Lazcano, S.; Marco, C.; Fatou, J. G.: Thermal Transitions of Poly(3,3-Dimethylthietane) (Note), 1197C
**Benmouna, M.** See Benoit, H., 1545P; Hammouda, B., 853P
**Benni, P.** See Cernia, E., 3393C
**Benoit, H.**
—; Picot, C.; Benmouna, M.: Structure Factor of a Polymer in a Complex System by Small-Angle Neutron Scattering (Note), 1545P
**Benson, R. S.** See Popli, R., 407P
**Berlinsky, A. J.**
—; Wudl, F.; Lim, K. C.; Fincher, C. R.; Heeger, A. J.: Theory of the Rod-to-Coil Transition in Polydiacetylene, 847P
**Berry, G. C.** See Nakamura, K., 1119P
**Betrabet, S. M.** See Aravindanath, S., 1L
**Bezoari, M. D.** See Guenther, H., 65L
**Bhadani, S. N.** See Mishra, M. K., 491L
**Bhargava, G. S.** See Khan, H. U., 95L
**Bhattacharyya, K. K.** See Sagu, M. L., 3295C
**Bianchi, E.** See Conio, G., 273L
**Bilderback, D. H.** See Grubb, D. T., 367P
**Biswas, M.**
—; Banerjee, M.; Maiti, M. M.: Polymerization of Vinylcarbazole on Copper(II)-13X Molecular Sieves: Role of Copper(II) Salts, 1997C
**Black, P. E.** See Bywater, S., 669C
**Blackwell, J.**
—; Gutierrez, G. A.; Chivers, R. A.; Ruland, W.: X-Ray Diffraction by Liquid-Crystalline Copolymers Prepared from 4-Hydroxybenzoic Acid and 2-Hydroxy-6-Naphthoic Acid: A One-Dimensional Paracrystalline Model (Note), 1343P
—; Lee, C. D.: Hard-Segment Polymorphism in MDI/Diol-Based Polyurethane Elastomers, 759P
—; Quay, J. R.; Nagarajan, M. R.; Born, L.; Hespe, H.: Molecular Parameters for the Prediction of Polyurethane Structures, 1247P
**Bloor, D.** See Galiotis, C., 1589P
**Blum, F. D.**
—; Dickson, J. E.; Miller, W. G.: Effects of Diluents on Poly(vinyl acetate) Dynamics, 211P
**Blumstein, A.**
—; Thomas, O.; Asrar, J.; Makris, P.; Clough, S. B.; Blumstein, R. B.: Order in Linear Thermotropic Nematic Polyesters: The Existence of Two Distinct Molecular Arrangements Within Polymeric Nematic Mesophases, 13L
**Blumstein, R. B.** See Blumstein, A., 13L
**Bodor, G.**
Morphology and Tensile Property Relations of High-Strength/High-Modulus Polyethylene Fiber (Note), 1541P
**Bogdanova, L. M.** See Ilavsky, M., 265P
**Bohm, G. G. A.** See Roland, C. M., 79P
**Boileau, S.** See Jarrin, J., 2345C
**Boldizar, A.** See Jacobsson, S., 471P
**Bonardelli, P.** See Moggi, G., 357P
**Boonen, C.** See Vanderschueren, J., 2261P

**Bootsma, J. P. C.**
—; Challa, G.; Muller, F.: Polymer-Bound Flavins. I. Influence of Polarity of the Polymer Chain on Properties of Bound Flavin, 705C
—; Rupert, L. A. M.; Challa, G.; Muller, F.: Polymer-Bound Flavins. III. Effects of Coil Dimension and Substrate Structure on Reaction Kinetics in Water/2-Propanol Mixtures, 2169C
**Born, L.** See Blackwell, J., 1247P
—; Crone, J.; Hespe, H.; Muller, E. H.; Wolf, K. H.: On the Structure of Polyurethane Hard Segments Based on MDI and Butanediol-1,4: X-Ray Diffraction Analysis of Oriented Elastomers and of Single Crystals of a Model Compound, 163P
**Born, R.** See Fischer, E. W., 1491P
**Bornmann, J. A.**
—; Wolf, C. J.: Reaction of Nitric Acid with a Solid Epoxy Resin (Note), 851C
**Bousquet, J. A.**
—; Fouassier, J. P.: Hydroperoxides as Intermediates Responsible for Wavelength Effects in Photooxidation Reactions, 3865C
**Bovey, F. A.**
Review of *Proton and Carbon NMR Spectra of Polymers, Volume 2*, Quang-Tho Pham, Roger Petiaud, and Hugues Waton, 51L
**Boyer, R. F.** See Miller, R. L., 2021P, 2043P
**Brahme, N. M.**
—; Smith, W. T., Jr.: Synthesis of Some Graft Polymers of Uracil, 813C
**Braren, B.** See Srinivasan, R., 2601C
**Brennan, W. J.** See Clark, D. T., 2145C
**Bretzlaff, R. S.** See Lee, Y-L., 681P
**Brimhall, S. L.**
—; Myers, M. N.; Caldwell, K. D.; Giddings, J. C.: Separation of Polymers by Flow Field–Flow Fractionation, 339L
**Brock, S.**
—; Hersh, S. P.; Grady, P. L.; Wortman, J. J.: Enhanced Electrical Conductivity of Poly(ethylene Terephthalate) Implanted with Fluorine Ions (Note), 1349P
**Broens, L.** See Koenhen, D. M., 2145P
**Brooks, D. E.** See Harris, J. M., 341C
**Brouwer, W. M.**
—; Piet, P.; German, A. L.: Copolymers of Vinylamine and Vinylalcohol by Acid Hydrolysis of Poly(*N*-Vinyl-*tert*-Butylcarbamate-co-Vinylacetate): Evaluation of Reactivity Ratios, 2353C
**Brown, C. E.** See Suebsaeng, T., 625L, 945C
**Brown, D. R.**
—; Jonas, J.: NMR Study of Polyethylene Crystallization Kinetics under High Pressure, 655P
**Brown, N.** See Kamei, E., 543P
**Buchenau, U.** See Heyer, D., 1515P
**Budnitski, G.** See Mackeviciene, D., 419L
**Buisine, J. M.**
—; le Barny, P.; Dubois, J. C.: New Process for the Detection of Glass Transition Temperatures of Polymers, 149L
**Burczyk, A. F.**
—; O'Driscoll, K. F.; Rempel, G. L.: Cobaloxime as a Catalytic Chain Transfer Agent, 3255C
**Burford, R. P.** See Honig, J. A. J., 1461C
**Burger, V. T.** See Suebsaeng, T., 625L, 945C
**Burke, L. A.**
The Influence of Carbonyl and Ether Linkages on the Conductivity of Polymers (Note), 1987P
**Burns, C. M.** See Narasimhan, V., 3895C
**Bushin, S. V.** See Tsvetkov, V. N., 3447C
**Butler, G. B.** See Aponte, M. A., 2841C, 3715C, 3725C
**Butuc, E.**
—; Gherasim, G. M.: Ordered Heterocyclic Copolymers. Polyamide-Imides with *s*-Triazine Rings (Note), 503C
**Bywater, S.**
—; Firat, Y.; Black, P. E.: Microstructures of Polybutadienes Prepared by Anionic Polymerization in Polar Solvents. Ion-Pair and Solvent Effects, 669C

**Cabaness, W. R.**
—; Lin, L-C.: Singlet Energy Migration in Polyacenaphthylene and Poly(acenaphthylene-co-*N*-Vinylcarbazole) (Note), 857C
**Cabasso, I.** See Vofsi, D., 3335C
**Cackovic, H.** See Rognoni, A. F., 485P
**Cackovic, J. L.** See Rognoni, A. F., 485P
**Caffrey, M.** See Grubb, D. T., 3877P
**Cain, A. R.** See Gunesin, B. Z., 1433C
**Caldwell, K. D.** See Brimhall, S. L., 339L
**Callec, G.**
—; Anderson, A. W.; Tsao, G. T.; Rollings, J. E.: System Development for Aqueous Gel Permeation Chromatography, 287C
**Calleja, F. J. B.** See Rueda, D. R., 1811P
**Camberlin, Y.**
—; Pascault, J. P.: Phase Segregation Kinetics in Segmented Linear Polyurethanes: Relations between Equilibrium Time and Chain Mobility and between Equilibrium Degree of Segregation and Interaction Parameter, 1835P
**Capaccio, G.**
—; Ward, I. M.: The Drawing Behavior of Polyethylene Copolymers, 475P
**Capiati, N. J.** See Carella, J. M., 443L; Pezzutti, J. L., 401L
**Carella, J. M.** See Chen, X., 777P
—; Capiati, N. J.: Effect of $\beta$ Relaxation on the Ultradawn Polyethylene Thermal Expansion, 443L
**Carlini, C.** See Altomare, A., 1267C
—; Chien, J. C. W.: Semiconducting Poly(monocyanoacetylenes), 2749C
**Carlsson, D. J.** See Gupta, M. K., 1011P
**Carpov, A.**
—; Luca, C.; Barboiu, V.: On the Reaction of Linear and Crosslinked Polystyrene with 1,4-Bis(chloromethoxy)Butane, 269C
**Carroll, W. F., Jr.** See Dewald, R. C., 2923C, 2931C
**Carter, J.** See Suebsaeng, T., 625L, 945C
**Case, M. G.** See Harris, J. M., 341C
**Cassidy, E. F.**
—; Xiao, H. X.; Frisch, K. C.; Frisch, H. L.: Three-Component Interpenetrating Polymer Networks (IPN's) from Polyurethanes, Epoxies, and Poly(methacrylates), 2667C
—; Xiao, H. X.; Frisch, K. C.; Frisch, H. L.: Two-Component Interpenetrating Polymer Networks (IPNs) from Polyurethanes and Epoxies. I. Studies on Full IPN, Pseudo-IPN, and Graft Polymer Alloys of Polyurethanes and Epoxies, 1839C
—; Xiao, H. X.; Frisch, K. C.; Frisch, H. L.: Two-Component Interpenetrating Polymer Networks (IPNs) from Polyurethanes and Epoxies. II. Effect of Different Charge Groups in Polyurethanes and Epoxies on Properties and Morphologies of Two-Component IPNs, 1851C
**Cermak, V.** See Lebduska, J., 261L
**Cernia, E.**
—; D'Ilario, L.; Lupoli, M.; Mantovani, E.; Schwarz, M.; Benni, P.; Zanobi, A.: Thermal- and UV-Induced cis/trans Isomerization of Undoped Polyacetylene Films. An ESR and IR Investigation, 3393C
**Cha, C. Y.**
—; Min, K. W.: Photon Correlation Spectroscopy of Polymer Solutions: Improved Subdistribution Method (Note), 307P
**Cha, Y.** See Tsunooka, M., 739C
—; Tsunooka, M.; Tanaka, M.: A Study of the Mechanism of Photocrosslinking Polymers by Quinones, 2973C
**Chakraborty, K. B.** See Bagheri, R., 1573C
—; Scott, G.: Mechanisms of Antioxidant Action: Stabilization of Polymers by Spin Traps, 553L

**Challa, G.** See Bootama, J. P. C., 705C, 2169C; Eling, B., 1945C, 2735C
**Chalmers, I. F.** See Galiotis, C., 1589P
**Chang, B. H.**
—; Siegmann, A.; Hiltner, A.: Chlorination Mechanism of Polyethylene Crystals, 255P
**Chang, C.**
—; Krimm, S.: Longitudinal Acoustic Mode in Polymers. VII. Surface Structure from Swelling Studies of Freeze-Dried Polyethylene Single Crystals, 1871P
—; Wang, Y. K.; Waldman, D. A.; Hsu, S. L.: An Analysis of the Longitudinal Acoustic Mode in Linear Aliphatic Polyesters, 2185P
**Chang, M.** See Rembaum, A., 609C
—; Rembaum, A.; McDonald, C. J.: Microstructure of Polyacrolein, 279L
**Chang, S.-T.** See Hon, D. N.-S., 2227C
**Chang, T.-C.** See Higashi, F., 3607C
**Chaplin, R. P.** See Honig, J. A. J., 1461C
**Chapuis, G.** See Tieke, B., 2895C
**Chatterjee, S. K.**
—; Malhotra, A.: Study of Copolymer–Copolymer Interactions and Formation of Intermacromolecular Complexes, 3697C
**Chau, N.** See Saegusa, Y., 1017C
**Chaudhuri, N. K.** See Aravindanath, S., 1L
**Chen, G.**
—; Lenz, R. W.: Liquid Crystal Polymers. XVIII. Comparison of the Properties of Aromatic Polyesters with Different Mesogenic Units and a Common Flexible Spacer, 3189C
**Chen, G. S.** See McCormick, C. L., 3643C, 3649C
**Chen, H.**
—; Ishizu, K.; Fukutomi, T.; Kakurai, T.: Preparation of Soluble Microgel by the Copolymerization of Methylmethacrylate with *p*-Divinylbenzene in the Presence of Tetrabromomethane, 2123C
**Chen, W.-C.** See Quirk, R. P., 2993C
**Chen, X.**
—; Xu, Z.; Hadjichristidis, N.; Fetters, L. J.; Carella, J. M.; Graessley, W. W.: The Effect of Microstructure and Molecular Weight on the Refractive Index Increment of Polybutadiene in Cyclohexane (Note), 777P
**Chera, J. J.** See Valenty, S. J., 3367C
**Chern, R. T.**
—; Koros, W. J.; Yui, B.; Hopfenberg, H. B.; Stannett, V. T.: Selective Permeation of $CO_2$ and $CH_4$ through Kapton Polyimide: Effects of Penetrant Competition and Gas-Phase Nonideality, 1061P
**Chiellini, E.** See Laus, M., 587L
**Chien, J. C. W.** See Babu, G. N., 195C, 213C; Carlini, C., 2749C
**Ching, C. C.** See Kapuscinska, M., 3999C
**Chivers, R. A.** See Blackwell, J., 1343P
**Cho, I.**
—; Lee, B.-J.: Exploratory Ring-Opening Polymerization. XI. Copolymerization of 2-Methylene-4-Phenyl-1,3-Dioxolane with Electron-Deficient Vinyl Monomers, 487L
**Chow, T. S.**
Structural Relaxation in Amorphous Polymers, 699P
**Choy, C. L.** See Leung, W. P., 1173P; White, G. K., 835P
—; Leung, W. P.; Ma, T. L.: Sorption and Diffusion of Toluene in Highly Oriented Polypropylene, 707P
—; Wong, S. P.; Young, K.: Temperature Dependence of the Thermal Expansivity of Polymer Crystals: Linear Chain Model, 979P
**Chu, B.** See Fytas, G., 1471P
**Chuah, H. H.**
—; Porter, R. S.: Solid-State Extrusion of Chain-Extended Polyethylene, 1353P
**Chung, H. F. M.** See Kapuscinska, M., 3999C
**Chung, T.-C.**
—; Schlesinger, Y.; Etemad, S.; MacDiarmid, A. G.; Heeger, A. J.: Optical Studies of Pyrolyzed Polyacrylonitrile, 1239P
**Ciardelli, F.** See Altomare, A., 1267C
**Ciferri, A.** See Conio, G., 273L
**Clark, D. T.** See Munro, H. S., 2661C
—; Abu-Shbak, M. M.: Plasma Polymerization. X. A Systematic Investigation of Materials Synthesized in Inductively Coupled Plasmas Excited in Tetrafluoropyridazine, 1C
—; Abu-Shbak, M. M.: Plasma Polymerization. XI. A Comparison of the Plasma Polymerization of the Isomeric Perfluorinated Diazines, 17C
—; Johnson, S. A.; Brennan, W. J.: An MNDO SCF MO Investigation of Some Structural Isomers of the Perfluoro Diazines (Pyrimidine, Pyrazine, and Pyridazine) of Relevance to their Plasma Polymerization, 2145C
**Clark, F. R. S.**
The Role of Oxygen in the Ignition of Polystyrene by a Small Flame, 263C
**Clarke, P. L.** See Truss, R. W., 191P
**Clas, S.-D.**
—; Eisenberg, A.: Miscibility of Poly(vinyl Chloride) with Ethyl Acrylate 4-Vinyl Pyridine Copolymers, 1529P
**Clough, S. B.** See Blumstein, A., 13L
**Coey, J. M. D.**
—; Meagher, A.; Kelly, J. M.; Vos, J. G.: A Mössbauer Study of Polymers Prepared from Polyvinylpyridine and Ferric Chloride or Ferric Nitrate, 303C
**Cohen, D. S.**
Theoretical Models for Diffusion in Glassy Polymers. II, 1001P
**Cohen, H. L.**
Preparation and Reactions of Polymeric Azides. IV. Reaction with Phenyl Vinyl Sulfoxide (Note), 2293C
**Cohen-Addad, J. P.**
—; Feio, G.: Effects of Polymer Chain Disentanglement on NMR Properties. II. $^{13}C$ Magnetic Relaxation in Polystyrene, 957P
—; Guillermo, A.: Effects of Polymer Chain Disentanglement on NMR Properties. I. Proton Magnetic Relaxation in Polyisobutylene, 931P
**Conio, G.**
—; Corazza, P.; Bianchi, E.; Tealdi, A.; Ciferri, A.: Phase Equilibria of Cellulose in *N,N*-Dimethylacetamide/LiCl Solutions, 273L
**Conlon, D. A.** See Crivello, J. V., 2105C
**Cooper, S. L.** See Hwang, K. K. S., 1677C; Yarusso, D. J., 2073P
**Corapci, M.** See Vanderschueren, J., 2261P
**Corazza, P.** See Conio, G., 273L
**Corner, T.**
—; Peaker, F. W.: Anomalous Viscosity Behavior Of Some Poly(methyl Methacrylate)s Prepared by Anionic Polymerization, 2105P
—; Peaker, F. W.: Preparation, Fractionation, and Dilute-Solution Behavior of ABA Poly(methyl Methacrylate-*b*-$\alpha$-methylstyrene) Block Copolymers, 2119P
**Corradini, P.** See Guerra, G., 1029P
**Costigan, M. J.** See Fujimori, K., 2479C
**Courval, G.** See Peeling, J., 419C
**Coutinho, F. M. B.** See Macchi, E. M., 209L
**Crater, D. H.**
—; Cuculo, J. A.: A Comparison of Theoretically Determined and Experimentally Measured Velocity Distributions of Poly(ethylene Terephthalate) Flow in a Capillary, 329C
—; Cuculo, J. A.: Flow Characteristics of Poly(ethylene Terephthalate) Deduced From Pressure Drop Measurements, 1P
**Crist, B., Jr.**
—; Oddershede, J.; Perram, J. W.; Ratner, M. A.; Sabin, J. R.: Polymer Fracture—A Simple Model for Chain Scission, 881P
**Crivello, J. V.**
—; Conlon, D. A.: Synthesis, Characterization, and Properties of Novel Aromatic Bispropenyl Ethers, 2105C
**Crone, J.** See Born, L., 163P
**Cuculo, J. A.** See Crater, D. H., 1P, 329C; Ledbetter, M., 1435C

**Cudby, M. E. A.** See Packer, K. J., 589P

**Dais, P.** See Paleos, C. M., 3383C
**Dalal, E. N.**
On the Relationship Between $T_g$ and $T_m$, 547L
—; Phillips, P. J.: Another Look at the Crystallization Kinetics of *cis*-Polyisoprene, 7L
**Daly, W. H.**
—; Munir, A.: Aminopropylcellulose, Synthesis and Derivatization, 975C
**Dawans, F.** See Jarrin, J., 2345C
**de Abajo, J.** See Guijarro, E., 1531C
**Dechter, J. J.** See Murray, D. P., 519L
**de la Campa, J. G.** See Guijarro, E., 1531C
**De Rosa, C.** See Guerra, G., 1029P
**De Schryver, F. C.** See Roland, B., 3001C
**De S. Gomes, A.** See Liberman, S. A., 2809C
**Deshmukh, V. G.** See Gupta, M. C., 749C
**Deslandes, Y.** See Dube, M., 163L
**Desper, C. R.**
—; Kimura, M.; Porter, R. S.: On the Ordered Structure of Poly(butylene Terephthalate) in Polyester Blends, 1193P
**Dessouki, A. M.** See Hegazy, E.-S. A., 3673C
**Devarajan, R.** See Balakrishnan, T., 1909C
**De Vito, G.**
—; Lanzetta, N.; Maglio, G.; Malinconico, M.; Musto, P.; Palumbo, R.: Functionalization of an Amorphous Ethylene–Propylene Copolymer by Free Radical Initiated Grafting of Unsaturated Molecules, 1335C
**Devlin, E. F.**
—; Mengel, A. L.: Cis/Trans Isomerization in Cured, Black-Reinforced, High *Cis*-1,4-Polybutadiene (Note), 843C
**Dewald, R. C.**
—; Hart, L. H.; Carroll, W. F., Jr.: PVC Miniemulsion Polymerization. I. Origin of Droplet Families, 2923C
—; Hart, L. H.; Carroll, W. F., Jr.: PVC Miniemulsion Polymerization II. Particle and Droplet Growth as a Function of Conversion, 2931C
**Dhal, P. K.**
—; Babu, G. N.: Glycidyl Methacrylate–tert-Butyl Acrylate Copolymers: Synthesis, Characterization, and Thermal Studies, 1817C
**Dharumaraj, G. V.** See Kishore, K., 607L, 1481C
**Diaz, A. F.**
—; Hernandez, R.: Plasma Polymerization of Trifluoromethyl Substituted Aromatic Compounds, 1123C
**Diaz-Barrios, A.**
—; Rengel, A.: Adsorption of Methylmethacrylate-Vinylferrocene Copolymers at the Solution/Solid Interface, 519C
**Dickie, R. A.** See Bauer, D. R., 2009P
**Dickson, J. E.** See Blum, F. D., 211P
**D'Ilario, L.** See Cernia, E., 3393C
**Dimonie, V.**
—; El-Aasser, M. S.; Klein, A.; Vanderhoff, J. W.: Core-Shell Emulsion Copolymerization of Styrene and Acrylonitrile on Polystyrene Seed Particles, 2197C
**Ding, Y. S.** See Yarusso, D. J., 2073P
**Dissado, L. A.** See Hill, R. M., 1991P
**Dole, M.** See Basheer, R., 1313P
**Dolegiewitz, L. J.** See Fredericks, R. J., 57P
**Dolgoplosk, B. A.**
—; Tinyakova, E. I.; Guzman, I. Sh.; Afinogenova, L. L.: The Nature of Active Sites in Butadiene Polymerization Catalyzed by Organotitanium(III) Derivatives, 1535C
**Domszy, R. C.**
—; Alamo, R.; Mathieu, P. J. M.; Mandelkern, L.: The Structure of Copolymer Crystals Formed from Dilute Solution and in Bulk, 1727P
**Donaruma, G.**
Review of *Organic Electrochemistry—An Introduction and a Guide, 2nd ed.*, Manuel M. Baizer and Henning Lund, Eds., 459L
Review of *Polymers in Medicine, Biomedical and Pharmacological Applications*, Emo Chiellini and Paolo Giusti, Eds., 458L
**Dooley, K. M.**
—; Gates, B. C.: Superacid Polymers from Sulfonated Poly(styrene-Divinylbenzene): Preparation and Characterization, 2859C
**Dorfmuller, T.** See Fytas, G., 1471P
**Dorset, D. L.** See Moss, B., 1919P
**Dosiere, M.**
—; Point, J. J.: Anisotropic Swelling of Doubly Oriented Nylon-11 with a Lamellar Structure, 749P
—; Point, J. J.: Orientation of the Boundary Faces in Nylon-11 Lamellar Crystals, 1383P
**Dreval, V. E.**
—; Vinogradov, G. V.; Radushkevich, B. V.: Dependence of Maximum Recoverable Deformation of Linear Flexible-Chain Polymers on Limiting Extension of the Chains, 1155P
**Dube, M.**
—; Deslandes, Y.; Marchessault, R. H.: Spherulitic Precipitation of Cellulose from Amine-Oxide Solutions, 163L
**Dubois, J. C.** See Buisine, J. M., 149L
**duBreuil, C.** See Thaler, W. A., 3905C
**Duckett, R. A.** See Truss, R. W., 191P
**Duda, A.** See Baran, T., 1085C
**Duda, J. L.** See Vrentas, J. S., 459P
**Dunn, L. C.**
—; Ford, W. T.; Hilal, N.; Vijaykumar, P. S.; Pohl, H. A.: Synthesis and Conductivity of Poly Acene Quinone Radical Polymers, 2243P
**Dupre, D. B.** See Subramanian, R., 2207P
**Dusek, K.** See Ilavsky, M., 265P
**Dybal, J.** See Spevacek, J., 617P

**Economy, J.** See Geiss, R., 433L
**Egawa, H.** See Nonaka, T., 3815C; Tsunooka, M., 2217C
**Egorov, E. A.** See Zhizhenkov, V. V., 117P
**Eisenberg, A.** See Clas, S.-D., 1529P
**El-Aasser, M. S.** See Dimonie, V., 2197C
**Elad, J.**
—; Schultz, J. M.: Microstructural Rearrangement during Heat Treatment of Drawn Nylon 66 Fiber, 781P
**El-Assy, N. B.** See Hegazy, E.-S. A., 597C
**Elias, H.-G.**
Review of *Adsorption on and Surface Chemistry of Hydroxyapatite*, Dwarika N. Misra, Ed., 578L
**Eling, B.**
—; Challa, G.; Pandit, U. K.: A Regenerable Immobilized NADH Model. II. Reduction of $\alpha,\alpha,\alpha$-Trifluoroacetophenone by Immobilized 1,4-Dihydronicotinamide in Aprotic Solvent, 1945C
—; Hoogsteen, W.; Challa, G.; Pandit, U. K.: A Regenerable Immobilized NADH Model III. Reduction of *N*-Methylacridinium Perchlorate by Immobilized 1,4-Dihydronicotinamide, 2735C
**Ellis, T. S.** See Jin, X., 1701P
**Ellul, M. D.**
—; Gent, A. N.: The Role of Molecular Diffusion in the Adhesion of Elastomers, 1953P
**Encinas, M. V.**
—; Lissi, E. A.; Gargallo, L.; Radic, D.; Sigdman, R.: Polymerization Photoinitiated by Carbonyl Compounds. VI. Mechanism of Benzil Photoinitiation, 2469C
**Endo, T.** See Kijima, M., 821C
**Eren, S.** See Akbulut, U., 297L; Toppare, L., 2941C
**Erman, B.** See Flory, P. J., 49P
**Etemad, S.** See Chung, T.-C., 1239P
**Evans, J. F.** See Prohaska, G. W., 2953C

**Fagerburg, D. R.**
Property Relationships in Dimer Acid-Modified Copolyesters of Poly(1,4-Cyclohexylene

Dimethylene Terephthalate) and Poly(1,4-Cyclohexylene Dimethylene 1,4-Cyclohexane Dicarboxylate), 171C
**Fakirov, S.** See Avramova, N., 311P
Chemical Healing in Poly(ethylene Terephthalate), 2095P
**Fang, S-B.**
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CX. Methylation and Interaction Studies on Uracil-Containing Polymethacrylate Derivatives, 2455C
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CXXI. Methylation and Interaction Studies on Adenine Containing Polymethacrylate Derivatives, 3943C
**Farona, M. F.** See Shen, Z., 1009C
**Fatou, J. G.** See Bello, A., 1197C
**Fehervari, A.** See Santos, R., 2685C
**Feio, G.** See Cohen-Addad, J. P., 957P
**Feit, K.**
—; Karbach, A.; Petermann, J.: On the Lateral Size of Shish Crystals, 993P
**Feldblum, A.** See Woerner, T., 119L
**Feldman, D.**
Review of *Handbook of Thermal Insulation Applications*, D. E. Croy and D. A. Dougherty, 371L
Review of *Heat-Resistant Polymers: Technological Useful Materials*, J. P. Critchley, G. J. Knight, and W. W. Wright, 54L
Review of *Modern Liquid Chromatography of Macromolecules*, B.G. Belenkii and L. Z. Vilechik, 674L
Review of *Polymer Chemistry—The Basic Concepts*. P. C. Hiemenz, 673L
Review of *Structure-Property Relationships of Polymeric Solids*, A. Hiltner, Ed., 575L
Review of *The Role of the Polymeric Matrix in the Processing and Structural Properties of Composite Materials*, J. C. Seferis and L. Nicolais, Eds., 185L
Review of *Weathering of Polymers*, A. Davis and D. Sims, 423L
**Fellers, J. F.** See Tang, M-Y., 2215P
**Fernandez, M. D.**
—; Fernandez, T.; Fernandez, M. J.; Guzman, G. M.: Polymerization of Methyl Methacrylate Initiated by a Ceric Ion–Isopropyl Alcohol Redox System (Note), 2729C
**Fernandez, M. J.** See Fernandez, M. D., 2729C
**Fernandez, T.** See Fernandez, M. D., 2729C
**Ferracini, E.** See Rognoni, A. F., 485P
**Ferruti, P.** See Laus, M., 587L
**Ferry, W.** See Hadjichristidis, N., 1745P
**Fetters, L. J.** See Chen, X., 777P; Hadjichristidis, N., 1745P
**Feuerberg, H.**
Nomenclature and Symbols for Polymers, 413L
**Field, L. R.** See Meister, J. J., 1963C
**Field, N. D.**
—; Li, C.: Ring Formation on Heating Poly(methyl Vinyl Ether-Alt-Ammonium Maleamate), 1115C
—; Song, S. S.: Blends of Poly(ethylene terephthalate) and Cellulose, 101P
**Fincher, C. R.** See Berlinsky, A. J., 847P
**Firat, Y.** See Bywater, S., 669C
**Fischer, E. W.**
—; Hahn, K.; Kugler, J.; Struth, U.; Born, R.; Stamm, M.: An Estimation of the Number of Tie Molecules in Semicrystalline Polymers by Means of Neutron Scattering, 1491P
**Fishman, M. L.**
—; Pepper, L.; Barford, R. A.: Degree of Polymerization of Sodium Polygalacturonate by Membrane Osmometry (Note), 899P
**Fitch, R. M.**
Review of *Principles of Colloid and Surface Chemistry*, Paul C. Hiemenz, 508L
**Flagg, E. E.**
—; Schmidt, D. L.: Bis(Difluoroaluminum)-organophosphonates and Difluoroaluminumdiorganophosphinates, 2329C
**Flaherty, K. R.**
—; Lee, W. M.; Mendenhall, G. D.: Study of Effect of Extrusion Rate on the Stability of Polypropylene Fiber with Chemiluminescence Techniques, 665L
**Flaisher, H.** See Natansohn, A., 579L
**Fles, D.** See Andreis, M., 2559C; Ranogajec, F., 41C
**Flory, P. J.**
—; Erman, B.: Silicone Networks with Junctions of High Functionality and the Theory of Rubber Elasticity, 49P
**Fodor, Z.**
—; Iring, M.; Tudos, F.; Kelen, T.: Determination of Carbonyl-Containing Functional Groups in Oxidized Polyethylene, 2539C
**Fohlen, G. M.** See Achar, B. N., 319C, 1471C; Kumar, D., 927C, 1141C
**Fontanille, M.** See Allard, D., 3827C; Siove, A., 3877C
**Ford, W. T.** See Dunn, L. C., 2243P; Gutierrez, M. H., 3789C
Mechanisms of Polymer-Supported Catalysis. 5. Solvation of Quaternary Onium Ions in Polystyrene Gels by $^{13}C$-NMR Spectroscopy, 509C
**Forte, M. M. C.**
—; Gomes, A. S.; Quijada, R.: Immobilized Catalyst System in Hydrogenated Hydroxylated Polybutadiene for Ethylene Polymerization, 25L
**Foti, S.**
—; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectrometry of Polymers. X. Primary Thermal Fragmentation Processes in Totally Aromatic Polyesters, 1201C
—; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectrometry of Polymers. XI. Primary Thermal Fragmentation Processes in Aromatic–Aliphatic Polyesters, 1217C
**Fouassier, J. P.** See Bousquet, J. A., 3865C
**Foureys, J. L.** See Hamaide, T., 3091C
**Fowkes, F. M.**
—; Tischler, D. O.; Wolfe, J. A.; Lannigan, L. A.; Ademu-John, C. M.; Halliwell, M. J.: Acid–Base Complexes of Polymers, 547C
**Fradet, A.** See Judas, D., 3309C
**Fredericks, R. J.**
—; Melveger, A. J.; Dolegiewitz, L. J.: Morphological and Structural Changes in a Copolymer of Glycolide and Lactide Occurring As a Result of Hydrolysis, 57P
**Freelin, R. G.** See Keohan, F. L., 679C
**Friberg, S. E.**
—; Liang, P.: W/O Microemulsions of Styrene Monomer and Dimer, 1699C
**Fried, F.**
—; Sixou, P.: Lyotropic Mesophases of Hydroxypropylcellulose in Pure Acetic Acid, in Water, and in Mixed Solvents, 239C
**Frisch, H. L.** See Cassidy, E. F., 1839C, 1851C, 2667C; Xiao, H. X., 1035C
—; Volpe, R. A.: The Dependence of Elastomeric Properties on Network Junction Functionality (Note), 2279P
**Frisch, K. C.** See Cassidy, E. F., 1839C, 1851C, 2667C; Xiao, H. X., 1035C
**Fujii, N.** See Tsujita, Y., 2533C
**Fujimori, K.**
—; Trainor, G. T.; Costigan, M. J.: Complexation and Rate of Polymerization of Acrylic Acid and Methacrylic Acid in the Presence of Poly(4-Vinylpyridine) in Dilute Methanol Solution, 2479C
**Fujimoto, M.** See Oishi, T., 2721C, 2789C
**Fujita, T.** See Kurumada, T., 277C
**Fujita, Y.** See Varma, B. K., 1781P
**Fukada, E.** See Ando, Y., 1821P
**Fukada, S.** See Sugiyama, K., 437L
**Fukutomi, T.** See Chen, H., 2123C
—; Yokota, A.; Ishizu, K.: Copolymerization Reactivity of Poly(methyl Methacrylate) Macromer, 2983C

**Funt, B. L.**
—; Tan, S-R.: The Photoelectrochemical Initiation of Polymerization of Styrene, 605C
**Furue, M.** See Sumi, K., 3779C
**Furuhata, K.**
—; Yokokawa, T.; Miyasaka, K.: Drawing of Ultrahigh-Molecular-Weight Polyethylene Single-Crystal Mats (Note), 133P
**Fytas, G.**
—; Dorfmuller, T.; Chu, B.: Photon Correlation Spectra of Poly(phenylmethyl Siloxane) under High Pressures, 1471P

**Galeski, A.**
—; Pracella, M.; Martuscelli, E.: Polypropylene Spherulite Morphology and Growth Rate Changes in Blends with Low-Density Polyethylene, 739P
**Galigne, J. L.** See Latour, M., 345P
**Galiotis, C.**
—; Read, R. T.; Yeung, P. H. J.; Young, R. J.; Chalmers, I. F.; Bloor, D.: High-Modulus Polydiacetylene Single-Crystal Fibers, 1589P
**Galli, G.** See Laus, M., 587L
**Gandini, A.**
Comments on "Mechanism of Graft Coolymerization of Vinyl Monomers onto Cellulose by Periodate" by R. Narayan and G. T. Tsao, 623L
**Garcia, D.**
Fourier-Transform Infrared Study of Polystyrene/Poly(vinyl methyl ether) Blends , 107P
Heterogeneous Nucleation of Poly(ethylene Terephthalate), 2063P
High-Temperature Fourier Transform Infrared Study of Polystyrene/Poly(vinyl Methyl Ether) Blends, 1773P
**Gargallo, L.** See Encinas, M. V., 2469C
**Garnier, F.** See Tourillon, G., 33P
**Garrido, J.** See Lissi, E. A., 391L
**Garrido, L.** See Jiang, C.-Y., 2281P
**Garton, A.**
The Crosslinking of Epoxy Resins at Interfaces. I. Germanium, Germanium Dioxide, and Silane-Treated Germanium, 1495C
**Gatechair, L. R.** See Pappas, S. P., 69C, 77C
**Gates, B. C.** See Dooley, K. M., 2859C
**Gaymans, R. J.**
—; Venkatraman, V. S.; Schuijer, J.: Preparation and Some Properties of Nylon-4,2, 1373C
**Geiss, R.**
—; Volksen, W.; Tsay, J.; Economy, J.: Structure of Poly(*p*-Hydroxybenzoic Acid), 433L
**Gent, A. N.** See Ellul, M. D., 1953P
—; Tobias, R. H.: Effect of Interfacial Bonding on the Strength of Adhesion of Elastomers. III. Interlinking by Molecular Entanglements, 1483P
**Gerlock, J. L.**
—; Bauer, D. R.: ESR Measurements of Free Radical Photoinitiation Rates by Nitroxide Termination, 447L
**German, A. L.** See Brouwer, W. M., 2353C; Hautus, F. L. M., 3487C, 3661C
**Ghatge, N. D.** See Shinde, B. M., 3585C
—; Jadhav, J. Y.: Preparation of Silicon Containing Polymers. II. Effect of Structure on the Thermal Stability of Organosilicon Aramids, 1565C
—; Shinde, B. M.; Jagadale, S. M.: Synthesis and Characterization of Poly(amide-Amine) Polymers (Note), 985C
—; Shinde, B. M.; Mulik, U. P.: Polyimides from Dianhydrides and Bis(*p*-Aminophenyl) Alkane Diamines—I, 3359C
**Gherasim, G. M.** See Butuc, E., 503C
**Ghosh, P.**
—; Ghosh, T. K.: Studies on Vinyl Photopolymerization Using a Macromolecular C.T. Complex between Poly(*N*-Vinyl Carbazole) and Bromine as the Photoinitiator, 2295C
**Ghosh, T. K.** See Ghosh, P., 2295C
**Giddings, J. C.** See Brimhall, S. L., 339L
**Gilbert, E. E.**
A Comparative Study of the Reactivity of Poly(vinyl Chloride) and of Poly(vinyl Nitrate) with Sodium Azide (Note), 3603C
**Gilbert, R. G.** See Ballard, M. J., 3225C
**Giorgio, S.**
—; Kern, R.: High-Resolution Electron Microscopy of Polyethylene and Paraffin Crystals: Stability in the Electron Beam, 1931P
**Gitsov, I.** See Rashkov, I. B., 905C
**Giuffrida, M.** See Foti, S., 1201C, 1217C
**Giunchi, G.** See Guerra, G., 1029P
**Gleason, R. T.** See Linde, H. G., 3043C
**Glotin, M.** See Popli, R., 407P
**Godovsky, Y. K.** See Papkov, V. S., 3617C
**Goel, T. C.** See Varma, I. K., 1487C
**Gomes, A. S.** See Forte, M. M. C., 25L; Macchi, E. M., 209L
**Goni, I.** See Gurruchaga, M. D., 21L
—; Gurruchaga, M. D.; Valero, G. M.; Guzman, G. M.: Graft Polymerization of Acrylic Monomers onto Starch Fractions. III. Effect of Carbohydrate Structure, 1327C
**Gonzalez, A.** See Bataille, P., 1409C
**Gonzalez, M. C.** See Zamora, F., 267L
**Grady, P. L.** See Brock, S., 1349P
**Graessley, W. W.** See Chen, X., 777P
**Grayson, M. A.**
—; Wolf, C. J.: Low-Temperature Thermal Decomposition of an Epoxy Resin, 1897C
**Grenier, D.**
—; Prud'Homme, R. E.: Complex Formation between Enantiomeric Polyesters, 577P
**Grenier, P.** See Grenier-Loustalot, M.-F., 4011C
**Grenier-Loustalot, M.-F.**
—; Grenier, P.: Reaction Epoxy-Amine: Suivi du Mecanisme Reactionnel et de la Cinetique par RMN $^{13}C$, $^{15}N$ et HPLC, 4011C
**Gronowitz, S.** See Guenther, H., 65L
**Grubb, D. T.**
—; Liu, J. J.-H.; Caffrey, M.; Bilderback, D. H.: Real Time Small-Angle X-Ray Scattering during Annealing of Polymer Single Crystals, 367P
**Grubb, M. B.** See Hoyle, C. E., 1865C
**Guenther, H.**
—; Bezoari, M. D.; Kovacic, P.; Gronowitz, S.; Hornfeldt, A.-B.: Conductivity of Doped Poly(2,5-Selenienylene), 65L
**Guerra, G.**
—; Petraccone, V.; Corradini, P.; De Rosa, C.; Napolitano, R.; Pirozzi, B.; Giunchi, G.: Crystalline Order and Melting Behavior of Isotactic Polypropylene ($\alpha$ Form), 1029P
**Guijarro, E.**
—; de la Campa, J. G.; de Abajo, J.: Poly(*m*-Phenylene Isophthalamides) Containing Nitro Groups (Note), 1531C
**Guillermo, A.** See Cohen-Addad, J. P., 931P
**Gulari, E.** See Johnson, P. L., 3967C
**Gundlach, D. P.** See Kao, C. I., 3499C
**Gunesin, B. Z.**
—; Schulz, D. N.; Kang, J. W.; Cain, A. R.; Hamed, G. R.: IBMA–Metal Containing Polymers, 353C
**Gupta, M. C.**
—; Deshmukh, V. G.: Gamma-Radiolysis of Polysalicylide, 749C
**Gupta, M. K.**
—; Carlsson, D. J.; Wiles, D. M.: Oriented Polyolefin Laminates: A Refractometry and Infrared Study, 1011P
**Gurruchaga, M. D.** See Goni, I., 1327C
—; Goni, I.; Valero, M.; Guzman, G. M.: Graft Polymerization of Acrylic Monomers onto Starch Fractions. II. Effect of Reaction Time on Grafting of Methyl Methacrylate onto Amylopectin, 21L
**Guthrie, J. T.**
—; Squires, L. J.: The Effect of Organic Nitriles on the Radiation Induced Polymerization of Styrene, 135C
**Gutierrez, G. A.** See Blackwell, J., 1343P

**Gutierrez, M. H.**
—; Ford, W. T.; Pohl, H. A.: A Warning About Structures of Thiophene Polymers, 3789C
**Guyot, A.** See Hamaide, T., 3091C; Spitz, R., 2625C, 2641C
**Guzman, G. M.** See Fernandez, M. D., 2729C; Goni, I., 1327C; Gurruchaga, M. D., 21L
**Guzman, I. Sh.** See Dolgoplosk, B. A., 1535C
**Guzman, J.** See Riande, E., 917P; Saiz, E., 2165P

**Hachiya, S.** See Okahata, Y., 595L
**Hadjichristidis, N.** See Chen, X., 777P
—; Mays, J.; Ferry, W.; Fetters, L. J.: Properties and Chain Flexibility of Poly(*dl*-Isobornyl Methacrylate), 1745P
**Hagiwara, T.** See Iwata, K., 215L
**Hahn, K.** See Fischer, E. W., 1491P
**Halliwell, M. J.** See Fowkes, F. M., 547C
**Hamada, F.** See Yamaguchi, S., 1551P
**Hamada, N.** See Ishihara, K., 121C, 881C
**Hamaide, T.**
—; Mariaggi, N.; Foureys, J. L.; Le Perchec, P.; Guyot, A.: Effet Solvatant des Copolymères Styrène–Macromère a Chaine Polyoxyéthylène. Influence du Support Polymère, 3091C
**Hamano, H.** See Takagishi, T., 283L, 4035C
**Hamaoka, N.** See Imai, Y., 1291C, 1981C
**Hamed, G. R.** See Gunesin, B. Z., 353C
**Hamielec, A. E.** See Stickler, M., 2243C
**Hammond, W. B.** See Aharoni, S. M., 2567C, 2579C
**Hammouda, B.**
—; Akcasu, A. Z.; Benmouna, M.: Concentration Dependence of the First Cumulant for Partially Labeled Chains in Dilute Solutions, 853P
**Hanabusa, K.** See Shirai, H., 1309C
—; Sato, M.; Shirai, H.; Takemoto, K.; Iizuka, E.: Liquid Crystalline Poly(4-Substituted γ-Benzyl-L-Glutamate), 559L
**Hard, S.** See Jacobsson, S., 471P
**Hargis, I. G.**
Review of *Synthetic Rubbers: Their Chemistry and Technology*, D. C. Blackley, 53L
**Haridi, M. T.** See Roshdy, M. H., 1797C
**Harima, K.** See Uryu, T., 3593C
**Harris, J. M.**
—; Struck, E. C.; Case, M. G.; Paley, M. S.; Yalpani, M.; Van Alstine, J. M.; Brooks, D. E.: Synthesis and Characterization of Poly(ethylene Glycol) Derivatives, 341C
**Hart, L. H.** See Dewald, R. C., 2923C, 2931C
**Haruta, Y.** See Nishimoto, S., 199L, 323L
**Harwood, H. J.** See Tong, S. N., 1097C
**Hasan, M. U.**
—; Tsonis, C. P.: Structural Characterization of Polybenzyls by High Field $^{13}$C-NMR Spectroscopy, 1349C
**Hasegawa, A.** See Teramachi, S., 71L
**Hasegawa, T.**
—; Nogami, T.; Mikawa, H.: Poly(phenylene Ditelluride) and Poly(diphenylene Ditelluride), 365L
**Hashimoto, H.** See Muroi, S., 1365C
**Hashimoto, K.**
—; Sumitomo, H.: Cationic Oligomerization of Bicyclic Oxalactam, 1733C
**Hasuda, Y.** See Matsumoto, S., 869C
**Hatada, K.** See Okamoto, Y., 1831C
**Hatanaka, K.**
—; Kanazawa, S.; Uryu, T.; Matsuzaki, K.: Ring-Opening Polymerization of Anhydro-Deoxy-Sugar Derivative and Chemical Synthesis of Stereoregular 2-Deoxy-(1 → 6)-α-D-*arabino*-hexopyranan, 1987C
**Hautus, F. L. M.**
—; Linssen, H. N.; German, A. L.: Dependence of Computed Copolymer Reactivity Ratios on the Calculation Method. I. Effect of Experimental Setup, 3487C
—; Linssen, H. N.; German, A. L.: Dependence of Computed Copolymer Reactivity Ratios on the Calculation Method. II. Effects of Experimental Design and Error Structure, 3661C
**Havens, S. J.**
—; Hergenrother, P. M.: Ethynyl-Terminated Polyarylates: Synthesis and Characterization, 3011C
**Hayakawa, N.** See Sasuga, T., 529P
**Hayakawa, T.** See Yamamoto, H., 255L
**Hayashi, H.** See Yamaguchi, S., 1551P
**Heeger, A. J.** See Berlinsky, A. J., 847P; Chung, T.-C., 1239P; Woerner, T., 119L
**Hegazy, E.-S. A.**
Preirradiation Grafting of *N*-Vinyl-2-Pyrrolidone onto Poly(tetrafluoroethylene) and Poly(tetrafluoroethylene-hexafluoropropylene) Films, 493C
—; Dessouki, A. M.; Rabie, A-G. M.; Ishigaki, I.: Membranes Obtained by Preirradiation Grafting of Acrylic Acid onto Poly(tetrafluoroethylene–perfluorovinyl Ether), 3673C
—; El-Assy, N. B.; Rabie, A-G. M.; Ishigaki, I.; Okamoto, J.: Kinetic Study of Preirradiation Grafting of Acrylic Acid onto Poly(tetrafluoroethylene–Perfluorovinyl Ether) Copolymer, 597C
**Heijboer, J.** See Miller, R. L., 2021P
**Heilmann, S. M.**
—; Rasmussen, J. K.; Krepski, L. R.; Smith, H. K., II: Chemistry of Alkenyl Azlactones. IV. Preparation and Properties of Telechelic Acrylamides Derived from Amine-terminated Oligomers, 3149C
—; Rasmussen, J. K.; Palensky, F. J.; Smith, H. K., II: Chemistry of Alkenyl Azlactones. I. Radiation-Sensitive Materials Derived from Azlactone-Containing Copolymers, 1179C
**Henkee, C. S.**
—; Kramer, E. J.: Crazing and Shear Deformation in Crosslinked Polystyrene, 721P
**Hennecke, E. E.** See Kramer, P., 475C
**Hensel, R. D.** See Hoyle, C. E., 1865C
**Hergenrother, P. M.** See Havens, S. J., 3011C
**Herkstroeter, W. G.**
Probes of the Microenvironments of the Cationic Copolymers of Styrene and Vinylbenzenetrialkylammonium Halides, 2395C
**Hermans, J.** See Hermans, J. J., 279P
**Hermans, J. J.**
—; Hermans, J.: Distribution of Polymer Chain Lengths inside a Spherical Volume: Solution in Terms of a Diffusion Problem, 279P
**Hernandez, R.** See Diaz, A. F., 1123C
**Hersh, S. P.** See Brock, S., 1349P
**Herskovitz, T.**
Tetraalkyl Titanium and Zirconium Metal Chloride Catalyst Systems for Ethylene Polymerization, 637C
**Hersman, M. J.** See Bansleben, D. A., 2489C
**Hespe, H.** See Blackwell, J., 1247P; Born, L., 163P
**Heyer, D.**
—; Buchenau, U.; Stamm, M.: Determination of Elastic Shear Constants of Polyethylene at Room Temperature by Inelastic Neutron Scattering, 1515P
**Higaki, S.** See Shirai, H., 1309C
**Higashi, F.**
—; Akiyama, N.; Takahashi, I.; Koyama, T.: Direct Polycondensation of Aromatic Dicarboxylic Acids and Bisphenols with Tosyl Chloride and *N*,*N*-Dimethylformamide in Pyridine, 1653C
—; Hoshio, A.; Ohtani, H.: Synthesis of High-Molecular-Weight Poly(amide-ester)s by Direct Polycondensation with Diphenyl Chlorophosphate, 3983C
—; Takahashi, I.; Akiyama, N.; Chang, T.-C.: Further Study of the Direct Polycondensation Reaction of Hydroxybenzoic Acids with Tosyl Chloride and *N*,*N*-Dimethylformamide (Note), 3607C
—; Yamada, Y.; Hoshio, A.: Direct Polycondensations of Hydroxybenzoic Acids by Use of Diphenyl Chlorophosphate in the Presence of *N*,*N*-Dimethylformamide, 2181C

**Higashimura, T.** See Aoshima, S., 2443C; Okano, Y., 1603C; Yamagata, M., 2275C
—; Tanizaki, A.; Sawamoto, M.: Living Cationic Polymerization of Isobutyl Propenyl Ether as $\beta$-Substituted Vinyl Ether, 3173C
**Hilal, N.** See Dunn, L. C., 2243P
**Hill, R. M.**
—; Dissado, L. A.: The Dynamics of Mechanical Relaxation in Polyisobutylene, 1991P
**Hiltner, A.** See Chang, B. H., 255P
**Hinkley, J. A.**
Mechanical Losses in Crosslinked Polyethersulfone, 497L
**Hinterhofer, O.**
Review of *Kunststoff Handbuch*, by Becker/Braun, 457L
**Hirata, T.**
—; Okamoto, H.: Isothermal Pyrolysis of Cellulose Untreated and Treated with Some Flame-Retardants, 3071C
**Ho, K. H.** See Leung, W. P., 1173P
**Ho, S. Y.** See Tang, D. K., 1357C
**Hoffman, H. T., Jr.** See Watt, W. R., 1789C
**Hojo, N.** See Shirai, H., 1309C
**Holecek, D. R.** See Rothwell, W. P., 241L
**Hon, D. N.-S.**
—; Chang, S.-T.: Surface Degradation of Wood by Ultraviolet Light, 2227C
**Hong, X.-Y.**
—; Xiao, J.-Q.; Zhou, Z.; Pei, R.-X.: Development-Free Vapor Photoetching Effect of Azide-Type Photopolymers, 3289C
**Hongzhi, N.** See Ishikawa, M., 669L
**Honig, J. A. J.**
—; Burford, R. P.; Chaplin, R. P.: Molecular Weight Phenomena at High Conversions in the Ziegler–Natta Polymerization of Butadiene, 1461C
**Hoogsteen, W.** See Eling, B., 2735C
**Hopfenberg, H. B.** See Chern, R. T., 1061P
**Hori, Y.**
—; Shimada, S.; Kashiwabara, H.: An ESR Study of the Decay Reaction of Isotactic Polypropylene Peroxy Radicals in Air, 1407P
**Horino, K.** See Jimbo, M., 2139P
**Hornfeldt, A.-B.** See Guenther, H., 65L
**Hosaka, Y.** See Ouchi, T., 385L, 1507C
**Hoshino, S.** See Inoue, K., 1969P
**Hoshio, A.** See Higashi, F., 2181C, 3983C
**Hosoi, K.** See Muroi, S., 1365C
**Hosokawa, Y.** See Tomoi, M., 1243C
**Hoyle, C. E.**
—; Hensel, R. D.; Grubb, M. B.: Temperature Dependence of the Laser-Initiated Polymerization of a Thiol-Ene System, 1865C
**Hsiue, G.-H.**
—; Yang, W.-R.: Thermal Properties and Morphology of $\alpha$-Methylstyrene-Butadiene-$\alpha$-Methylstyrene Triblock Copolymer, 1525C
**Hsu, M. S.** See Achar, B. N., 1471C
**Hsu, S. L.** See Babu, G. N., 195C, 213C; Chang, C., 2185P; Li, X., 1331P; Lu, F. J., 827P
**Hsu, S. Y.** See Ayrey, G., 2871C
**Hsu, W. Y.** See Avakian, P., 1607P
**Huang, R. Y. M.** See Narasimhan, V., 3895C
**Hunter, B. K.**
—; Russell, K. E.; Scammell, M. V.; Thompson, S. L.: The Preparation and Characterization of Homogeneous Copolymers of Ethylene and 1-Alkenes, 1383C
**Huson, M. G.**
—; McGill, W. J.: Nucleation of Polypropylene by Cyclic Oligomers Present in Poly(ethylene terephthalate), 3549C
—; McGill, W. J.: Transcrystallinity in Polypropylene, 3571C
—; McGill, W. J.; Swart, P. J.: Use of Dynamic Mechanical Analysis in Comparing Vulcanization of Different Phases in NR/BR and IR/BR Blends, 143L
**Hutchinson, J. M.** See Ramos, A. R., 1655P
**Hwang, K. K. S.**
—; Wu, G.; Lin, S. B.; Cooper, S. L.: Synthesis and Characterization of MDI-Butanediol Urethane Model Compounds, 1677C
**Ibrahim, I. A.** See Roshdy, M. H., 1797C
**Ichimura, K.**
A Convenient Photochemical Method to Immobilize Enyzmes, 2817C
**Ieda, M.** See Iida, K., 1399P
**Iesako, H.** See Shimbo, M., 1461P
**Igaki, H.** See Inagaki, N., 2083C
**Ihara, Y.** See Kimura, Y., 407C
**Iida, K.**
—; Nakamura, S.; Sawa, G.; Waki, M.; Ieda, M.: Low-Temperature Dielectric Relaxation in Poly(4,4′-Oxydiphenylene Pyromellitimide), 1399P
**Iida, S.** See Saegusa, Y., 1017C
**Iida, T.** See Watanabe, M., 1299C
**Iizuka, E.** See Hanabusa, K., 559L
**Ikeda, S.** See Jimbo, M., 2139P
**Ilavsky, M.**
—; Bogdanova, L. M.; Dusek, K.: Formation, Structure, and Elasticity of Loosely Crosslinked Epoxy-Amine Networks. II. Mechanical and Optical Properties, 265P
**Imai, K.** See Shiomi, T., 1305P
—; Shiomi, T.; Tezuka, Y.; Miya, M.: Acetalization of Poly(vinyl Alcohol) by Kornblum Reaction (Note), 841C
**Imai, Y.** See Ueda, M., 85C
—; Hamaoka, N.; Kakimoto, M.-A.: Preparation and Properties of *N*-Phenylated Aromatic Polyamides from *N*,*N*′-Diphenyl-*p*-phenylenediamine and Aromatic Diacid Chlorides, 1291C
—; Kajiyama, M.; Ogata, S.-I.; Kakimoto, M.-A.: Preparation and Properties of Polyamides from 3,4′- and 4,4′-Oxydianiline and Various Aliphatic and Aromatic Diacids, 3183C
—; Kakimoto, M.-A.; Hamaoka, N.: Preparation and Properties of *N*-Phenylated Aromatic Polyamide-Esters from Anilinophenols and Aromatic Diacid Chlorides, 1981C
—; Kamata, H.; Kakimoto, M.-A.: Preparation and Properties of High Transition Temperature Aromatic Polyphosphonates by Phase-Transfer-Catalyzed Polycondensation of Phenylphosphonic Dichloride with Bisphenols, 1259C
—; Maldar, N. N.; Kakimoto, M.-A.: Synthesis and Characterization of Soluble Aromatic Polyazomethines from 2,5-Bis(4-aminophenyl)-3,4-diphenylthiophene and Aromatic Dialdehydes, 3771C
—; Maldar, N. N.; Kakimoto, M-A.: Synthesis and Characterization of Soluble Polyimides from 2,5-Bis(4-Aminophenyl)-3,4-Diphenylthiophene and Aromatic Tetracarboxylic Dianhydrides, 2189C
—; Tassavori, S.: Preparation and Properties of Aromatic Polyesters and Copolyesters Containing Phenylindane Unit, 1319C
**Imoto, M.** See Ouchi, T., 385L, 1507C, 2287C
**Imoto, Y.** See Tsujita, Y., 2533C
**Inagaki, H.** See Miyamoto, T., 2363C
**Inagaki, N.**
—; Kishi, A.: Quaternary Nitrogen-Containing Polymer Films Prepared by Glow Discharge Polymerization, 315L
—; Koyama, M.; Igaki, H.: Substituent Effects of Methoxy, Methyl, and Vinyl Groups on Glow Discharge Polymerization, 2083C
—; Mitsuuchi, M.: Photoconductive Films Prepared by Glow Discharge Polymerization, 301L
**Inagaki, Y.** See Kondo, S., 249L
**Inaki, Y.** See Fang, S-B., 2455C, 3943C; Sakuma, Y., 2061C; Suda, Y., 623C, 2427C

**Inoue, K.**
—; Hoshino, S.: Crystallinity and Thermal Properties of Polyamides Containing *Cis*- and Trans-1,3-Cyclohexane Rings, 1969P
**Inoue, M.** See Watanabe, J., 39L
**Inoue, T.** See Ishikawa, M., 669L
**Iqbal, M.** See Johnson, B. C., 721C
**Iring, M.** See Fodor, Z., 2539C
**Irzhak, V. I.** See Rostiashvilli, V. G., 1041P
**Ishibashi, S.** See Ueda, M., 2305C
**Ishigaki, I.** See Hegazy, E.-S. A., 597C, 3673C; Otsuhata, K., 3417C
**Ishihara, K.**
—; Hamada, N.; Kato, S.; Shinohara, I.: Photoinduced Swelling Control of Amphiphilic Azoaromatic Polymer Membrane, 121C
—; Hamada, N.; Kato, S.; Shinohara, I.: Photoresponse of the Release Behavior of an Organic Compound by a Azoaromatic Polymer Device (Note), 881C
—; Matsuo, T.; Tsunemitsu, K.; Shinohara, I.; Negishi, N.: Photoinduced Reversible pH Change in Aqueous Solution of Azoaromatic Poly(carboxylic Acid), 3687C
—; Shinohara, I.: Photoinduced Permeation Control of Proteins Using Amphiphilic Azoaromatic Polymer Membrane, 515L
**Ishikawa, M.**
—; Hongzhi, N.; Matsusaki, K.; Nate, K.; Inoue, T.; Yokono, H.: Photolysis of Polymeric Organosilicon Systems. II. Synthesis and Photochemical Behavior of Poly[*p*-(disilanylene)-phenylene], 669L
**Ishiwatari, M.**
Effect of Temperature on the Decomposition Mechanism of Polypropylene, 83L
**Ishiwatari, T.**
—; Kawagishi, M.; Mitsuishi, M.: Oscillatory Reactions in Polymer Systems, 2699C
—; Tsuji, T.; Aoshima, K.; Mitsuishi, M.: Polyelectrolyte Influences on the Trans–Cis Isomerization of Sodium *m*-(4-Ethoxyphenylazo)benzene Sulfonate, 2945C
**Ishizu, K.** See Chen, H., 2123C; Fukutomi, T., 2983C
**Isoda, S.**
—; Kawaguchi, A.; Katayama, K-I.: High-Temperature Phases of Poly(*p*-Xylylene), 669P
**Ito, O.** See Sato, T., 1661C
**Iwaki, F.** See Ogata, N., 793C
**Iwakura, Y.** See Saegusa, Y., 1017C
**Iwamoto, R.** See Miya, M., 1149P
**Iwata, K.**
—; Hagiwara, T.; Matsuzawa, H.: A Novel Photocrosslinkable Polymer with Argon Ion Laser, 215L
**Izukawa, T.** See Nishimoto, S., 199L, 323L

**Jacobsson, S.**
—; Hard, S.; Boldizar, A.: Birefringence of High-Pressure Injection-Molded High-Density Polyethylene at 70.5 μm Wavelength, 471P
**Jadhav, J. Y.** See Ghatge, N. D., 1565C
**Jagadale, S. M.** See Ghatge, N. D., 985C; Shinde, B. M., 3585C
**Jagur-Grodzinski, J.** See Konigsberg, I., 2713C
**Janovic, Z.** See Bansleben, D. A., 3263C
**Jarrin, J.**
—; Dawans, F.; Marechal, E.; Boileau, S.: Crown Ethers as Ligands for Stereospecific Polymerization by Ziegler–Natta Catalysts, 2345C
**Jayakrishnan, A.**
—; Shah, D. O.: Polymerization of Oil-in-Water Microemulsions: Polymerization of Styrene and Methyl Methacrylate, 31L
**Jazzar, M. S.** See Peeling, J., 419C
**Jellinek, H. H. G.**
—; Juznic, K.: Regression Rates of Polymers during Burning of Their Volatile Degradation Products, 1799P
**Jeon, S. I.**
—; Jhon, M. S.: Dilute Solution Properties of Tactic Poly(2-Hydroxyethyl Methacrylate), 3555C
**Jhon, M. S.** See Jeon, S. I., 3555C; Jung, H. Y., 567C
**Jiang, C.-Y.**
—; Garrido, L.; Mark, J. E.: Quantum-Mechanical Isotope Effect in Gas Sorption in Polymer Glasses (Note), 2281P
**Jilek, J. H.** See Pappas, S. P., 77C
**Jimbo, M.**
—; Kobayashi, S.; Horino, K.; Ikeda, S.; Wada, Y.: Analysis of the Hysteresis Curve of Ferroelectric Polymers by a Phenomenological Relaxation Theory, 2139P
**Jin, X.**
—; Ellis, T. S.; Karasz, F. E.: The Effect of Crystallinity and Croslinking on the Depression of the Glass Transition Temperature in Nylon 6 by Water, 1701P
**Johnson, B. C.**
—; Yilgor, I.; Tran, C.; Iqbal, M.; Wightman, J. P.; Lloyd, D. R.; McGrath, J. E.: Synthesis and Characterization of Sulfonated Poly(arylene Ether Sulfones), 721C
**Johnson, E. D.** See Prohaska, G. W., 2953C
**Johnson, P. L.**
—; Gulari, E.: Characteristics of Microemulsion Polymerized Styrene with Water-Soluble Versus Oil-Soluble Initiators, 3967C
**Johnson, S. A.** See Clark, D. T., 2145C
**Jonas, J.** See Brown, D. R., 655P
**Jones, A. A.** See Lin, Y.-Y., 2195P
**Jones, G. A.** See Starkweather, H. W., Jr., 1431P, 1615P
**Joshi, K. A.** See Sawardekar, S. R., 4041C
**Joshi, M. G.** See Shultz, A. R., 1753P
**Joyce, R. M.**
Review of *A Practical Course in Chemical Technology*, I. P. Mukhlyonov, Ed., 373L
Review of *Engineering with Polymers*, Peter C. Powell, 374L
Review of *Experiment Optimization in Chemistry and Chemical Engineering*, S. Akhnazarova and V. Kafarov, 372L
Review of *Problems and Exercises in General Chemistry*, N. L. Glinka, 373L
Review of *The First Annual International Conference of Plasma Chemistry and Technology*, Herman V. Boenig, Ed., 375L
**Judas, D.**
—; Fradet, A.; Marechal, E.: Mechanism of the Thickening Reaction of Polyester Resins: Study on Models, 3309C
**Jung, H. Y.**
—; Jhon, M. S.: Partial Miscibility in Multicomponent Polymer System, 567C
**Jura, W. H.**
Combined Use of Aqueous and Nonaqueous Polarography for Vinyl Monomer Determination in Copolymers, 501L
**Juznic, K.** See Jellinek, H. H. G., 1799P

**Kadir, A.**
—; Thomas, A. G.: Tearing of Unvulcanized Natural Rubber, 1623P
**Kageyama, H.** See Okamoto, Y., 1831C
**Kagiya, T.** See Nishimoto, S., 199L, 323L
**Kaim, A.** See Zurakowska-Orszagh, J., 649L
Kinetics of Polymerization of Methyl Methacrylate Initiated with Cyclohexanone. Part I, 1891C
Polymerization of Vinyl Monomers Initiated with Cyclohexanone, 203L
**Kajiyama, M.** See Imai, Y., 3183C
**Kakimoto, M.-A.** See Imai, Y., 1259C, 1291C, 1981C, 2189C, 3183C, 3771C
**Kakiuchi, H.** See Tomoi, M., 911C, 1243C
**Kakurai, T.** See Chen, H., 2123C
**Kaladas, J.** See Schulz, W. W., 3775C
**Kale, L. T.** See O'Driscoll, K. F., 2777C
**Kaleefa, H.** See Pyriadi, T. M., 129C
**Kaluzynski, K.** See Pretula, J., 1251C

**Kamata, H.** See Imai, Y., 1259C
**Kambe, H.** See Kochi, M., 1979P
**Kamei, E.**
—; Brown, N.: Crazing in Polyethylene, 543P
**Kamogawa, H.**
—; Maeda, K.: Polymeric Arylsulfonylmethyl Isocyanide, a Novel Polymer Reagent, 1393C
—; Masui, T.; Amemiya, S.: Organic Solid Photochromism by Photoreduction Mechanism: Viologen Embedded in Solid Polar Aprotic Polymer Matrix, 383C
**Kanazawa, S.** See Hatanaka, K., 1987C
**Kang, J. W.** See Gunesin, B. Z., 353C
**Kao, C. I.**
—; Gundlach, D. P.; Nelsen, R. T.: Kinetics of Emulsion Polymerization of Styrene—Simulation Model with Varying Free Radical Capture Efficiency, 3499C
**Kapuscinska, M.**
—; Pearce, E. M.: Aromatic Polyamides. XI. Effect of the Halogen Substitution on the Thermal and Flammability Behavior of Poly(1,4-Phenylene Terephthalamide), 3989C
—; Pearce, E. M.; Chung, H. F. M.; Ching, C. C.; Zhou, Q. X.: Aromatic Polyamides. XII. Effect of the Polymeric Unit Linkage Position on the Thermal Decomposition and Flammability of the Unsubstituted and Halogen-Substituted Aromatic Polyamides, 3999C
**Karasz, F. E.** See Jin, X., 1701P
**Karbach, A.** See Feit, K., 993P
**Karydas, A. C.**
—; Whang, W. T.; Pearce, E. M.: Aromatic Polyamides. Direct Evidence for the Iminolization–Cyclization Mechanism During the Thermal Degradation of 4-Halogenated Poly(*m*-Phenylene-Isophthalamides) (Note), 847C
**Kasai, N.** See Okamoto, Y., 1831C
**Kashiwabara, H.** See Hori, Y., 1407P
**Katayama, A.** See Maekawa, M., 221L
**Katayama, K-I.** See Isoda, S., 669P
**Kato, M.** See Matsuda, H., 107L; Watanabe, S., 2801C
**Kato, S.** See Ishihara, K., 121C, 881C
**Katsuura, T.** See Ouchi, T., 2287C
**Katti, K. V.**
—; Krishnamurthy, S. S.: Studies of Phosphazenes. XIX. New Polyorganophosphazenes Derived from the Friedel–Crafts Reactions of Hexa(aryloxy)cyclotriphosphazenes with Polyhaloalkanes, 3115C
**Katz, W.** See Valenty, S. J., 3367C
**Kawagishi, M.** See Ishiwatari, T., 2699C
**Kawaguchi, A.** See Isoda, S., 669P
**Kawanobe, W.**
—; Yamaguchi, K.; Rokicki, G.; Mei, S. K.; Yamazaki, N.; Nakahama, S.: Direct Synthesis of Polyamides by *N*-Acyl Phosphoramidites, 2371C
**Keith, H. D.**
—; Loomis, T. C.: Estimation of Crystallization Temperatures in Quenched Polyethylene, 295P
**Kelen, T.** See Fodor, Z., 2539C
**Keller, A.** See Martinez-Salazar, J. M., 1085P
**Keller, T. M.**
Synthesis of Linear Polyesters from Fluorine-Containing Tertiary Diols (Note), 2719C
**Kelly, J. E.** See Moore, J. A., 863C
**Kelly, J. M.** See Coey, J. M. D., 303C
**Kennedy, J. P.** See Santos, R., 2685C
**Keohan, F. L.**
—; Freelin, R. G.; Riffle, J. S.; Yilgor, I.; McGrath, J. E.: Synthesis of High Molecular Weight Polyester-Carbonates via Interfacial Phosgenation of Aromatic Dicarboxylic Acids and Bisphenols, 679C
**Kern, R.** See Giorgio, S., 1931P
**Kershaw, J. A.** See Rothwell, W. P., 241L
**Khan, H. U.**
—; Bhargava, G. S.: On the Interaction Parameter for the Determination of Molecular Weight of High Polymers, 95L
**Khanna, Y. P.**
—; Turi, E. A.; Sibilia, J. P.: High-Temperature Aging of Halar Film. II. Analysis of Melting Behavior, 2175P
**Kharas, G.**
—; Kohn, D. H.: Characterization of Copolymers of Vinyl Acetate with Ethyl α-Cyanocinnamate, 577C
—; Kohn, D. H.: Copolymerization of Vinyl Acetate with Benzylidenemalononitrile, 583C
**Kharas, G. B.**
—; Litt, M. H.: Linear Condensation Polymers of Aromatic 1,3-Diamines with 3-Pyridinealdehyde, 1231C
**Khetarpal, R. C.** See Misra, B. N., 2767C
**Kijima, M.**
—; Nambu, Y.; Endo, T.; Okawara, M.: Hydrophilic Polymer-Immobilized Lipoamides-Iron(II) System as a New Reducing Catalyst for the Reduction of O-Benzylhydroxylamine by Sodium Borohydride, 821C
**Kilic, S.**
—; Baysal, B. M.: Thermal and Radiation-Induced Polymerizations of *N*-tert-Butylacrylamide and (*N*-tert-Butylacrylamide)$_2$-$ZnCl_2$ Complex, 453C
**Kimura, M.** See Despe[illegible], C. R., 1193P
—; Porter, R. S.: Compatibility of Poly(butylene Terephthalate) with a Liquid-Crystalline Copolyester (Note), 1697P
**Kimura, Y.**
—; Tanaka, A.; Nango, M.; Kuroki, N.; Ihara, Y.: Catalysis of Enantiomeric Ester Hydrolysis in Polymer Domains: Catalytic Effects of *N*-Decanoyl-Histidine and of Dipeptide Derivatives Containing a Histidyl Residue, 407C
**Kinoshita, T.** See Tsujita, Y., 2533C
**Kishi, A.** See Inagaki, N., 315L
**Kishore, K.**
—; Ravindran, K.; Nagarajan, R.: Effect of Transition Metal Salicylates on the Degradation of Poly(styrene Peroxide), 539L
—; Vasanthakumari, R.; Penninga, A. J.: Isothermal Melting Behavior of Poly(L-Lactic Acid), 537P
—; Verneker, V. R. P.; Dharumaraj, G. V.: Crosslinking Reactions of 1,1′-Bis(glycidoxy Methyl)ferrocene with Carboxyl-Terminated Polybutadiene and its Wetting Effect, 607L
—; Verneker, V. R. P.; Dharumaraj, G. V.: DTA Studies on the Thermal Oxidation and Crosslinking Reactions of Carboxyl-Terminated Polybutadiene, 1481C
**Kispert, L. D.** See Murray, D. P., 519L
**Kissin, Y. V.** See Beach, D. L., 3027C; Sivak, A. J., 3739C, 3747C
—; Beach, D. L.: Copolymerization of Ethylene with Higher Linear α-Olefins—Reactivity Ratios, 333C
**Kitayama, S.** See Ogata, N., 865C
—; Sanui, K.; Ogata, N.: Synthesis of Aromatic Polyesters by Direct Polycondensation with Triphenylphosphine Dichloride, 2705C
**Klein, A.** See Dimonie, V., 2197C
**Kobayashi, S.** See Jimbo, M., 2139P
**Kobayashi, T.** See Watanabe, M., 1299C
**Kochi, M.**
—; Shimada, H.; Kambe, H.: Molecular Aggregation and Mechanical Properties of Kapton H, 1979P
**Koenhen, D. M.**
—; Bakker, A.; Broens, L.; Van Den Berg, J. W. A.; Smolders, C. A.: Phase Separation Phenomena in Solutions of Poly(2,6-Dimethyl-1,4-Phenylene Oxide). IV. Thermodynamic Parameters for Solutions in a Series of Homologous Solvents: Toluene to Hexylbenzene, 2145P
**Koenig, J. L.** See Bauer, D. R., 2009P
**Kohn, D. H.** See Kharas, G., 577C, 583C
**Kojima, M.**
—; Satake, H.: Morphological and Structural Features of Heat-Treated Drawn Polypropylene/High-Density Polyethylene Blends, 285P

**Kolarik, J.**
—; Murtinger, K.; Sevcik, S.: The Dynamic Relaxation Behavior of Poly(acetoxyethyl Methacrylate) and Poly(pivaloyloxyethyl Methacrylate) (Note), 773P
**Kolinski, A.** See Sikorski, A., 97C
On the Entropy of the Multichain Athermal Lattice Systems, 407L
**Konaka, R.** See Ouchi, T., 1507C
**Konar, R. S.** See Banerjee, M., 1191C, 1193C
**Kondo, H.**
—; Sato, M.; Yokoyama, M.: Phenothiaphosphine-Containing Polyamides and Polyesters, 1055C
**Kondo, S.**
—; Inagaki, Y.; Tsuda, K.: Synthesis of Polymeric Formamides and Their Use as Phase Transfer Catalysts, 249L
—; Muramatsu, M.; Senga, M.; Tsuda, K.: Photopolymerization of Methyl Methacrylate and Styrene by a Oxosulfonium Ylide (Note), 1187C
**Kondo, Y.** See Shirai, H., 1309C
**Konigsberg, I.**
—; Jagur-Grodzinski, J.: Photoinduced Decomposition of the Polybromostyryl Carbanions, 2713C
**Konishi, F.** See Tsunooka, M., 739C
**Kono, M.** See Suda, Y., 2427C
**Kontani, T.** See Yamada, B., 2381C
**Koros, W. J.** See Chern, R. T., 1061P
**Korshak, V. V.** See Vinogradova, S. V., 1043C
**Kosakai, S.** See Watanabe, S., 2801C
**Kotek, R.** See Krigbaum, W. R., 873C, 4045C
**Kovacic, P.** See Guenther, H., 65L
**Kovacs, A. J.** See Ramos, A. R., 1655P
**Kowalewska, W.** See Podkoscielny, W., 1025C, 1579C
**Koyama, M.** See Inagaki, N., 2083C
**Koyama, T.** See Higashi, F., 1653C
**Kozuka, H.** See Takagishi, T., 185C, 283L, 4035C
—; Takagishi, T.; Kuroki, N.: Dependence of the Extent of Binding of Methyl Orange on the Concentration of Macromolecules, 357L
**Kramer, E. J.** See Henkee, C. S., 721P
**Kramer, P.**
—; Sharma, A. K.; Hennecke, E. E.; Yasuda, H.: Polymerization of Para-Xylylene Derivatives (Parylene Polymerization). I. Deposition Kinetics for Parylene N and Parylene C, 475C
**Kratochvil, P.** See Prochazka, O., 501P
**Krepski, L. R.** See Heilmann, S. M., 3149C
**Krigbaum, W. R.**
—; Kotek, R.; Mihara, Y.; Preston, J.: Preparation of Polyamides via the Phosphorylation Reaction. IX. Effect of Reaction Temperature on Molecular Weight on Poly(*p*-Phenylene Terephthalamide) (Note), 4045C
—; Kotek, R.; Preston, J.: Preparation of Polyamides Via the Phosphorylation Reaction. VIII (Note), 873C
**Krimm, S.** See Chang, C., 1871P
**Krische, B.** See Ahlgren, G., 173L
**Krishnamurthy, S. S.** See Katti, K. V., 3115C
**Krishnamurthy, V. N.** See Srinivasan, M., 1743C
**Krul, L. P.** See Polikarpov, A. P., 153L
—; Matusevich, Yu. I.; Prokopchuk, N. R.: Mechanical Properties of Graft Copolymers of Polyethylene and Acrylonitrile Obtained by the Inhibited Graft Polymerization Method, 611L
**Kugler, J.** See Fischer, E. W., 1491P
**Kuhn, H. H.**
Review of *Handbook of Fiber Science and Technology: Volume I, Chemical Processing of Fibers and Fabrics: Fundamentals and Preparation Part B*, M. Lewin and S. B. Sello, Eds., 673L
**Kultys, A.** See Podkoscielny, W., 2265C
**Kumakura, T.** See Ueda, M., 85C
**Kumanotani, J.** See Oshima, R., 2047C, 3135C
**Kumar, D.**
New Polypyromellitimide Films Based on Cyclotriphosphazene and Bisaspartimide Derived Diamines, 3439C
—; Fohlen, G. M.; Parker, J. A.: Fire- and Heat-Resistant Polymer Based on Maleimido-Substituted 2,2-bis(anilino)-4,4,6,6-tetrakis-(4-Aminophenoxy)-Cyclotriphosphazene, 1141C
—; Fohlen, G. M.; Parker, J. A.: High-Strength Fire- and Heat-Resistant Imide Resins Containing Cyclotriphosphazene and Hexafluoroisopropylidene Groups, 927C
**Kumar, M.** See Tewari, R. S., 1875C
**Kumar, V. G.** See Venkatachalam, S., 3805C
—; Venkatachalam, S.; Rao, K. V. C.: *In situ* Dehydro-Oligomerization of Castor Oil, Fatty Acid Ester into Esters of Dimer and Oligomer Acids over Molybdenum Oxide on Silica-Alumina Catalyst, 2317C
**Kumazawa, H.**
—; Sada, E.; Ando, T.: Diffusion of Acid Dyes in Nylon Film in the Presence of Inorganic Salts, 61C
**Kuroki, N.** See Kimura, Y., 407C; Kozuka, H., 357L; Maekawa, M., 221L; Takagishi, T., 185C, 283L, 1281C, 4035C
**Kurumada, T.**
—; Ohsawa, H.; Fujita, T.; Toda, T.: The Effect of *N*-Substituents of Hindered Amine on Photo-Oxidation of Polypropylene (Note), 277C
**Kusefoglu, S. H.**
Poly-2-Vinylfuran, Synthesis, Characterization, and Diels–Alder Reaction with Maleic Anhydride, 2551C
**Kwei, T. K.**
The Effect of Hydrogen Bonding on the Glass Transition Temperatures of Polymer Mixtures, 307L

**Lacombe, J.-L.** See Spitz, R., 2611C, 2625C, 2641C
**Lacoste, J.**
—; Arnaud, R.; Lemaire, J.: Modelization of Photocatalysed Oxidation of Polyolefins. II. ZnO and $TiO_2$ Photocatalyzed Decomposition of *tert*-Butyl Hydroperoxide and Atactic Polypropylene Hydroperoxides, 3885C
**Langsam, M.**
Gas Chromatography Techniques for the Determination of Vinyl Chloride Polymerization Kinetics, 549L
**Lannigan, L. A.** See Fowkes, F. M., 547C
**Lanzetta, N.** See de Vito, G., 1335C
**Latour, M.**
—; Abo Dorra, H.; Galigne, J. L.: Far-Infrared and X-Ray Studies on Poled Semicrystalline Poly(vinylidene Fluoride), 345P
**Lau, S. F.**
—; Suzuki, H.; Wunderlich, B.: The Thermodynamic Properties of Polytetrafluoroethylene, 379P
**Laurence, R. L.** See Pottiger, M. T., 903P
**Laus, M.**
—; Angeloni, A. S.; Ferruti, P.; Galli, G.; Chiellini, E.: Thermotropic Liquid Crystalline Poly(β-Thioester)s, 587L
**Lavia, M. A.** See Madruga, E. L., 801C
**Lavrenko, P. N.** See Tsvetkov, V. N., 3447C
**Lazcano, S.** See Bello, A., 1197C
**le Barny, P.** See Buisine, J. M., 149L
**Lebduska, J.**
—; Snuparek, J., Jr.; Cermak, V.: Solution Copolymerization of 2-Hydroxyethyl Methacrylate and Styrene, 261L
**Ledbetter, M.**
—; Cuculo, J. A.; Tucker, P.: Structure and Properties of Poly(ethylene Terephthalate) Crystallized by Converging Flow and High Pressure, 1435C
**Lee, B.-J.** See Cho, I., 487L
**Lee, C. D.** See Blackwell, J., 759P
**Lee, D-H.** See Odian, G., 769C

**Lee, J.**
—; Marvel, C. S.: Polyaromatic Ether-Ketone Sulfonamides Prepared from Polydiphenyl Ether-Ketones by Chlorosulfonation and Treatment with Secondary Amines, 295C
**Lee, W. M.** See Flaherty, K. R., 665L
**Lee, Y-L.**
—; Bretzlaff, R. S.; Wool, R. P.: Fourier-Transform Infrared Studies of Polypropylene during Mechanical Deformation, 681P
**Lemaire, J.** See Lacoste, J., 3885C
**Lenka, S.**
—; Nayak, P. L.; Nayak, S. K.: Photopolymerization Initiated by Charge-Transfer Complex. VI. Photopolymerization of Methyl Methacrylate with the Use of Isoquinoline–Chlorine Charge-Transfer Complex, 429C
—; Nayak, P. L.; Ray, S.: Vinyl Polymerization Initiated by Peroxydiphosphate. XII. Polymerization of Acrylamide and Acrylic Acid by Peroxydiphosphate–Sodium Thiosulfate Redox System, 959C
**Lenz, R. W.** See Chen, G., 3189C
**Le Perchec, P.** See Hamaide, T., 3091C
**Leung, W. P.** See Choy, C. L., 707P
—; Ho, K. H.; Choy, C. L.: Mechanical Relaxations and Moduli of Oriented Nylon 66 and Nylon 6, 1173P
**Levy, M.** See Tsai, M.-F., 2523C
**Li, C.** See Field, N. D., 1115C
**Li, M.** See Rembaum, A., 609C
**Li, X.**
—; Hsu, S. L.: An Analysis of the Crystallization Behavior of Poly(ethylene Oxide)/Poly(methyl Methacrylate) Blends by Spectroscopic and Calorimetric Techniques, 1331P
**Li, Z. B.**
—; Ueda, M.: Preparation and Properties of Polyamides Containing *p*-Terphenyl Units, 3063C
**Liang, P.** See Friberg, S. E., 1699C
**Liberman, S. A.**
—; De S. Gomes, A.; Macchi, E. M.: Compatibility in Poly(ethylene Oxide)–Poly(methyl Methacrylate) Blends, 2809C
**Lim, K. C.** See Berlinsky, A. J., 847P
**Lim, Y.-J.** See Takagishi, T., 283L, 4035C
**Lin, J. S.** See Tang, M-Y., 2215P
**Lin, L-C.** See Cabaness, W. R., 857C
**Lin, S.**
—; Marvel, C. S.: Improved Acetone-Adduct and Acetylene-Terminated Quinoxaline Oligomers, 1939C
**Lin, S. B.** See Hwang, K. K. S., 1677C
**Lin, Y.-Y.**
—; Jones, A. A.; Stockmayer, W. H.: Comparison of Two Models for Local Chain Motion, 2195P
**Linde, H. G.**
—; Gleason, R. T.: Thermal Stability of the Silica-Aminopropylsilane-Polyimide Interface, 3043C
**Ling, H.-C.** See Vrentas, J. S., 459P
**Linssen, H. N.** See Hautus, F. L. M., 3487C, 3661C
**Lipatov, Yu. S.** See Shilov, V. V., 1P
**Lissi, E. A.** See Encinas, M. V., 2469C
—; Garrido, J.; Zanocco, A.: Photopolymerization of Methyl Methacrylate by Benzoin Methyl Ether Irradiated at 366 mm: Effect of the Initiator Absorbance upon the Polymerization Rate, 391L
**Litt, M. H.** See Kharas, G. B., 1231C; Swamikannu, A. X., 1623C
**Litvinov, V. M.** See Papkov, V. S., 3617C
**Liu, J. J.-H.** See Grubb, D. T., 367P
**Liu, T. Y.**
—; Soong, D. S.; Williams, M. C.: Transient and Steady Rheology of Polydisperse Entangled Melts. Predictions of a Kinetic Network Model and Data Comparisons, 1561P
**Lloyd, D. R.** See Johnson, B. C., 721C
**Lo, J.**
—; Pearce, E. M.: Flame-Retardant Epoxy Resins Based on Phthalide Derivative, 1707C
**Lochmann, R.** See Alig, I., 1097P
**Long, T. D.**
—; Anderson, J. L.: Flow-Dependent Rejection of Polystyrene from Microporous Membranes, 1261P
**Loomis, T. C.** See Keith, H. D., 295P
**Lotz, B.** See Moss, B., 1919P
**Lu, C. X.** See Overberger, C. G., 193L
—; Overberger, C. G.: Synthesis and Polymerization of Optically Active L-[α-(*N*-*p*-Acryloxybenzoyl)-alanine Ethyl Esters], 2413C
**Lu, F. J.**
—; Waldman, D. A.; Hsu, S. L.: A Spectroscopic Study to Interpret the Increased Piezoelectric Effect at High Temperature in Poly(vinylidene Fluoride), 827P
**Lu, P. H.** See Babu, G. N., 195C, 213C
**Luca, C.** See Carpov, A., 269C
**Lundberg, R. D.** See Peiffer, D. G., 1757C, 2051P
—; Phillips, R. R.: Influence of Sample History on Ionomer Properties, 377L
**Lupoli, M.** See Cernia, E., 3393C
**Lye, P. H.**
—; Toh, H. K.: Incorporation of Amine Antioxidants into Natural Rubber Network via Epoxide Groups, 327L

**Ma, T. L.** See Choy, C. L., 707P
**Macchi, E. M.** See Liberman, S. A., 2809C
—; Coutinho, F. M. B.; Gomes, A. S.: On the Crystalline Structure of Poly(cyclopentane-β-Carboxyamine): An Electron Diffraction Study, 209L
**MacDiarmid, A. G.** See Chung, T.-C., 1239P; Woerner, T., 119L
**Mackeviciene, D.**
—; Noreika, R.; Mackevicius, L.; Budnitski, G.; Musnickas, I.; Perepechkin, L.: Solubility of Cellulose Acetates in Magnesium Perchlorate Solutions, 419L
**Mackevicius, L.** See Mackeviciene, D., 419L
**Madruga, E. L.**
—; San Roman, J.; Lavia, M. A.: Radical Copolymerization of Acrylic Monomers. VI. Copolymerization of Methyl Methacrylate with Methyl α-Benzylacrylate, 801C
**Maeda, K.** See Kamogawa, H., 1393C
**Maekawa, M.**
—; Nango, M.; Katayama, A.; Kuroki, N.: Adsorption of Direct Dye on Cellulose in the Presence of Sodium Alginate: The Effect of Molecular Size of Sodium Alginate on Dye Adsorption, 221L
**Magat, E. E.**
Review of *Nouvelles Recherches Dans Le Domaine Des Composes Macromoleculaires*, Elena Ceausescu, 508L
**Magill, J. H.** See Narayanan, M. J. S., 223P
**Maglio, G.** See de Vito, G., 1335C
**Mahabadi, H. Kh.**
A New Method for Estimation of Viscosity-Average Molecular Weight of Polymers from GPC, 449P
**Maiti, M. M.** See Biswas, M., 1997C
**Makris, P.** See Blumstein, A., 13L
**Maldar, N. N.** See Imai, Y., 2189C, 3771C
**Malhotra, A.** See Chatterjee, S. K., 3697C
**Malinconico, M.** See de Vito, G., 1335C
**Malliaris, A.** See Paleos, C. M., 3383C
**Mandelkern, L.** See Domszy, R. C., 1727P; Popli, R., 407P; Voigt-Martin, I. G., 1901P
**Mano, E. B.** See Monteiro, E. E. C., 533C
**Mantovani, E.** See Cernia, E., 3393C
**Maravigna, P.** See Foti, S., 1201C, 1217C
**Marchessault, R. H.** See Dube, M., 163L
**Marçalo, C.** See Bello, A., 1197C
**Marechal, E.** See Jarrin, J., 2345C; Judas, D., 3309C
**Margel, S.**
Characterization and Chemistry of Polyaldehyde Microspheres, 3521C
—; Wiesel, E.: Acrolein Polymerization: Monodisperse, Homo, and Hybrido Microspheres, Synthesis, Mechanism, and Reactions, 145C

**Mariaggi, N.** See Hamaide, T., 3091C
**Mark, H.**
Review of *Laboratory Experiments in Polymer Synthesis and Characterization*, Eli M. Pearce, Carl E. Wright, and Binoy K. Bordoloi, 295L
Review of *Polymers in Medicine*, Emo Chiellini and Paolo Giusti. Eds., 575L
Review of *Quantitative Characterization of Plastics and Rubbers*, John Vlachopoulos, Ed., 576L
**Mark, H. B., Jr.** See Amer, A., 77L
**Mark, H. F.**
Review of *Polymer Chemistry—The Basic Concepts*, Paul C. Hiemenz, 509L
**Mark, J. E.** See Jiang, C.-Y., 2281P; Queslel, J. P., 1201P; Riande, E., 863P; Scholtens, B. J. R., 1223P
—; Tang, M.-Y.: Dependence of the Elastomeric Properties of Bimodal Networks on the Lengths and Amounts of the Short Chains, 1849P
**Markovic, V.** See Zoepfl, F. J., 2017C, 2033C
**Martin, J. L.**
Titanium and Rare Earth Chloride Catalysts for Ethylene Polymerization, 3843C
**Martinez, F.**
Cationic Polymerization of $\beta$-Pinene, 673C
**Martinez-Salazar, J. M.** See Rueda, D. R., 1811P
—; Barham, P. J.; Keller, A.: Studies on Polyethylene Crystallized at Unusually High Supercoolings: Fold Length, Habit, Growth Rate, Epitaxy, 1085P
**Martuscelli, E.** See Galeski, A., 739P
**Maruthamuthu, M.**
—; Reddy, J. V.: Binding of Fluoride onto Poly(*N*-Vinyl-2-Pyrrolidone), 569L
**Marvel, C. S.** See Lee, J., 295C; Lin, S., 1939C
**Masilamani, D.** See Aharoni, S. M., 2567C, 2579C
**Masuda, T.** See Okano, Y., 1603C; Yamagata, M., 2275C
**Masui, T.** See Kamogawa, H., 383C
**Masuko, T.** See Ueda, M., 2305C
**Masuzaki, H.** See Ouchi, T., 385L, 2287C
**Mathew, N. M.**
Scanning Electron Microscopic Studies on Ozone Cracking of NR and a NR/EPDM Blend, 135L
**Mathieu, P. J. M.** See Domszy, R. C., 1727P
**Matsuda, H.**
—; Nakanishi, H.; Kato, M.: Conducting Poly-yne and Poly(metal-yne) from Butadiyne, 107L
**Matsumoto, A.** See Yamawaki, M., 877C, 1541C
**Matsumoto, S.**
—; Ohshima, H.; Hasuda, Y.: Natural and Induced Weathering of Plasticized Polyvinyl Chloride (Note), 869C
**Matsumura, K.**
—; Tsukamoto, J.; Takahashi, A.: Structure and Electric Conductivity of Vapor Deposition Polymerization Products of Cyanoacetylene, 1551C
**Matsuo, T.** See Ishihara, K., 3687C
**Matsusaki, K.** See Ishikawa, M., 669L
**Matsuzaki, K.** See Hatanaka, K., 1987C
**Matsuzawa, H.** See Iwata, K., 215L
**Mattera, V. D., Jr.**
—; Risen, W. M., Jr.: A Far-Infrared Study of Ionic Interactions in Poly(styrene sulfonic acid) Ionomers, 67P
**Matthews, C. Y.**
—; Rosen, S. L.: Steric Effects on the Kinetics of Diffusion-Controlled Termination at Low Conversion (Note), 139P
**Matusevich, Yu. I.** See Krul, L. P., 611L
**Matyjaszewski, K.**
Cationic Polymerization of 1,4,6-Trioxaspiro[4,4]-Nonane, 29C
**Mays, J.** See Hadjichristidis, N., 1745P
**McAleer, J. F.** See Amer, A., 77L
**McCormick, C. L.**
—; Chen, G. S.: Water-Soluble Copolymers. IX. Copolymers of Acrylamide with *N*-(1,1-Dimethyl-3-Oxybutyl) acrylamide and *N,N*-Dimethylacrylamide: Synthesis and Characterization, 3643C
—; Chen, G. S.: Water-Soluble Copolymers. X. Copolymers of Acrylamide with *N*-(1,1-Dimethyl-3-Oxybutyl)acrylamide and *N,N*-Dimethylacrylamide: Solution Properties, 3649C
—; Park, L. S.: Water-Soluble Copolymers. VII. Cerium (IV) Induced Graft Copolymerization of Acrylamide and Sodium-2-Acrylamido-2-Methylpropane Sulfonate onto Dextran, 49C
**McDonald, C. J.** See Chang, M., 279L
**McGill, W. J.** See Huson, M. G., 143L, 3549C, 3571C
**McGrath, J. E.** See Johnson, B. C., 721C; Keohan, F. L., 679C
**Meagher, A.** See Coey, J. M. D., 303C
**Meakin, P.** See Avakian, P., 1607P
**Meenakshi, A.** See Overberger, C. G., 1923C
**Meeten, G. H.**
—; Navard, P.: Small-Angle Polarized Light Scattering from Amorphous Spheres, 2159P
**Mehta, I. K.** See Misra, B. N., 2767C
**Mei, S. K.** See Kawanobe, W., 2371C
**Meister, J. J.**
—; Patil, D. R.; Field, L. R.; Nicholson, J. C.: Synthesis and Characterization of Graft Copolymers from Lignin and 2-Propenamide, 1963C
**Melveger, A. J.** See Fredericks, R. J., 57P
**Mendenhall, G. D.** See Flaherty, K. R., 665L
**Mengel, A. L.** See Devlin, E. F., 843C
**Merle, Y.**
Determination of Relative Rate Constants of Reactions on Polymers from the Triad Distribution Data (Note), 525P
**Merrill, C. I.** See Morse, S. D., 645C
**Michaelis, K. P.** See Renner, A., 249C
**Mihara, Y.** See Krigbaum, W. R., 4045C
**Mikawa, H.** See Hasegawa, T., 365L
**Miki, K.** See Okamoto, Y., 1831C
**Mikroyannidis, J. A.**
Fire- and Heat-Resistant Adhesive Resins Based on Maleimido and Citraconimido Substituted 1-[(Dialkoxyphosphinyl)methyl]-2,4- and -2,6-Diaminobenzenes, 1717C
Fire-Resistant Polyimides and Copolyimides Based on 1-[(Dialkoxyphosphinyl)methyl]-2,4- and -2,6-Diaminobenzenes, 1065C
Phosphorus-Containing Polyurethanes and Copolyurethanes Based on 1,2-Dihydroxy-1,2-bis(diethoxyphosphinyl)ethane, 891C
Synthesis and Characterization of Nadimidized 1-[(Dialkoxyphosphinyl)methyl]-2,4- and -2,6-Diaminobenzenes and Their Polymerization to Fire-Resistant Laminating Resins, 3535C
Synthesis and Thermal Characteristics of Phosphorus-Containing Polyureas and Copolyureas Based on 1-[(Dialkoxyphosphinyl)-methyl]-2,4- and -2,6-Diaminobenzenes, 3423C
**Milkovich, R.** See Schulz, G. O., 1633C
**Miller, R. L.**
—; Boyer, R. F.: Regularities in X-Ray Scattering Patterns From Amorphous Polymers, 2043P
—; Boyer, R. F.; Heijboer, J.: X-Ray Scattering from Amorphous Acrylate and Methacrylate Polymers: Evidence of Local Order, 2021P
**Miller, W. G.** See Blum, F. D., 211P
**Mima, S.** See Miya, M., 1149P
**Min, K. W.** See Cha, C. Y., 307P
**Minoni, G.**
—; Zerbi, G.: Calculations of Longitudinal Acoustical Modes (LAM) for Semifluorinated *n*-Alkanes, 533L
**Mirabella, F. M., Jr.**
Surface Orientation of Polypropylene. I. Theoretical Considerations for the Application of Internal Reflection Spectroscopy, 1283P
Surface Orientation of Polypropylene. II. Determination for Uniaxially and Biaxially Oriented Films Using Internal Reflection Spectroscopy, 1293P
**Mishra, M. K.**
—; Bhadani, S. N.: $NO_2$-Initiated Polymerization of Acrylamide in Alcohols, 491L
**Misono, T.** See Abe, Y., 565L, 761C, 3759C

**Misra, B. N.**
—; Mehta, I. K.; Khetarpal, R. C.: Grafting onto Cellulose. VIII. Graft Copolymerization of Poly(ethylacrylate) onto Cellulose by Use of Redox Initiators. Comparison of Initiator Reactivities, 2767C
**Misra, G. S.**
—; Arya, B. D.: Aqueous Polymerization of Methacrylic acid Initiated by $Ce^{4+}$-Glycolic acid Redox Pair, 3563C
—; Bassi, P. S.; Abrol, S. L.: Polymerization of Acrylonitrile Initiated by Ceric Ion–Citric Acid Redox System, 1883C
**Misra, P. K.** See Shukla, J. S., 3401C, 3599C
**Mitsuishi, M.** See Ishiwatari, T., 2699C, 2945C; Takagishi, T., 185C
**Mitsuuchi, M.** See Inagaki, N., 301L
**Miya, M.** See Imai, K., 841C; Shiomi, T., 1305P
—; Iwamoto, R.; Mima, S.: FT-IR Study of Intermolecular Interactions in Polymer Blends (Note), 1149P
**Miyamoto, J.** See Sato, T., 3921C
**Miyamoto, T.**
—; Sato, Y.; Shibata, T.; Inagaki, H.; Tanahashi, M.: $^{13}C$ Nuclear Magnetic Resonance Studies of Cellulose Acetate, 2363C
**Miyasaka, K.** See Furuhata, K., 133P
**Mobley, D. P.**
The Kinetics of Oxidative Coupling of 2,6-Dimethylphenol with a Copper-Diamine Catalyst System, 3203C
**Moggi, G.**
—; Bonardelli, P.; Bart, J. C. J.: Copolymers of 1,1-Difluoroethene with Tetrafluoroethene, Chlorotrifluoroethene, and Bromotrifluoroethene, 357P
**Momoi, M.** See Oishi, T., 2721C
**Montaudo, G.** See Foti, S., 1201C, 1217C
**Monteiro, E. E. C.**
—; Mano, E. B.: Infrared Study on the Interaction of Poly(vinyl Chloride) and Ketones. I. PVC-MEK Film System, 533C
**Moore, J. A.**
—; Kelly, J. E.: Polyhydroxymethylfuroate[Poly(2,5-Furandiylcarbonyloxymethylene)] (Note), 863C
—; Partain, E. M., III: Catalyzed Copolymerization of Acrolein with Furan and Thiophene (Note), 3581C
**Mori, S.** See Sato, T., 1661C
**Morse, G. A.**
Primary Amine Analysis in Polymers (Note), 3611C
**Morse, S. D.**
—; Wilson, T. D.; Merrill, C. I.: Modification of an Epichlorohydrin Polymerization, 645C
**Moss, B.**
—; Dorset, D. L.; Lotz, B.; Wittmann, J. C.: Electron Crystallography of Epitaxially Grown Paraffin, 1919P
**Muggee, J.**
—; Vogl, O.: Poly(Alkylene Oxide) Ionomers. VIII. Synthesis of Methyl $\omega$-Alkenoates and Methyl $\omega$-Epoxyalkanoates, 2501C
**Mukherji, S.**
—; Woodward, A. E.: Properties of Crystallized *Trans*-1,4-Polyisoprene, 793P
**Mulik, U. P.** See Ghatge, N. D., 3359C
**Muller, E. H.** See Born, L., 163P
**Muller, F.** See Bootsma, J. P. C., 705C, 2169C
**Mulligan, K. J.** See Amer, A., 77L
**Munir, A.** See Daly, W. H., 975C
**Munro, H. S.**
—; Allaker, R. S.; Clark, D. T.; Recca, A.: An ESCA Study of the Inductively Coupled RF Plasma Polymerisation of 2,4,6-Trifluoro-1,3,5-Triazine, 2661C
—; Till, C.: ESCA Studies of Metal-Containing Plasma Polymers. Part I. Incorporation of Mercury into Plasma-Polymerized Perfluorobenzene, 3933C
**Muramatsu, M.** See Kondo, S., 1187C
**Murata, S.** See Oishi, T., 2721C
**Muroi, S.**
—; Hashimoto, H.; Hosoi, K.: Morphology of Core-Shell Latex Particles, 1365C
**Murray, D. P.**
—; Dechter, J. J.; Kispert, L. D.: Cross-Polarization and Magic Angle Sample Spinning NMR of Model Organic Compounds with Extremely Long $^1H$ $T_1$'s, 519L
**Murthy, K. R.** See Varma, I. K., 1487C
**Murtinger, K.** See Kolarik, J., 773P
**Musnickas, I.** See Mackeviciene, D., 419L
**Musto, P.** See de Vito, G., 1335C
**Myers, M. N.** See Brimhall, S. L., 339L

**Nagabhushanam, T.** See Salamone, J. C., 2005C
**Nagai, S.** See Ueda, A., 1611C, 1783C
**Nagaoka, K.**
—; Naruse, H.; Shinohara, I.; Watanabe, M.: High Ionic Conductivity in Poly(dimethyl Siloxane-co-Ethylene Oxide) Dissolving Lithium Perchlorate, 659L
**Nagarajan, M. R.** See Blackwell, J., 1247P
**Nagarajan, R.** See Kishore, K., 539L
**Nakagawa, K.** See Takeuchi, Y., 159L
**Nakahama, S.** See Kawanobe, W., 2371C
**Nakajima, A.** See Yamaguchi, S., 1551P
**Nakamura, K.** See Sasaki, S., 831C
—; Wong, C.-P.; Berry, G. C.: Strain Criterion in Nonlinear Creep and Recovery in Concentrated Polymer Solutions, 1119P
**Nakamura, S.** See Iida, K., 1399P; Saegusa, Y., 1017C
**Nakanishi, F.**
—; Arai, M.; Nakanishi, H.: Reactive Crystals. IV. Crystalline State Photopolymerization of 5,5'-1,4-Phenylene-Bis(2-Cyano-2,4-Pentadienoic Acid) Derivatives, 2095C
**Nakanishi, H.** See Matsuda, H., 107L; Nakanishi, F., 2095C
**Nakazawa, A.** See Yamamoto, H., 255L
**Nallaiah, C.**
Acyloin Condensation of Terephthaloyl Chloride—a Novel Route to Polyhydroxyketones, 3107C
**Nambu, Y.** See Kijima, M., 821C
**Nango, M.** See Kimura, Y., 407C; Maekawa, M., 221L
**Nanjan, M. J.** See Sachindrapal, P., 3705C
**Napolitano, R.** See Guerra, G., 1029P
**Napper, D. H.** See Ballard, M. J., 3225C
**Narasimhan, V.**
—; Huang, R. Y. M.; Burns, C. M.: Partitioning of Polystyrene between Incompatible Phases and Distributional Effects in the System Polystyrene–Polybutadiene–Toluene, 3895C
**Narayan, R.**
—; Tsao, G. T.: Response to "Comments on 'Mechanism of Graft Copolymerization onto Cellulose by Periodate'" by A. Gandini, 635L
**Narayanan, M. J. S.**
—; Magill, J. H.: Solution Annealing of Poly(TMPS) Crystal Mats, 223P
**Naruse, H.** See Nagaoka, K., 659L
**Natansohn, A.**
Synthesis, Charge Transfer Complexation, and Photosensitivity of Poly (*N*-Methyl-3-Hydroxymethyl Carbazolyl Acrylate-co-Acryloyl-3'-Hydroxypropyl-3,5-Dinitrobenzoate-), 3161C
—; Flaisher, H.: Photoconductivity of Poly(*N*-Methyl 3-Hydroxymethyl Carbazolyl Acrylate-co-Acryloyl-3'-Hydroxypropyl-3,5-Dinitrobenzoate), 579L
**Natarajan, P.** See Subramanian, R., 437C
**Nate, K.** See Ishikawa, M., 669L
**Nava, H.** See Percec, V., 523L, 637L
**Navard, P.** See Meeten, G. H., 2159P
**Nayak, P. L.** See Lenka, S., 429C, 959C
**Nayak, S. K.** See Lenka, S., 429C; Patel, A., 3407C
**Negishi, N.** See Ishihara, K., 3687C
**Nekhoda, A. R.** See Rostiashvilli, V. G., 1041P
**Nelsen, R. T.** See Kao, C. I., 3499C

**Nevrekar, N. B.** See Sawardekar, S. R., 4041C
**Nicholson, J. C.** See Meister, J. J., 1963C
**Niezette, C. B. J.** See Vanderschueren, J., 2261P
—; Vanderschueren, J.; Aras, L.: Dilute-Solution Behavior of *n*-Butyl Methacrylate Ionomers (Note), 1845P
**Nishi, N.** See Yamamoto, H., 255L
**Nishida, H.** See Nonaka, T., 3815C
**Nishimoto, S.**
—; Izukawa, T.; Haruta, Y.; Kagiya, T.: 1,1′-(2,6-Naphthalenedicarbonyl)diaziridine as a Useful Agent for Photocrosslinking of Poly(4-Hydroxystyrene) in Film, 323L
—; Izukawa, T.; Haruta, Y.; Kagiya, T.: Photoinduced Polyaddition of 1,1′-(2,6-Naphthalenedicarbonyl)diaziridine and 1,5-Dihydroxynaphthalene, 199L
**Nishinari, K.**
—; Tsutsumi, A.: Studies on Molecular Motion of Polysaccharides in the Solid State by Broad-Line Nuclear Magnetic Resonance, 95P
**Nisizawa, M.**
Environmental Stress Relaxation Studies of Polymers: Effect of Ketones on the Gamma-Irradiated Polyethylene and Its Temperature Dependence, 291L
**Nogami, T.** See Hasegawa, T., 365L
**Nomiyama, A.** See Ogata, N., 793C
**Nonaka, T.**
—; Tagawa, R.; Nishida, H.; Egawa, H.: Polymerization of Vinyl Monomers in the Water–1,4-Dioxane System Containing Peroxide and Water-Soluble Polymer, 3815C
**Noreika, R.** See Mackeviciene, D., 419L
**Nose, T.** See Varma, B. K., 1781P
**Nozakura, S.-I.** See Sumi, K., 3779C

**Ochi, M.** See Shimbo, M., 1461P
**Oddershede, J.** See Crist, B., Jr., 881P
**Odian, G.**
—; Lee, D-H.; Patel, V.; Rabie, A-G. M.; Zahran, A. H.: Diffusion-Controlled Reaction. VI. Radiation Graft Polymerization of Styrene to Polyethylene, 769C
**O'Driscoll, K. F.** See Burczyk, A. F., 3255C
—; Kale, L. T.; Rubio, L. H. G.; Reilly, P. M.: Applicability of the Mayo–Lewis Equation to High-Conversion Copolymerization of Styrene and Methylmethacrylate, 2777C
**Ogata, N.** See Kitayama, S., 2705C; Watanabe, M., 1299C; Yoshikawa, M., 125L, 473L, 2159C
—; Sanui, K.; Iwaki, F.; Nomiyama, A.: Matrix Polycondensation through Hydrogen Bonding Interaction, 793C
—; Sanui, K.; Kitayama, S.: Molecular-Weight Distribution of Poly(*p*-Phenylene Terephthalamide) (Note), 865C
**Ogata, S.-I.** See Imai, Y., 3183C
**Ohsawa, H.** See Kurumada, T., 277C
**Ohshima, H.** See Matsumoto, S., 869C
**Ohtaki, Z.** See Watanabe, M., 1299C
**Ohtani, H.** See Higashi, F., 3983C
**Oie, M.** See Yamada, K., 245P
**Oishi, T.**
—; Fujimoto, M.: Synthesis and Polymerization of Optically Active *N*-α-Methylbenzylmaleimide, 2789C
—; Fujimoto, M.; Momoi, M.; Murata, S.: Synthesis of Polymers by Using Fluorene. IV. Thermostabilities of Epoxy Resins, Polyesters, and Polycarbonates Obtained from 2,7-Fluorenediol (Note), 2721C
**Oiwa, M.** See Yamawaki, M., 877C, 1541C
**Okabe, M.**
Diffusion and Sedimentation Measurements in Dilute Polymer Solution, 477L
**Okahata, Y.**
—; Hachiya, S.; Seki, T.: Activity Control of an Enzyme Immobilized on a Capsule Membrane with Synthetic Bilayers, 595L
**Okamoto, H.** See Hirata, T., 3071C
**Okamoto, J.** See Hegazy, E.-S. A., 597C; Omichi, H., 1775C; Otsuhata, K., 3417C
**Okamoto, Y.**
—; Yashima, E.; Hatada, K.; Yuki, H.; Kageyama, H.; Miki, K.; Kasai, N.: Asymmetric Selective Polymerization of Racemic 1,2-Diphenylethyl Methacrylate with the Ethylmagnesium Bromide-(−)-Sparteine Complex, 1831C
**Okano, Y.**
—; Masuda, T.; Higashimura, T.: Polymerization of Trimethylsilylacetylene by $WCl_6$-Based Catalysts, 1603C
**Okawara, M.** See Kijima, M., 821C
**Olson, A. P.** See Salamone, J. C., 2005C
**Omichi, H.**
—; Okamoto, J.: Synthesis of Ion-Exchange Membranes by Cografting Methyl α,β,β-Trifluoroacrylate and Propylene (Note), 1775C
**Orhan, B.** See Akovali, G., 3351C
**Oshima, R.**
—; Wada, T.; Kumanotani, J.: Conformation of Poly(*S*-(2-*N*-carbazolylethyl)-L-cysteine) in the Solid State, 2047C
—; Wada, T.; Kumanotani, J.: Syntheses and Characterization of β-Forming Poly[*S*-(ω-*N*-carbazolylalkyl)-L-Cysteine]s, 3135C
**Osipenko, I. F.** See Polikarpov, A. P., 153L
**Otsu, T.** See Sato, T., 1661C, 3921C; Yamada, B., 463C, 2381C
**Otsuhata, K.**
—; Watanabe, T.; Ishigaki, I.; Tabata, Y.; Okamoto, J.: Radiation-Induced Copolymerization of Vinylene Carbonate with Methyl Trifluoroacrylate, 3417C
**Ouchi, T.**
—; Hosaka, Y.; Imoto, M.; Konaka, R.: Vinyl Polymerization. 422. Initiation Mechanism of Uncatalyzed Polymerization by Polyethyleneglycol, 1507C
—; Katsuura, T.; Masuzaki, H.; Imoto, M.: Effect of the Kinds of Counterion on the Vinyl Polymerization Initiated by Ammonium Salt Type Macromolecular Electrolyte (Note), 2287C
—; Masuzaki, H.; Hosaka, Y.; Imoto, M.: Vinyl Polymerization. 419. Application of the Concept of Hard and Soft Hydrophobic Areas and Monomers to the Selectivity of Monomer on the Vinyl Polymerization Initiated by Poly[(vinylbenzyltrimethyl)ammonium Chloride-co-Styrene], 385L
**Overberger, C. G.** See Arora, K. S., 1587C; Lu, C. X., 2413C; Shalati, M. D., 107C
—; Lu, C. X.: Direct, Low-Temperature Esterification: Synthesis of Optically Active Esters of Thymine Derivatives, 193L
—; Meenakshi, A.: Hydrophobic Interactions in Catalysis by Imidazole-Containing Polymers, 1923C
—; Wang, D. W.: Synthesis and Conformation of Asymmetric Rigid Polyamides, 1153C

**Packer, K. J.**
—; Pope, J. M.; Yeung, R. R.; Cudby, M. E. A.: The Effects of Morphology on $^1H$ NMR Spectra and Relaxation in Semicrystalline Polyolefins, 589P
**Palensky, F. J.** See Heilmann, S. M., 1179C
**Paleos, C. M.**
—; Dais, P.; Malliaris, A.: Polymerization of Allyldimethyldodecylammonium Bromide in Micellar and Isotropic Media, 3383C
**Paley, M. S.** See Harris, J. M., 341C
**Palumbo, R.** See de Vito, G., 1335C
**Pan, H. K.** See Yarusso, D. J., 2073P
**Panayiotou, C.**
—; Vera, J. H.: On the Fluid Lattice and Gibbs–Di Marzio Theories, 601L
**Pandit, U. K.** See Eling, B., 1945C, 2735C
**Panke, D.** See Stickler, M., 2243C

**Papkov, V. S.**
—; Godovsky, Y. K.; Sviatunov, V. S.; Litvinov, V. M.; Zhdanov, A. A.: DSC Studies of Phase Transitions in Poly(diethylsiloxane), 3617C
**Pappas, B. C.** See Pappas, S. P., 69C
**Pappas, S. P.**
—; Gatechair, L. R.; Jilek, J. H.: Photoinitiation of Cationic Polymerization. III. Photosensitization of Diphenyliodonium and Triphenylsulfonium Salts, 77C
—; Pappas, B. C.; Gatechair, L. R.; Schnabel, W.: Photoinitiation of Cationic Polymerization. II. Laser Flash Photolysis of Diphenyliodonium Salts, 69C
**Paralikar, K. M.**
—; Balasubramanya, R. H.: Electron Diffraction Study of $\alpha$-Chitin, 543L
**Park, K. Y.** See Tong, S. N., 1097C
**Park, L. S.** See McCormick, C. L., 49C
**Parker, J. A.** See Achar, B. N., 319C, 1471C; Kumar, D., 927C, 1141C
**Partain, E. M., III** See Moore, J. A., 3581C
**Pascault, J. P.** See Camberlin, Y., 1835P
**Patel, A.**
—; Prasad, J. R.; Nayak, S. K.: Correlation between Macromolecular Parameters and the Average Breaking Strength of Agave Fibers, 3407C
**Patel, V.** See Odian, G., 769C
**Patil, D. R.** See Meister, J. J., 1963C
**Peaker, F. W.** See Corner, T., 2105P, 2119P
**Pearce, E.**
Review of *Macromolecules—Structure and Properties, Vol. I*, by Hans-Georg Elias, 460L
**Pearce, E. M.** See Kapuscinska, M., 3989C, 3999C; Karydas, A. C., 847C; Lo, J., 1707C; Yan, H.-J., 3319C
**Peeling, J.**
—; Courval, G.; Jazzar, M. S.: ESCA and Contact-Angle Studies of the Surface Modification of Poly(ethylene Terephthalate) Film: Photooxidation and Aging, 419C
**Pei, R.-X.** See Hong, X.-Y., 3289C
**Peiffer, D. G.**
—; Lundberg, R. D.: Interaction of a Sulfonated Ionomer with Surfactant in Nonaqueous Media, 2051P
—; Lundberg, R. D.: Solution Properties of Ion-Containing Polymers in Polar Solvents, 1757C
**Pelton, R. H.**
Model Cationic Flocculants from the Mannich Reaction of Polyacrylamide, 3955C
**Pelzbauer, Z.** See Spevacek, J., 617P
**Penczek, S.** See Baran, T., 1085C; Pretula, J., 1251C
**Pennings, A. J.** See Kishore, K., 537P
**Pepper, L.** See Fishman, M. L., 899P
**Percec, V.**
—; Nava, H.; Rodriguez-Parada, J. M.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 9. Synthesis and Characterization of $\alpha,\omega$-Di[2-(*p*-phenoxy)-2-Oxazoline] Oligomers, 523L
—; Shaffer, T. D.; Nava, H.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 10. Polyethers of Mesogenic Bisphenols: A New Class of Main Chain Liquid Crystalline Polymers, 637L
**Pereira, J.** See Sun, T., 1163P
**Perepechkin, L.** See Mackeviciene, D., 419L
**Perram, J. W.** See Crist, B., Jr., 881P
**Peterlin, A.** See Phillips, J. C., 1719P
**Petermann, J.** See Feit, K., 993P
**Petraccone, V.** See Guerra, G., 1029P
**Petropoulos, J. H.**
Application of the Transverse Differential Swelling Stress Model to the Interpretation of Case II Diffusion Kinetics, 183P
Interpretation of Anomalous Sorption Kinetics in Polymer-Penetrant Systems in Terms of a Time-Dependent Solubility Coefficient, 1885P
**Pezzutti, J. L.**
—; Capiati, N. J.; Valles, E. M.: The Origin of Imperfections in Low-Density Polyethylene Films, 401L
**Phillips, J. C.**
—; Peterlin, A.; Waters, P. F.: The Influence of Strain Deformation on the Solubility of Ethyl Acetate Vapor in Poly(vinylidene Fluoride), 1719P
**Phillips, P. J.** See Dalal, E. N., 7L
**Phillips, R. R.** See Lundberg, R. D., 377L
**Picot, C.** See Benoit, H., 1545P
**Pielichowski, J.**
—; Romaniszyn, A.: On the Possibility of Utilizing the Mössebauer Effect for Studies of Polyvinylhalogencarbazole, 395L
—; Sanetra, J.: Spectrophotometric Studies of Some Charge-Transfer Complexes of Tetracyanoethylene with Poly(*N*-Vinyl Halogenocarbazoles), 967C
**Piet, P.** See Brouwer, W. M., 2353C
**Pinkus, A. G.**
—; Subramanyam, R.: New High-Yield, One-Step Synthesis of Polyglycolide from Haloacetic Acids, 1131C
**Pirozzi, B.** See Guerra, G., 1029P
**Pittman, C. U., Jr.** See Ueda, M., 85C, 2305C
**Platzer, N.**
Review of *An Introduction to Specialty Polymers*, Norio Ise and Iwao Tabushi, Eds., 230L
Review of *Plastics Analysis Guide*, by A. Krause, A. Lange, and M. Ezrin, 460L
Review of *Polymere Werkstoffe*, Hans Batzer, 231L
Review of *Polymere Werkstoffe*, Hans Batzer, 577L
Review of *Principles of Polymerization Engineering*, J. A. Biesenberger and D. H. Sebastian, 49L
Review of *Thermal Analysis: Part D: Thermophysical Properties of Solids*, J. Sestak, 675L
Review of *Transition-Metal-Catalyzed Polymerizations—Alkenes and Dienes*, Roderic P. Quirk, Ed., 232L
**Pobiner, H.** See Watt, W. R., 1789C
**Podešva, J.**
—; Špaček, P.; Podol'skii, A. F.; Sikora, A.: *n*-Butyllithium/$\alpha$-Methylstyrene/Benzene/Diethyl Ether: A Suitable Initiation System for Anionic Syntheses of Model Co- and Homopolymers of Styrene and Isoprene, 3343C
**Podkoscielny, W.**
—; Kowalewska, W.: Linear Polythioesters. VII. Products of Interfacial Polycondensation of 1,4-Di(mercaptomethyl-2,3,5,6-Tetramethylbenzene with Some Aliphatic Acid Dichlorides, 1025C
—; Kowalewska, W.: Linear Polythioesters. VIII. Products of Interfacial Polycondensation of 1,4-Di(mercaptomethyl)-Tetramethylbenzene with Isomeric Phthaloyl Chlorides, 1579C
—; Kultys, A.: Linear Polythioesters. IX. Products of Interfacial Polycondensation of 4,4'-Dimercaptobenzophenone with Some Aliphatic Acid Dichlorides, 2265C
**Podol'skii, A. F.** See Podešva, J., 3343C
**Pohl, H. A.** See Dunn, L. C., 2243P; Gutierrez, M. H., 3789C; Vijaykumar, P. S., 1439P
**Point, J. J.** See Dosiere, M., 749P, 1383P
**Polacki, Z.**
Influence of Polystyrene Excimers on the Excitation Energy Transfer in Solid Scintillating Solutions (Note), 2275P
**Polikarpov, A. P.**
—; Prokopchuk, N. R.; Osipenko, I. F.; Krul, L. P.: Intermolecular Interaction Energy and Mechanical Properties of Graft Copolymers of Polyethylene and Acrylic Acid, 153L
**Poller, R. C.** See Ayrey, G., 2871C
**Polowiński, S.**
Composition Equation for Matrix Copolymerization, 2887C
**Pons, S.** See Amer, A., 77L
**Pope, J. M.** See Packer, K. J., 589P

**Popli, R.**
—; Glotin, M.; Mandelkern, L.; Benson, R. S.: Dynamic Mechanical Studies of $\alpha$ and $\beta$ Relaxations of Polyethylenes, 407P
**Porter, R. S.** See Chuah, H. H., 1353P; Desper, C. R., 1193P; Kimura, M., 1697P; Sun, T., 1163P; Wang, L. H., 1645P
Review of *Structure-Property Relationships of Polymeric Solids*, Anne Hiltner, Ed., 459L
**Pottiger, M. T.**
—; Laurence, R. L.: The *P–V–T*– Behavior of Polymeric Liquids Represented by the Sanchez–Lacombe Equation of State (Note), 903P
**Pracella, M.** See Galeski, A., 739P
**Prasad, J. R.** See Patel, A., 3407C
**Prasad, P. N.** See Swiatkiewicz, J., 1417P
**Preston, J.** See Krigbaum, W. R., 873C, 4045C
**Pretula, J.**
—; Kaluzynski, K.; Penczek, S.: Living Reversible Anonic Polymerization of *N,N*-Diethylamine-1,3,2-Dioxaphosphorinan, 1251C
**Primet, M.** See Spitz, R., 2611C
**Prochazka, O.**
—; Kratochvil, P.: Model Calculations of the Distribution Function of Molecular Weight and Chemical Composition of Binary Statistical Copolymers, 501P
**Prohaska, G. W.**
—; Johnson, E. D.; Evans, J. F.: Preparation and Characterization of Plasma-Polymerized Styrene Thin Films, 2953C
**Prokopchuk, N. R.** See Krul, L. P., 611L; Polikarpov, A. P., 153L
**Pron, A.** See Ahlgren, G., 173L
**Prud'homme, R. E.** See Allard, D., 3827C; Grenier, D., 577P; Tremblay, C., 1857P
**Pyriadi, T. M.**
—; Kaleefa, H.: Synthesis and Attempted Polymerization of *N*-Arylmaleimides Substituted with Allylamino or Cyclopropylamino Groups at 2-Position, 129C

**Quay, J. R.** See Blackwell, J., 1247P
**Queslel, J. P.**
—; Mark, J. E.: Interpretation of the Moduli of Trifunctional Model Elastomers of Polydimethylsiloxane, 1201P
**Quijada, R.** See Forte, M. M. C., 25L
**Quirk, R. P.**
—; Chen, W.-C.: Functionalization of Polymeric Organolithium Compounds. Oxidation, 2993C

**Rabie, A.-G. M.** See Hegazy, E.-S. A., 597C, 769C; Odian, G., 3673C
**Rabin, Y.**
Surface Tension of Polymer Melts: Nonlocal Entropy Effects, 335L
**Radic, D.** See Encinas, M. V., 2469C
**Radushkevich, B. V.** See Dreval, V. E., 1155P
**Rafalko, J. J.**
Fourier-Transform Infrared Studies of the Thermal Degradation of Isotopically Labeled Polyacrylonitriles, 1211P
**Ramos, A. R.**
—; Hutchinson, J. M.; Kovacs, A. J.: Isobaric Thermal Behavior of Glasses during Uniform Cooling and Heating. III. Predictions from the Multiparameters KAHR Model, 1655P
**Ranogajec, F.**
—; Vukovic, R.; Fles, D.: Radiation-Induced Copolymerization of Phenylvinyl Alkyl Ethers and Maleic Anhydride, 41C
**Rao, K. V. C.** See Kumar, V. G., 2317C; Srinivasan, M., 1743C; Venkatachalam, S., 3805C
**Rashkov, I. B.**
—; Gitsov, I.: Anionic Polymerization of Lactones Initiated by Alkali Graphitides. III. Polymerization of $\delta$-Valerolactone Initiated by $KC_{24}$, 905C
**Rasmussen, J. K.** See Heilmann, S. M., 1179C, 3149C
**Ratner, M. A.** See Crist, B., Jr., 881P
**Ravindran, K.** See Kishore, K., 539L
**Ray, S.** See Lenka, S., 959C
**Read, R. T.** See Galiotis, C., 1589P
**Reboul, J.-P.**
—; Toureille, A.: Studies of TSD of Polyethylene Electrets by a Differential Technique, 21P
**Recca, A.** See Munro, H. S., 2661C
**Reddy, J. V.** See Maruthamuthu, M., 569L
**Reilly, P. M.** See O'Driscoll, K. F., 2777C
**Rembaum, A.** See Chang, M., 279L
—; Richards, M. C. G.; Chang, M.; Li, M.: Structure and Immunological Properties of Polyacrolein Formed by Means of Ionizing Radiation and Base Catalysis, 609C
**Rempel, G. L.** See Burczyk, A. F., 3255C
**Rengel, A.** See Diaz-Barrios, A., 519C
**Renner, A.**
—; Michaelis, K. P.: Thermoplastic Resins, Polyquats, and Membranes Based on Epoxies, 249C
**Rinde, E.** See Saiz, E., 2165P; Scholtens, B. J. R., 1223P
—; Guzman, J.; Tarazona, M. P.; Saiz, E.: Random-Coil Configurations of Aromatic Polyesters: Stress-Optical Behavior of Poly(diethylene Glycol Terephthalate), 917P
—; Saiz, E.; Mark, J. E.: Strain Birefringence Studies on Poly(vinyl Acetate) Networks, 863P
**Richards, M. C. G.** See Rembaum, A., 609C
**Riffle, J. S.** See Keohan, F. L., 679C
**Risen, W. M., Jr.** See Mattera, V. D., Jr., 67P
**Rodriguez-Parada, J. M.** See Percec, V., 523L
**Rognoni, A. F.**
—; Ferracini, E.; Cackovic, J. L.; Cackovic, H.: Changes in Superstructure of Drawn Isotactic Polypropylene with Annealing: A Two-Dimensional Small-Angle X-Ray Analysis, 485P
**Rokicki, G.** See Kawanobe, W., 2371C
**Roland, B.**
—; Wakui, T.; Smid, J.; De Schryver, F. C.: Salt Effects in the Binding of 4-(1-Pyrenyl)-butyltrimethylammonium to Poly(vinylbenzo-18-crown-6) and Poly(vinylbenzoglyme) in Water, 3001C
**Roland, C. M.**
—; Bohm, G. G. A.: Shear-Induced Coalescence in Two-Phase Polymeric Systems. I. Determination from Small-Angle Neutron Scattering Measurements, 79P
**Rollings, J. E.** See Callec, G., 287C
**Romaniszyn, A.** See Pielichowski, J., 395L
**Rosato, N.** See Altomare, A., 1267C
**Rosen, S. L.** See Matthews, C. Y., 139P
**Roshdy, M. H.**
—; Haridi, M. T.; Ibrahim, I. A.; Yaacoub, M. Sh.: Effect of $\gamma$ Radiation on Certain Non-Newtonian Fluids, 1797C
**Ross, J. F.**
Hydrogen as a Chain Terminator in Continuous Gas Phase Polymerization of Propylene, 2255C
**Rosthauser, J.** See Varaprasad, D. V. P. R., 2131C
**Rostiashvilli, V. G.**
—; Nekhoda, A. R.; Irzhak, V. I.; Rozenberg, B. A.: The Volume Structural Relaxation Theory for Amorphous Polymers, 1041P
**Rothwell, W. P.**
—; Holecek, D. R.; Kershaw, J. A.: NMR Imaging: Study of Fluid Absorption by Polymer Composites, 241L
**Rozenberg, B. A.** See Rostiashvilli, V. G., 1041P
**Rubio, L. H. G.** See O'Driscoll, K. F., 2777C
**Rueda, D. R.**
—; Martinez-Salazar, J. M.; Calleja, F. J. B.: Lamellar Diffusion During Heat Treatment in Melt-Crystallized Low-Density Polyethylene, 1811P
**Ruland, W.** See Blackwell, J., 1343P
**Rupert, L. A. M.** See Bootsma, J. P. C., 2169C
**Russell, K. E.** See Hunter, B. K., 1383C

**Russell, T. P.**
A Small-Angle X-Ray Scattering Study of an Aromatic Polyimide, 1105P

**Sabin, J. R.** See Crist, B., Jr., 881P
**Sachindrapal, P.**
—; Nanjan, M. J.: Synthesis and Characterization of Some Aromatic Polyamides Containing Double Bonds, 3705C
**Sada, E.** See Kumazawa, H., 61C
**Saegusa, Y.**
—; Iida, S.; Nakamura, S.; Chau, N.; Iwakura, Y.: Synthesis of Aromatic Polythioamide-Oxothioxoquinazolines from Bis(1,3,4-Thiadiazoline-5-thione) and Aromatic Bis-*o*-Amino Esters, 1017C
**Sagu, M. L.**
—; Bhattacharyya, K. K.: Radiation-Induced Copolymerisation of Trioxane with Penta-acetyl-glucose, 3295C
**Saiz, E.** See Riande, E., 863P, 917P
—; Tarazona, M. P.; Riande, E.; Guzman, J.: Birefringence of Amorphous Polyoxides: Stress-Optical Behavior of Poly(3-Methyltetrahydrofuran), 2165P
**Sakai, H.** See Takagishi, T., 1281C
**Sakuma, Y.**
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CIV. Synthesis and Properties of Oligomer Models of Polyethyleneimine Derivatives with Spacer-Separated Nucleic Acid Bases, 2061C
**Salamone, J. C.**
—; Tsai, C. C.; Anwaruddin, Q.; Olson, A. P.; Arnold, M.; Nagabhushanam, T.; Sawan, S.; Watterson, A. C.: Solution Behavior of Ampholytic Styrene Ionomers, 2005C
**Sanetra, J.** See Pielichowski, J., 967C
**Sangita,** See Varma, I. K., 1419C
**San Roman, J.** See Madruga, E. L., 801C
**Santappa, M.** See Balakrishnan, T., 1909C
**Santhanalakshmi, K. N.** See Verneker, V. R. P., 3217C
**Santos, R.**
—; Fehervari, A.; Kennedy, J. P.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator–Transfer Agents (Inifers). XLI. Kinetic and Reactivity Studies on Sterically Hindered Inifers, 2685C
**Sanui, K.** See Kitayama, S., 2705C; Ogata, N., 793C, 865C; Watanabe, M., 1299C; Yoshikawa, M., 125L, 2159C
**Sanui, Y. K.** See Yoshikawa, M., 473L
**Sasa, M.**
Synthesis of Novel Polyhydroxamides and Their Dihydroxylamine Precursors, 89L
**Sasaki, S.**
—; Nakamura, K.: Syntheses and Properties of Cured Epoxy Resins Containing the Perfluorobutenyloxy Group. I. Epoxy Resin Cured with Perfluorobutenyloxyphthalic Anhydride, 831C
—; Uematsu, I.: Molecular Conformation of Poly(*p*-toluenesulfonyl L-ornithine) (Note), 129P
**Sasuga, T.**
—; Hayakawa, N.; Yoshida, K.: Mechanical Properties of Electron-Irradiated Polysulfones (Note), 529P
**Satake, H.** See Kojima, M., 285P
**Sato, M.** See Hanabusa, K., 559L; Kondo, H., 1055C
**Sato, T.**
—; Ito, O.; Mori, S.; Otsu, T.: Cope Elimination and Complexation of Poly(dimethylaminoethyl Methacrylate *N*-Oxide), 1661C
—; Miyamoto, J.; Otsu, T.: Long-Lived Polymer Radicals. VI. Polymerization of *N*-Methyl-Methacrylamide with Formation of Living Propagating Radicals, 3921C
**Sato, Y.** See Miyamoto, T., 2363C
**Sawa, G.** See Iida, K., 1399P
**Sawamoto, M.** See Higashimura, T., 3173C
**Sawan, S.** See Salamone, J. C., 2005C
**Sawardekar, S. R.**
—; Nevrekar, N. B.; Joshi, K. A.: Synthesis of Nylon 6 Using a Cationic Resin and Its Combination with Acetic Acid (Note), 4041C
**Sawyer, L. C.**
Observations on the Microstructure of Thermotropic Aromatic Polyesters, 347L
**Scaia, M. D.** See White, J. E., 589C
**Scammell, M. V.** See Hunter, B. K., 1383C
**Scariah, K. J.** See Srinivasan, M., 1743C
**Schick, M. J.**
Review of *Aggregation Processes in Solution*, E. Wyn-Jones and J. Gormally, Eds., 50L
Review of *Science and Technology of Polymer Colloids, Volumes I and II*, G. W. Poehlein, R. H. Ottewill, and J. W. Goodwin, Eds., 49L
Review of *Solution Behavior of Surfactants—Theoretical and Applied Aspects, Volume 2*, K. L. Mittal and E. J. Fendler, Eds., 510L
**Schkolnick, L. J.** See Watt, W. R., 1789C
**Schlecht, M. F.**
Review of *Crown Ethers and Phase Transfer Catalysis in Polymer Science*, Lon J. Mathias and Charles E. Carraher, Jr., Eds., 507L
**Schlesinger, Y.** See Chung, T.-C., 1239P
**Schmidt, D. L.** See Flagg, E. E., 2329C
**Schnabel, W.** See Pappas, S. P., 69C
**Schneider, B.** See Spevacek, J., 617P
**Scholtens, B. J. R.**
Linear Thermoviscoelasticity and Characterization of Noncrystalline EPDM Rubber Networks, 317P
—; Riande, E.; Mark, J. E.: Crystallization in Stretched and Unstretched EPDM Elastomers, 1223P
**Schuerch, C.** See Uryu, T., 3593C
**Schuijer, J.** See Gaymans, R. J., 1373C
**Schultz, J. M.** See Elad, J., 781P; Tiller, W. A., 143P
**Schulz, D. N.** See Gunesin, B. Z., 353C; Schulz, W. W., 3775C
**Schulz, G. O.**
—; Milkovich, R.: Graft Polymers with Macromonomers. II. Copolymerization Kinetics of Methacrylate-Terminated Polystyrene and Predicted Graft Copolymer Structures, 1633C
**Schulz, W. W.**
—; Kaladas, J.; Schulz, D. N.: Compositional and Molecular Weight Analysis of Polyether Macromonomers By Chromatographic Techniques, 3775C
**Schurz, J.**
The Structure of Liquid Networks: Polyacrylamide in Water, 43L
**Schwarz, M.** See Cernia, E., 3393C
**Scott, G.** See Bagheri, R., 1573C; Chakraborty, K. B., 553L
**Sefcik, M. D.** See Andrady, A. L., 237P
**Seibel, G.** See Watanabe, J., 39L
**Seki, T.** See Okahata, Y., 595L
**Sekiguchi, T.** See Abe, Y., 761C
**Sellen, D. B.**
The Sectioning of Randomly Branched Filamentous Structures, 1367P
**Senga, M.** See Kondo, S., 1187C
**Sevcik, S.** See Kolarik, J., 773P
**Shaffer, T. D.** See Percec, V., 637L
**Shah, D. O.** See Jayakrishnan, A., 31L
**Shalati, M. D.**
—; Overberger, C. G.: Attempted Polymerization of Substituted Pipecolic Acid NCS's: Dimerization and Mechanism, 107C
**Sharma, A. K.** See Kramer, P., 475C
**Sharma, S. K.**
—; Somerford, D. J.: Correction Factors for Sizing Weakly Anisotropic Transparent Fibers Using Light Scattering, 647P
**Sheats, J. E.** See Willis, T. C., 1077C
**Shen, Z.**
—; Farona, M. F.: Polymerization of Terminal Alkynes by a New Ziegler–Natta Catalyst System: Scandium Naphthenate/Trialkylaluminum, 1009C
**Shibata, T.** See Miyamoto, T., 2363C

**Shih, J. S.**
—; Tirrell, D. A.: Poly[(3-Hydroxypropyl)oxirane] and Poly[(4-Hydroxybutyl)oxirane]: New Hydrophilic Polyether Elastomers, 781C
**Shiiki, S.** See Tomoi, M., 911C
**Shilov, V. V.**
—; Tsukruk, V. V.; Lipatov, Yu. S.: Thermal Effects on Liquid-Crystalline Order in Polymers with Mesogenic Side Groups, 41P
**Shima, S.** See Takagishi, T., 1281C
**Shimada, H.** See Kochi, M., 1979P
**Shimada, S.** See Hori, Y., 1407P
**Shimbo, M.**
—; Ochi, M.; Iesako, H.: Mechanical Relaxation Mechanism of Epoxide Resins Cured with Acid Anhydrides, 1461P
**Shinde, B. M.** See Ghatge, N. D., 985C, 3359C
—; Jagadale, S. M.; Ghatge, N. D.: Synthesis and Characterization of Modified New Acrylamide Monomers and Polymers Therefrom (Note), 3585C
**Shinohara, I.** See Ishihara, K., 121C, 515L, 881C, 3687C; Nagaoka, K., 659L
**Shintani, N.** See Abe, Y., 3759C
**Shiomi, T.** See Imai, K., 841C
—; Imai, K.; Watanabe, C.; Miya, M.: Thermodynamic and Conformational Properties of Partially Butyralized Poly(vinyl Alcohol) in Aqueous Solution, 1305P
**Shirai, H.** See Hanabusa, K., 559L
—; Higaki, S.; Hanabusa, K.; Kondo, Y.; Hojo, N.: Functional Metal-Porphyrazine Derivatives and Their Polymers. VIII. Catalase-like Activity of Fe(III)- and Co(II)-2,9,16,23-tetracarboxyphthalocyanine Supported on Poly(2-Vinylpyridine-co-Styrene), 1309C
**Shoef, N.** See Warshawsky, A., 657C
**Shukla, J. S.**
—; Misra, P. K.: Studies on Some Newer Polyamides (Note), 3599C
—; Misra, P. K.: Studies on Some Newer Polyhydrazides Containing Amide Linkages. III, 3401C
**Shultz, A. R.**
—; Joshi, M. G.: Kinetics of Photoinitiated Free-Radical Polymerization, 1753P
**Sibilia, J. P.** See Khanna, Y. P., 2175P
**Siegmann, A.** See Chang, B. H., 255P
**Sigdman, R.** See Encinas, M. V., 2469C
**Sikora, A.** See Podešva, J., 3343C
**Sikorski, A.**
—; Kolinski, A.: Monte Carlo Study of Star-Branched Polymers on the Tetrahedral Lattice. II. Statistical Thermodynamics of Single Macromolecules, 97C
**Siling, S. A.** See Vinogradova, S. V., 1043C
**Silverman, J.** See Zoepfl, F. J., 2017C, 2033C
**Siove, A.**
—; Fontanille, M.: Intrinsic Reactivity of Active Species in Ziegler–Natta Polymerization of Ethylene Initiated with Li/Ti-Based Macromolecular Complexes, 3877C
**Sivak, A. J.**
—; Kissin, Y. V.: Modification of Catalysts for Propylene Polymerization: Alcohols and Lewis Bases, 3739C
—; Kissin, Y. V.: On a Modification Mechanism in Olefin Polymerization Catalysts $TiCl_4/MgCl_2$–Aromatic Ester–$Al(C_2H_5)_3$, 3747C
**Sixou, P.** See Fried, F., 239C
**Sizgek, A. E.** See Yagci, Y., 103L
**Slutsker, L. I.**
—; Utevskii, L. E.: Polymer Fibers Drawn to the Limit, 805P
**Smid, J.** See Roland, B., 3001C; Xia, D. W., 617L
**Smith, G. A.** See Valenty, S. J., 3367C
**Smith, H. K., II** See Heilmann, S. M., 1179C, 3149C
**Smith, W. T., Jr.** See Brahme, N. M., 813C
**Smolders, C. A.** See Koenhen, D. M., 2145P; Wijmans, J. G., 519P
**Snider, D. A.** See White, J. E., 589C
**Snuparek, J., Jr.** See Lebduska, J., 261L
**Snyder, H. L.** See Avakian, P., 1607P
**Solaro, R.** See Altomare, A., 1267C
**Solovyov, V. N.** See Vinogradova, S. V., 1043C
**Somerford, D. J.** See Sharma, S. K., 647P
**Song, S. S.** See Field, N. D., 101P
**Soong, D. S.** See Liu, T. Y., 1561P
**Špaček, P.** See Podešva, J., 3343C
**Spevacek, J.**
—; Schneider, B.; Dybal, J.; Stokr, J.; Baldrian, J.; Pelzbauer, Z.: Study of Ordered Structures of Syndiotactic Poly(methyl Methacrylate) in Solution and in the Solid State, 617P
**Spitz, R.**
—; Lacombe, J.-L.; Guyot, A.: Catalyseurs Ziegler–Natta Supportes sur $MgCl_2$ pour la Polymerisation stereoregulee du Propene. II. Systeme Catalytique Simple:Solide Binaire $MgCl_2$–$TiCl_4$ et Solution Cocatalytique Triethylaluminium, Benzoate d'Ethyle, 2625C
—; Lacombe, J.-L.; Guyot, A.: Catalyseurs Ziegler–Natta Supportes sur $MgCl_2$ pour la Polymerisation Stereoregulee du Propene. III. Systemes Catalytiques a Hautes Performances Comprenant un Solide Ternaire: $MgCl_2$, Ester Aromatique, $TiCl_4$, 2641C
—; Lacombe, J.-L.; Primet, M.: Catalyseurs Ziegler–Natta Supportes sur $MgCl_2$ pour la Polymerisation du Propene. I. Etude de la Reaction Entre le Trietnylaluminium et le Benzoate d'Ethyle, 2611C
**Squires, L. J.** See Guthrie, J. T., 135C
**Srinivasan, M.**
—; Scariah, K. J.; Krishnamurthy, V. N.; Rao, K. V. C.: Synthesis and Properties of Polyamides of *p*-Phenylenedioxydiacetic Acid, 1743C
**Srinivasan, R.**
—; Braren, B.: Ablative Photodecomposition of Polymer Films by Pulsed Far-Ultraviolet (193 nm) Laser Radiation: Dependence of Etch Depth on Experimental Conditions, 2601C
**Srivastava, A. K.** See Tewari, R. S., 1875C
**Stafford, J. W.**
Multifunctional Polycondensation Distributions: A Kinetic Approach to Mixed Monomer Systems, 365C
**Stamm, M.** See Fischer, E. W., 1491P; Heyer, D., 1515P
**Stannett, V. T.** See Chern, R. T., 1061P
**Starkweather, H. W., Jr.**
—; Zoller, P.; Jones, G. A.: The Heat of Fusion of Copolymers of Tetrafluoroethylene and Hexafluoropropylene, 1431P
—; Zoller, P.; Jones, G. A.: The Heat of Fusion of 66 Nylon, 1615P
**Stephens, H. L.**
Review of *Analysis of Rubber and Rubber-Like Polymers, 3rd ed.*, W. C. Wake, B. K. Tidd, and M. J. R. Laodman, Eds., 234L
**Stevens, M. P.** See Troy, R. C., 113L
Diels–Alder Polymer of *N*-(2-Anthryl)maleimide, 467L
**Stickler, M.**
—; Panke, D.; Hamielec, A. E.: Polymerization of Methyl Methacrylate up to High Degrees of Conversion: Experimental Investigation of the Diffusion-Controlled Polymerization, 2243C
**Stockmayer, W. H.** See Lin, Y.-Y., 2195P
**Stokr, J.** See Spevacek, J., 617P
**Struck, E. C.** See Harris, J. M., 341C
**Struth, U.** See Fischer, E. W., 1491P
**Suarez, C.** See Viollaz, P. E., 875P
**Subramanian, R.**
—; Dupre, D. B.: The Thermally Induced Cholesteric–Isotropic Transition in Lyotropic Polypeptide Liquid Crystals, 2207P
—; Natarajan, P.: Interaction between Poly(*N*-Vinylpyrrolidone) and Poly(acrylic Acid)s: Influence of Hydrogen and Cupric Ions on the Adduct Formation, 437C
**Subramanyam, R.** See Pinkus, A. G., 1131C

**Suda, Y.**
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CXIII. Photoinduced Conformational Change of Thymine Containing Poly-Lysine Derivatives, 623C
—; Kono, M.; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CXVII. Photochemical Reactions on Oligo- and Polyethyleneimines Containing Pendant Thymine Bases: Effect of the Spacer, 2427C
**Suebsaeng, T.**
—; Wilkie, C. A.; Burger, V. T.; Carter, J.; Brown, C. E.: Friedel–Crafts Catalysis of Polyaromatic Char Formation During Pyrolysis of Poly(ethylene Terephthalate) and Poly(1,4-Butylene Terephthalate), 625L
—; Wilkie, C. A.; Burger, V. T.; Carter, J.; Brown, C. E.: Solid Products from Thermal Decomposition of Polyethylene Terephthalate: Investigation by CP/MAS $^{13}C$-NMR and Fourier Transform-IR Spectroscopy, 945C
**Sugimoto, T.** See Takagishi, T., 283L, 4035C
**Sugiyama, K.**
—; Fukada, S.: Preparation of Poly(diketamide-Sulfide)s by Polyaddition of Dithiols to *N,N*-Dimethyl-*N′,N′*-Dimethacryloylhydrazine, 437L
**Sumi, K.**
—; Furue, M.; Nozakura, S.-I.: Preparation and Luminescence Properties of Tris(Bipyridine) Ruthenium (II)-Containing Vinyl Polymers: $Ru(bpy)_2$ (Poly-6-Vinyl-2,2′-Bipyridine)$Cl_2$ and $Ru(bpy)_2$(Poly-4-Methyl-4′-Vinyl-2,2′-Bipyridine)$Cl_2$, 3779C
**Sumitomo, H.** See Hashimoto, K., 1733C
**Sun, T.**
—; Pereira, J.; Porter, R. S.: Crystallization Kinetics for Poly(ethylene Terephthalate) Oriented by Solid-State Coextrusion, 1163P
**Suto, S.**
Viscometric Behavior of Mesomorphic Ethyl Cellulose Solution in Chloroform, 637P
**Suzuki, C.** See Uryu, T., 3593C
**Suzuki, H.** See Lau, S. F., 379P
**Suzuki, T.** See Ueda, M., 2305C
—; Tomono, T.: Syntheses of Monomethoxy Polyethyleneglycol Vinyl Ether Macromonomers and Their Radical Copolymerization with Maleic Anhydride, 2829C
**Suzuki, Y.**
—; Tazuke, S.: Functionalized Polyionenes Bearing Hydroquinone or Catechol Structure, 129L
**Svistunov, V. S.** See Papkov, V. S., 3617C
**Swamikannu, A. X.**
—; Litt, M. H.: Preparation and Characterization of *p*-Toluene Sulfonyl Ester and Amino Derivatives of Tri- and Poly(ethylene Glycol), 1623C
**Swart, P. J.** See Huson, M. G., 143L
**Swiatkiewicz, J.**
—; Prasad, P. N.: Molecular Mechanics of Photopolymerization of 2,5-Distyrylpyrazine in Solid State, 1417P
**Szobota, J. S.** See Aharoni, S. M., 2567C, 2579C

**Tabata, Y.** See Otsuhata, K., 3417C
**Tagawa, R.** See Nonaka, T., 3815C
**Tajuddin, I.** See Anvarshah, M., 995C
**Takagishi, T.** See Kozuka, H., 357L
—; Sugimoto, T.; Hamano, H.; Lim, Y.-J.; Kuroki, N.; Kozuka, H.: Binding of Methyl Orange by Crosslinked Vinylpyrrolidone–Divinylbenzene Copolymers: Template Effect, 283L
—; Sugimoto, T.; Hamano, H.; Lim, Y.-J.; Kuroki, N.; Kozuka, H.: Thermodynamics of Binding of Methyl Orange by Crosslinked Vinylpyrrolidone–Divinylbenzene Copolymers: Template Effect (Note), 4035C
—; Ueno, T.; Kuroki, N.; Shima, S.; Sakai, H.: Interaction of α-Poly-L-lysine and ε-Poly-L-lysine with Methyl Orange and Its Homologs in Aqueous Solution: Results from Dialysis and Spectroscopic Measurements, 1281C
—; Yoshikawa, K.; Kuroki, N.; Kozuka, H.; Mitsuishi, M.: The Binding of Organic Anions by Polyvinylpyrrolidone: Determination of Intrinsic Binding Constant and Number of Binding Sites by Competitive Binding, 185C
**Takahashi, A.** See Matsumura, K., 1551C
**Takahashi, I.** See Higashi, F., 1653C, 3607C
**Takahashi, M.** See Varma, B. K., 1781P
**Takayanagi, M.** See Yamada, K., 245P
**Takemoto, K.** See Fang, S.-B., 2455C, 3943C; Hanabusa, K., 559L; Sakuma, Y., 2061C; Suda, Y., 623C, 2427C
**Takeuchi, Y.**
—; Yamamoto, F.; Nakagawa, K.: Polyoxymethylene Crystal Modulus Estimated Using Ultradrawn Tapes, 159L
**Takizawa, A.** See Tsujita, Y., 2533C
**Tan, S.-R.** See Funt, B. L., 605C
**Tanahashi, M.** See Miyamoto, T., 2363C
**Tanaka, A.** See Kimura, Y., 407C
**Tanaka, M.** See Cha, Y., 2973C; Tsunooka, M., 739C, 2217C
**Tang, D. K.**
—; Ho, S. Y.: The Photopolymerization of Isoprene with the Use of Hydrogen Peroxide as Photoinitiator, 1357C
**Tang, M.-Y.** See Mark, J. E., 1849P
—; Fellers, J. F.; Lin, J. S.: A New Treatment of the theory for Small-Angle X-Ray Scattering with Applications to Polystyrene Crazes, 2215P
**Tanizaki, A.** See Higashimura, T., 3173C
**Tarazona, M. P.** See Riande, E., 917P; Saiz, E., 2165P
**Tassavori, S.** See Imai, Y., 1319C
**Tazuke, S.** See Suzuki, Y., 129L
**Tealdi, A.** See Conio, G., 273L
**Teramachi, S.**
—; Hasegawa, A.; Uchiyama, N.: The Chemical Composition Distribution of a High-Conversion Sample of Copoly(styrene-stat-Methyl Methacrylate) Prepared in Bulk, 71L
**Tesoro, G.**
Review of *Chemical Processing of Fibers and Fabrics—Functional Finishes, Part B*, M. Lewin and S. B. Sello, Eds., 461L
Review of *Chemical Processing of Synthetic Fibers and Blends*, K. V. Datye and A. A. Vaidya, 675L
Review of *New Monomers and Polymers*, Bill M. Culbertson and Charles U. Pittman, Jr., Eds., 371L
Review of *Textbook of Polymer Science, 3rd ed.*, F. W. Billmeyer, Jr., 674L
**Tewari, R. S.**
—; Awasthi, A.; Srivastava, A. K.; Kumar, M.: Polymerization Initiated by Ylide: Polymerization of Ethyl Methacrylate with the Use of 4-Picolinium *p*-Chlorophenacylide as Initiator, 1875C
**Tezuka, Y.** See Imai, K., 841C
**Thaler, W. A.** See Turner, S. R., 2281C
—; duBreuil, C.: Sulfonation Chemistry of Some Small Molecule Models of EPDM Rubbers. II. The Structure of Intermediate Adducts, 3905C
**Thomas, A. G.** See Kadir, A., 1623P
**Thomas, O.** See Blumstein, A., 13L
**Thompson, S. L.** See Hunter, B. K., 1383C
**Tieke, B.**
Solid-State Polymerization of Butadienes. Polymerization of Salts of 6-Amino-2,4-*trans*,*trans*-Hexadienoic Acid, 391C
—; Chapuis, G.: Solid-State Polymerization of Butadienes. Crystal Structure and Solution Properties of a Stereoregular Amphoteric 1,4-*Trans*-Polybutadiene, 2895C
**Till, C.** See Munro, H. S., 3933C
**Tiller, W. A.**
—; Schultz, J. M.: Crystallization of Polymers under High Tension: A Dendrite Model, 143P
**Tinyakova, E. I.** See Dolgoplosk, B. A., 1535C
**Tirrell, D. A.** See Shih, J. S., 781C

**Tirrell, M.** See Altenberger, A. R., 909P
**Tischler, D. O.** See Fowkes, F. M., 547C
**Tobias, R. H.** See Gent, A. N., 1483P
**Toda, T.** See Kurumada, T., 277C
**Toh, H. K.** See Lye, P. H., 327L
**Tomoi, M.**
—; Hosokawa, Y.; Kakiuchi, H.: Phase-Transfer Reactions Catalyzed by Phosphonium Salts Bound to Macroporous Polystyrene Supports, 1243C
—; Yanai, N.; Shiiki, S.; Kakiuchi, H.: Phase-Transfer Reactions Catalyzed by Polymer-Supported Crown Ethers, 911C
**Tomono, T.** See Suzuki, T., 2829C
**Tong, S. N.**
—; Park, K. Y.; Harwood, H. J.: 300-MHz $^1$H-NMR Spectra of *p*-Cresol-Formaldehyde Condensates Having Regular Repeating Structures, 1097C
**Toppare, L.** See Akbulut, U., 297L
—; Eren, S.; Akbulut, U.: Electroinitiated Copolymerization of Indene and α-Methylstyrene, 2941C
**Tou, J. C.**
Thermal Analysis of the Pyrolytic Behaviors of a Highly Crosslinked Polymer, 3851C
**Toureille, A.** See Reboul, J.-P., 21P
**Tourillon, G.**
—; Garnier, F.: Morphology of Conducting Organic Polymers: Polythiophene and Poly(3-Methyl Thiophene), 33P
**Trainor, G. T.** See Fujimori, K., 2479C
**Tran, C.** See Johnson, B. C., 721C
**Tremblay, C.**
—; Prud'Homme, R. E.: Miscible Blends of Amorphous Polymers, 1857P
**Tripathi, A.** See Varma, I. K., 1487C
**Tripathi, A. K.** See Varma, I. K., 1487C
**Troy, R. C.**
—; Stevens, M. P.: Poly(*N,N*-Diacylhydrazone)s: Polymers Containing Imide and Imine Functions Linked by Nitrogen–Nitrogen Bonds, 113L
**Truss, R. W.**
—; Clarke, P. L.; Duckett, R. A.; Ward, I. M.: The Dependence of Yield Behavior on Temperature, Pressure, and Strain Rate for Linear Polyethylenes of Different Molecular Weight and Morphology, 191P
**Tsai, C. C.** See Salamone, J. C., 2005C
**Tsai, M.-F.**
—; Levy, M.: Controlled Release by Polyelectrolyte Microcapsule Membranes, 2523C
**Tsao, G. T.** See Callec, G., 287C; Narayan, R., 635L
**Tsay, J.** See Geiss, R., 433L
**Tsonis, C. P.** See Hasan, M. U., 1349C
**Tsubokawa, N.**
Cationic Grafting from Carbon Black. II. Polymerization of Styrene Initiated by $CO^+ClO^-_4$ Group on the Surface of Carbon Black, 1515C
**Tsuda, K.** See Kondo, S., 249L, 1187C
**Tsuji, T.** See Ishiwatari, T., 2945C
**Tsujita, Y.**
—; Fujii, N.; Imoto, Y.; Takizawa, A.; Kinoshita, T.: Optical Rotatory Dispersion and Circular Dichroism Studies of Copoly(propyl-L-Aspartate-Benzyl-L-Aspartate), 2533C
**Tsukamoto, J.** See Matsumura, K., 1551C
**Tsukruk, V. V.** See Shilov, V. V., 41P
**Tsunemitsu, K.** See Ishihara, K., 3687C
**Tsunooka, M.** See Cha, Y., 2973C
—; Cha, Y.; Tanaka, M.; Konishi, F.: Photochemical Reactions of Polymers Containing Thiocyanatoacetyl Groups and Dyeing the Resulting Polymer Films, 739C
—; Ueda, T.; Tanaka, M.; Egawa, H.: Photocationic Crosslinking of Poly(2,3-Epithiopropyl Methacrylate) and Photo-Initiated Cationic Polymerization of Its Model Compounds, 2217C
**Tsuruta, T.** See Uryu, T., 3593C
**Tsutsumi, A.** See Nishinari, K., 95P
**Tsvetkov, V. N.**
—; Lavrenko, P. N.; Bushin, S. V.: Hydrodynamic Invariant of Polymer Molecules, 3447C
**Tucker, P.** See Ledbetter, M., 1435C
**Tudos, F.** See Fodor, Z., 2539C
**Turi, E. A.** See Khanna, Y. P., 2175P
**Turner, S. R.**
—; Wardle, R.; Thaler, W. A.: Poly(Sodium Styrene Sulfonate-Alt-Sodium-*N*(4-Sulfophenyl)Maleimide): A New Water-Soluble Alternating Copolymer (Note), 2281C

**Uchiyama, N.** See Teramachi, S., 71L
**Ueda, A.**
—; Nagai, S.: Block Copolymers Derived from Azobiscyanopentanoic Acid. IV. Synthesis of a Polyamide–Polystyrene Block Copolymer, 1611C
—; Nagai, S.: Block Copolymers Derived from Azobiscyanopentanoic Acid(III) Synthesis of a Copolyamide Containing Scissile Azo Linkages in Its Main Chain (Note), 1783C
**Ueda, M.** See Li, Z. B., 3063C
—; Ishibashi, S.; Suzuki, T.; Masuko, T.; Pittman, C. U., Jr.: Radical-Initiated Homo- and Copolymerization of Methoxymethyl Methacrylate, 2305C
—; Kumakura, T.; Imai, Y.; Pittman, C. U., Jr.; Wallace, E., Jr.: Solvent Effects on Radical Homo- and Copolymerizations of Methacryloyl Fluoride, 85C
**Ueda, T.** See Tsunooka, M., 2217C
**Uematsu, I.** See Sasaki, S., 129P
**Ueno, T.** See Takagishi, T., 1281C
**Uryu, T.** See Hatanaka, K., 1987C
—; Harima, K.; Tsuruta, T.; Suzuki, C.; Yoshino, N.; Schuerch, C.: Ring-Opening Polymerization of 1,2-Anhydro-3,4,6-Tri-*O*-Benzyl-β-D-Mannopyranose and 5,6-Anhydro-1,2-*O*-Isopropylidene-α-D-Glucofuranose by Zinc–Methoxypropanol Complex Catalyst (Note), 3593C
**Utevskii, L. E.** See Slutsker, L. I., 805P

**Valenty, S. J.**
—; Chera, J. J.; Smith, G. A.; Katz, W.; Argani, R.; Bakhru, H.: Monitoring Polymer Surface Derivatization by RBS and ESCA, 3367C
**Valero, G. M.** See Goni, I., 1327C
**Valero, M.** See Gurruchaga, M. D., 21L
**Valles, E. M.** See Pezzutti, J. L., 401L
**Van Alstine, J. M.** See Harris, J. M., 341C
**Van Den Berg, J. W. A.** See Koenhen, D. M., 2145P
**Vanderhoff, J. W.** See Dimonie, V., 2197C
**Vanderschueren, J.** See Niezette, C. B. J., 1845P
—; Aras, L.; Boonen, C.; Niezette, C. B. J.; Corapci, M.: Evidence for Clustering in *N*-Butyl Methacrylate Ionomers as Shown by Thermally Stimulated Currents, 2261P
**Varaprasad, D. V. P. R.**
—; Rosthauser, J.; Winston, A.: Hydroxamic Acid Polymers. Effect of Structure on the Chelation of Iron in Water: II, 2131C
**Varma, B. K.**
—; Fujita, Y.; Takahashi, M.; Nose, T.: Hydrodynamic Radius and Intrinsic Viscosity of Polystyrene in the Crossover Region from θ to Good-Solvent Conditions, 1781P
**Varma, D. S.** See Varma, I. K., 1419C
**Varma, I. K.**
—; Sangita,; Varma, D. S.: Addition Polyimides. III. Thermal Behavior of Bismaleimides, 1419C
—; Tripathi, A.; Goel, T. C.; Murthy, K. R.; Tripathi, A. K.: Effect of Structure on Properties of Polypyromellitimide Films, 1487C
**Vasanthakumari, R.** See Kishore, K., 537P
**Veksli, Z.** See Andreis, M., 2559C
**Venkatachalam, S.** See Kumar, V. G., 2317C
—; Kumar, V. G.; Rao, K. V. C.: Kinetics of Oligomerization of Methyl Ester of Dehydrated Castor Oil Fatty Acid Over Molybdenum Oxide

on Silica–Alumina Catalyst in Comparison with the Thermal Oligomerization Process, 3805C
**Venkatraman, V. S.** See Gaymans, R. J., 1373C
**Vera, J. H.** See Panayiotou, C., 601L
**Verneker, V. R. P.** See Kishore, K., 607L, 1481C
—; Santhanalakshmi, K. N.: Initiation Reactions in Thermal Polymerization of Vinyl Monomers in the Molten State, 3217C
**Vijaykumar, P. S.** See Dunn, L. C., 2243P
—; Pohl, H. A.: Giant Polarization in Stable Polymeric Dielectrics, 1439P
**Vinogradov, G. V.** See Dreval, V. E., 1155P
Review of *Properties and Processing of Thermoplastics. A Manual*, E. Kalinchev and M. Sakovtseva, 186L
**Vinogradova, S. V.**
—; Korshak, V. V.; Siling, S. A.; Solovyov, V. N.: Synthesis and Investigation of Polymers Based on the Nitriles of Polycarboxylic Acids and Diamines, 1043C
**Viollaz, P. E.**
—; Suarez, C.: An Equation for Diffusion in Shrinking or Swelling Bodies, 875P
**Vofsi, D.**
—; Yanai, S.; Cabasso, I.: Synthesis and Characterization of Poly(phosphon Acetal) Derivatives of Poly(vinyl Alcohol), 3335C
**Vogl, O.** See Bansleben, D. A., 2489C, 3263C; Muggee, J., 2501C
**Voigt-Martin, I. G.**
—; Mandelkern, L.: Quantitative Electron Microscopic Study of the Crystallite Structure of Molecular Weight Fractions of Linear Polyethylene, 1901P
**Volksen, W.** See Geiss, R., 433L
**Volpe, R. A.** See Frisch, H. L., 2279P
**Vos, J. G.** See Coey, J. M. D., 303C
**Vrentas, J. S.**
—; Duda, J. L.; Ling, H.-C.: Self-Diffusion in Polymer–Solvent–Solvent Systems, 459P
**Vukovic, R.** See Andreis, M., 2559C; Ranogajec, F., 41C

**Wada, T.** See Oshima, R., 2047C, 3135C
**Wada, Y.** See Jimbo, M., 2139P
**Waki, M.** See Iida, K., 1399P
**Wakui, T.** See Roland, B., 3001C
**Waldman, D. A.** See Chang, C., 2185P; Lu, F. J., 827P
**Wallace, E., Jr.** See Ueda, M., 85C
**Wang, D. W.** See Overberger, C. G., 1153C
**Wang, L. H.**
—; Porter, R. S.: On the $CO_2$ Permeation of Uniaxially Drawn Polymers, 1645P
**Wang, Y. K.** See Chang, C., 2185P
**Ward, I. M.** See Capaccio, G., 475P; Truss, R. W., 191P
—; Wilding, M. A.: Creep Behavior of Ultrahigh-Modulus Polyethylene: Influence of Draw Ratio and Polymer Composition, 561P
**Wardle, R.** See Turner, S. R., 2281C
**Warshawsky, A.**
—; Shoef, N.: Reversible Protection of Oligomeric Ethylene Glycols by Bis(2,4-Dinitrophenylation) and Basic Ethanolysis, 657C
**Wartewig, S.** See Alig, I., 1097P
**Watanabe, C.** See Shiomi, T., 1305P
**Watanabe, J.**
—; Seibel, G.; Inoue, M.: A Technique for Stopping the Coalescence of a Latex for Examination in the Electron Microscope, 39L
**Watanabe, M.** See Nagaoka, K., 659L
—; Iida, T.; Sanui, K.; Ogata, N.; Kobayashi, T.; Ohtaki, Z.: Syntheses and Electrical Conductivity of Polyamides Containing Tetrathiafulvalene Moieties in the Main Chain, 1299C
**Watanabe, S.**
—; Kato, M.; Kosakai, S.: Preparation and Properties of Photocrosslinkable Poly(2-Vinyloxyethyl Cinnamate), 2801C
**Watanabe, T.** See Otsuhata, K., 3417C
**Waters, P. F.** See Phillips, J. C., 1719P
**Watt, W. R.**
—; Hoffman, H. T., Jr.; Pobiner, H.; Schkolnick, L. J.; Yang, L. S.: A Novel Photoinitiator of Cationic Polymerization: Preparation and Characterization of Bis[4-(diphenylsulfonio)-phenyl]sulfide–Bis-Hexafluorophosphate, 1789C
**Watterson, A. C.** See Salamone, J. C., 2005C
**Weiss, P.**
Review of *Developments in Polymer Stabilisation—6*, Gerald Scott, Ed., 229L
Review of *Modern Liquid Chromatography of Macromolecules*, by B. G. Belenkii and L. Z. Vilenchiki, 457L
Review of *The Effects of Hostile Environments on Coatings and Plastics, ACS Symposium Series 229*, David P. Garner and G. Allan Stahl, Eds., 296L
Review of *The Strength and Stiffness of Polymers*, Anagnostis E. Zachariades and Roger S. Porter, Eds., 188L
**West, R.** See Zhang, X-H., 159C, 225C
**Whang, W. T.** See Karydas, A. C., 847C
**White, G. K.**
—; Choy, C. L.: Thermal Expansion and Gruneisen Parameters of Isotropic and Oriented Polyethylene, 835P
**White, J. E.**
—; Snider, D. A.; Scaia, M. D.: Synthesis and Properties of Some New Polyimidosulfides with Highly Mobile Backbones, 589C
**Wiesel, E.** See Margel, S., 145C
**Wightman, J. P.** See Johnson, B. C., 721C
**Wijmans, J. G.**
—; Altena, F. W.; Smolders, C. A.: Diffusion during the Immersion Precipitation Process (Note), 519P
**Wilding, M. A.** See Ward, I. M., 561P
**Wiles, D. M.** See Gupta, M. K., 1011P
**Wilkie, C. A.** See Suebsaeng, T., 625L, 945C
**Williams, M. C.** See Liu, T. Y., 1561P
**Willis, T. C.**
—; Sheats, J. E.: Synthesis and Characterization of Polymers and Copolymers of Vinylruthenocene, 1077C
**Wilson, T. D.** See Morse, S. D., 645C
**Winston, A.** See Varaprasad, D. V. P. R., 2131C
**Wittmann, J. C.** See Moss, B., 1919P
**Woerner, T.**
—; MacDiarmid, A. G.; Feldblum, A.; Heeger, A. J.: Optical Anisotropy of Partially Aligned Polyacetylene Film Polymerized Directly from Gaseous Acetylene, 119L
**Wolf, C. J.** See Bornmann, J. A., 851C; Grayson, M. A., 1897C
**Wolf, K. H.** See Born, L., 163P
**Wolfe, J. A.** See Fowkes, F. M., 547C
**Wong, C.-P.** See Nakamura, K., 1119P
**Wong, S. P.** See Choy, C. L., 979P
**Woodward, A. E.** See Mukherji, S., 793P
**Wool, R. P.** See Lee, Y-L., 681P
**Wortman, J. J.** See Brock, S., 1349P
**Wu, G.** See Hwang, K. K. S., 1677C
**Wudl, F.** See Berlinsky, A. J., 847P
**Wunderlich, B.** See Lau, S. F., 379P
**Wypych, J.**
PVC Thermal Degradation. III. On the Mechanism of Action of Metal Carboxylates, 425L

**Xia, D. W.**
—; Smid, J.: Solid Polymer Electrolyte Complexes of Polymethacrylates Carrying Pendant Oligo-Oxyethylene (Glyme) Chains, 617L
**Xiao, H. X.** See Cassidy, E. F., 1839C, 1851C, 2667C
—; Frisch, K. C.; Frisch, H. L.: Interpenetrating Polymer Networks from Polyurethanes and Methacrylate Polymers. II. Interpenetrating Polymer Networks with Opposite Charge Groups, 1035C
**Xiao, J.-Q.** See Hong, X.-Y., 3289C
**Xu, Z.** See Chen, X., 777P

**Yaacoub, M. Sh.** See Roshdy, M. H., 1797C
**Yagci, Y.**
—; Aydogan, A. C.; Sizgek, A. E.: Influence of the Cationic Salt on Free Radical Polymerization Initiated by Phenylazotriphenylmethane, 103L
**Yalpani, M.** See Harris, J. M., 341C
**Yamada, B.**
—; Kontani, T.; Yoshioka, M.; Otsu, T.: Determination of Absolute Rate Constants for Free Radical Polymerization of Ethyl α-Fluoroacrylate and Characterization of the Polymer, 2381C
—; Yoshioka, M.; Otsu, T.: Radical Polymerization Behavior of *N,N*-Disubstituted Acrylamide: Absolute Rate Constants for Polymerization and Copolymerization of *N*-Acryloylpiperidine, 463C
**Yamada, K.**
—; Oie, M.; Takayanagi, M.: Piezoelectricity and Viscoelastic Crystalline Dispersion in Highly Oriented Poly(vinylidene Fluoride), 245P
**Yamada, Y.** See Higashi, F., 2181C
**Yamagata, M.**
—; Masuda, T.; Higashimura, T.: Polymerization of 1-Bromo-2-Phenylacetylene by Mo Catalysts (Note), 2275C
**Yamaguchi, K.** See Kawanobe, W., 2371C
**Yamaguchi, S.**
—; Hayashi, H.; Hamada, F.; Nakajima, A.: Configurational Studies on Amylose. I. Scattering Functions, 1551P
**Yamamoto, F.** See Takeuchi, Y., 159L
**Yamamoto, H.**
—; Nakazawa, A.; Hayakawa, T.; Nishi, N.: Induced Optical Activity in the Complex of Chitosan with Azo Dyes, 255L
**Yamawaki, M.**
—; Matsumoto, A.; Oiwa, M.: Polymerization of Alkyl Allyl Oxalates in the Evolution of Carbon Dioxide at Elevated Temperatures, 1541C
—; Matsumoto, A.; Oiwa, M.: Post-Polymerization of Diallyl Oxalate Prepolymer in the Evolution of Carbon Dioxide at Elevated Temperatures (Note), 877C
**Yamazaki, N.** See Kawanobe, W., 2371C
**Yan, H.-J.**
—; Pearce, E. M.: Styrylpyridine-Based Epoxy Resins: Synthesis and Characterization, 3319C
**Yanai, N.** See Tomoi, M., 911C
**Yanai, S.** See Vofsi, D., 3335C
**Yang, L. S.** See Watt, W. R., 1789C
**Yang, W.-R.** See Hsiue, G.-H., 1525C
**Yarusso, D. J.**
—; Ding, Y. S.; Pan, H. K.; Cooper, S. L.: EXAFS Analysis of the Structure of Ionomer Microdomains, 2073P
**Yasuda, E.** See Okamoto, Y., 1831C
**Yasuda, H.** See Kramer, P., 475C
**Yeung, P. H. J.** See Galiotis, C., 1589P
**Yeung, R. R.** See Packer, K. J., 589P
**Yilgor, I.** See Johnson, B. C., 721C; Keohan, F. L., 679C
**Yokoi, H.** See Yoshikawa, M., 125L, 2159C
**Yokokawa, T.** See Furuhata, K., 133P
**Yokono, H.** See Ishikawa, M., 669L
**Yokota, A.** See Fukutomi, T., 2983C
**Yokouchi, M.**
Continuous Measurement of Dynamic Tensile Mechanical Properties in Polymer Solids over a Wide Range of Frequencies. III. Effect of Absorbed Water on Nylon 6 at 23°C, 1635P
**Yokoyama, M.** See Kondo, H., 1055C
**Yoshida, K.** See Sasuga, T., 529P
**Yoshikawa, K.** See Takagishi, T., 185C
**Yoshikawa, M.**
—; Yokoi, H.; Sanui, K.; Ogata, N.: Pervaporation of Water–Ethanol Mixture through Poly(maleimide-co-Acrylonitrile) Membrane, 125L
—; Yokoi, H.; Sanui, K.; Ogata, N.: Selective Separation of Water–Alcohol Binary Mixture through Poly(maleimide-co-acrylonitrile) Membrane, 2159C
—; Yukoshi, T.; Sanui, Y. K.; Ogata, N.: Separation of Water and Ethanol by Pervaporation through Poly(acrylic Acid-co-Acrylonitrile) Membrane, 473L
**Yoshino, N.** See Uryu, T., 3593C
**Yoshioka, M.** See Yamada, B., 463C, 2381C
**Young, K.** See Choy, C. L., 979P
**Young, R. J.** See Galiotis, C., 1589P
**Yui, B.** See Chern, R. T., 1061P
**Yuki, H.** See Okamoto, Y., 1831C
**Yukoshi, T.** See Yoshikawa, M., 473L

**Zagorska, M.** See Ahlgren, G., 173L
**Zahran, A. H.** See Odian, G., 769C
**Zamora, F.**
—; Gonzalez, M. C.: Polydispersity Influence on Polymeric Eutectic Mixtures, 267L
**Zanobi, A.** See Cernia, E., 3393C
**Zanocco, A.** See Lissi, E. A., 391L
**Zappelli, P.**
Review of *Targeted Drugs*, Eugene P. Goldberg, Ed., 233L
**Zerbi, G.** See Minoni, G., 533L
**Zhang, X-H.**
—; West, R.: Organosilane Polymers: Formable Copolymers Containing Dimethylsilylene Units, 159C
—; West, R.: Organosilane Polymers: Formable Copolymers that Contain Methyl(β-Phenethyl)-silylene or Cyclohexyl(methyl)silylene Units, 225C
**Zhdanov, A. A.** See Papkov, V. S., 3617C
**Zhizhenkov, V. V.**
—; Egorov, E. A.: NMR Study of the Tie-Chain Length Distribution in Oriented Polymers, 117P
**Zhou, Q. X.** See Kapuscinska, M., 3999C
**Zhou, Z.** See Hong, X.-Y., 3289C
**Zimm, B. H.**
Review of *Measurement of Suspended Particles by Quasi-Elastic Light Scattering*, Barton E. Dahneke, Ed., 52L
**Zimmer, H.** See Amer, A., 77L
**Zoepfl, F. J.**
—; Markovic, V.; Silverman, J.: Differential Scanning Calorimetry Studies of Irradiated Polyethylene: I. Melting Temperatures and Fusion Endotherms, 2017C
—; Markovic, V.; Silverman, J.: Differential Scanning Calorimetry Studies of Irradiated Polyethylene: II. The Effect of Oxygen, 2033C
**Zoller, P.** See Starkweather, H. W., Jr., 1431P, 1615P
**Zurakowska-Orszagh, J.**
—; Kaim, A.: Solution Polymerization of *N-tert*-Alkylacrylamides Catalyzed by $ZnCl_2$. I. Study of the Structure of Complexes, 649L

# Subject Index to Volume 22

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 22, 1984. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number. Notes and Errata are indicated by the letters N and E, respectively, in parentheses following the page number.


Absolute rate constants, for ethyl α-fluoroacrylate polymerization, 2381C
Acetalization, poly(vinyl alcohol), 841C(N)
Acetone adducts, acetylene-terminated quinoxaline oligomers, 1939C
Acetylene, gaseous, polyacetylene film from, 119L
Acid–base complexes, enthalpies, 547C
Acid-catalyzed polymerization, of epichlorohydrin, 645C
Acid dyes, diffusion coefficients, 61C
Acrolein, catalyzed copolymerization, 3581C(N)
—, polymerization, 145C
Acrylamide, aqueous polymerization, 959C
—, aqueous polymerization, with permanganate/glycine, 1803C
—, copolymerization, 49C
—, nitrogen dioxide-initiated polymerization, 491L
—, plasma-initiated polymerization, 3351C
—, water-soluble copolymers, solution properties, 3649C
—, water-soluble copolymers, synthesis and characterization, 3643C
Acrylamide monomers, synthesis and polymerization, 3585C(N)
Acrylic acid, aqueous polymerization, 959C
—, polyethylene copolymers, 153L
—, poly(4-vinylpyridine) interaction, 2479C
—, preirradiation grafting, 3673C
—, preirradiation grafting onto poly(tetrafluoroethylene–perfluorovinyl ether) copolymer, 597C
Acrylic copolymer, charge transfer complexation, 3161C
Acrylic copolymer–melamine formaldehyde coatings, NMR of, 2009P
Acrylic monomers, graft polymerization, onto starch fractions, 21L
—, radical copolymerization, 801C
Acrylonitrile, ceric ion–citric acid redox initiation, 1883C
—, potassium persulfate–ferrous iron redox system, 1193C(N)
*trans*-4-Acryloxyazobenzene, photochromism, of menthyl acrylate copolymers, 1267C
L-[α-(*N*-*p*-Acryloxybenzoyl)alanine ethyl esters], synthesis and polymerization, 2413C
*N*-Acryloylpiperidine, radical polymerization behavior, 463C
Activity control, of immobilized enzyme, 595L
Acyloin condensation, of terephthaloyl chloride, 3107C
*N*-Acyl phosphoramidites, as polyamide condensing agents, 2371C
Adenine bases, of polymethacrylate derivatives, methylation of, 3943C
Adhesion of elastomers, 1483P
—, role of molecular diffusion in, 1953P
Adhesive resins, fire- and heat-resistant, 1717C
Agarose gels, analysis of structure from two dimensional section of, 1367P
Agave fibers, macromolecular parameters, 3407C
Aggregated ions in metallic salts of ionomers, 2073P
Alcohols, nitrogen dioxide-initiated polymerization in, 491L
—, as propylene catalytic system modifiers, 3739C
Alkanedithiols, in polyimidosulfide synthesis, 589C
1-Alkene and ethylene, copolymerization, 1383C
Alkenyl azlactones, chemistry of, 1179C, 3149C
*N*-*tert*-Alkylacrylamides, zinc chloride-catalyzed solution polymerization, 649L
Alkyl allyl oxalates, radical polymerization of, 1541C
*N*-Alkylation, poly(*p*-phenylene terephthalamide), 865C(N)
Alkyl halides, phase-transfer reactions, 1243C
Alkynes, polymerization by Ziegler–Natta catalyst system, 1009C
Allyldimethyldodecylammonium bromide, polymerization, 3383C
Aluminum alkoxide, as olefin catalytic system modifier, 3747C
Amidation, high-temperature, 2567C
—, low-temperature, 2579C
Amide linkages, polyhydrazides, 3401C
Amine antioxidants, rubber network incorporation, 327L
Amine-oxide solution, cellulose precipitation from, 163L
Amine-terminated oligomer, telechelic acrylamides from, 3149C
6-Amino-2,4-*trans*,*trans*-hexadienoic acid, solid-state polymerization, 391C
Amino polymers, synthesis and characterization, 985C(N)
Aminopropylcellulose, synthesis and derivatization, 975C
Amorphous polymers, packing regularity in, 2021P, 2043P
*N*-*tert*-Amylacrylamide, zinc chloride complexes, 649L
Amylose, configurational studies, 1551P
Anhydride end groups, and dielectric loss, 1399P
1,6-Anhydro-3,4-di-O-benzyl-2-deoxy-β-D-*arabino*-hexopyranose, ring-opening polymerization, 1987C
1,2-Anhydro-3,4,6-tri-*O*-benzyl-β-D-mannopyranose ring-opening polymerization, 3593C(N)
*p*-Anilinophenol, copolymers, synthesis and properties, 1981C
Anionic polymerization, *N*,*N*-diethylamine-1,3,2-dioxaphosphorinan, 1251C
—, initiation system, 3343C
—, lactones, 905C
—, of norbornene trisulfide, 1085C
—, polybutadienes, 669C
Anions, organic, polyvinylpyrrolidone binding of, 185C
Annealing, in solvent, of poly(TMPS), 223P
Annealing of melt-crystallized polyethylene, 1811P
Annealing of nylon-6, "memory" effect in, 311P(N)
Annealing of single crystals, x-ray scattering during, 367P
*N*-(2-Anthryl)maleimide, Diels–Alder polymer, 467L
Antioxidant, rubber network incorporation, 327L
Antioxidant action, mechanisms, 1573C
Antioxidants, action mechanisms, 553L
Aprotic solvents, NADH model reduction reactions in, 1945C
Aqueous gel permeation chromatography, system development, 287C
Aqueous polymerization, acrylamide, 1803C
Aqueous solution, photoinduced reversible pH change, 3687C

Argon ion laser, photosensitivity to, 215L
Aromatic–aliphatic polyesters, direct mass spectrometry, 1217C
Aromatic bispropenyl ethers, synthesis, characterization, and properties, 2105C
Aromatic compounds, trifluoromethyl-substituted, plasma polymerization, 1123C
Aromatic diacid chlorides, polyamide synthesis, 1291C
Aromatic dialdehydes, polycondensation, 3771C
Aromatic 1,3-diamines, linear condensation polymers, preparation, 1231C
Aromatic dicarboxylic acids, interfacial phosgenation, 679C
—, polycondensation, 1653C
Aromatic polyamides, double-bonded, synthesis and characterization, 3705C
Aromatic polyesters, direct mass spectrometry, 1201C
—, liquid crystalline properties, 3189C
—, phenylindane-containing, preparation and properties, 1319C
—, synthesis, by direct polycondensation, 2705C
Aromatic polyphosphonates, preparation and properties, 1259C
*N*-Arylmaleimides, cyclopolymerization, 129C
Arylsulfonylmethyl isocyanide, synthesis, 1393C
Azides, cycloaddition, with phenyl vinyl sulfoxide, 2293C(N)
Azide-type photopolymers, 3289C
Azlactone, radiation-sensitive materials from, 1179C
Azoaromatic poly(carboxylic acid), photoinduced reversible pH change, 3687C
Azoaromatic polymer membrane, amphiphilic, 515L
Azoaromatic polymers, membrane swelling control, 121C
—, photoinduced change in organic compound release, 881C(N)
Azobiscyanopentanoic acid block copolymers from, 1783C(N)
Azo dyes, optical activity, 255L

Belousov–Zhabotinskii oscillation reaction, 2699C
Benzil, photoinitiation mechanism of, 2469C
Benzoin methyl ether, catalyst for photopolymerization, 391L
3,3′,4,4′-Benzophenone tetracarboxylic dianhydride, polyimide synthesis from, 3359C
Benzylidenemalononitrile, copolymerization with vinyl acetate, 583C
Bicyclic oxalactam, cationic oligomerization, 1733C
Birefringence and draw ratios of nylon 6 and nylon 66, 1173P
Birefringence of elastomeric polyester PDET, 917P
Birefringence of injection-molded polyethylene in infrared, 471P
Bis-*o*-amino esters, polycondensation, 1017C
2,5-Bis(4-aminophenyl)-3,4-diphenylthiophene, polycondensation, 3771C
2,5-Bis(4-aminophenyl)-3,4-diphenylthiphene, polyimide synthesis, 2189C
Bis(difluoroaluminum)organophosphonates, preparation and bonding characteristics, 2329C
Bis(2,4-dinitrophenyl), glycol protection, 657C
Bis-[4-(diphenylsulfonio)phenyl]sulfide–bis-hexafluorophosphate, preparation and characterization, 1789C
1,1′-Bis(glycidoxy methyl)ferrocene, crosslinking reactions, 607L
Bisimide resins, fire- and heat-resistant, 1717C
Bismaleimides, thermal behavior, 1419C
*N,N*-Bis(3,3′-maleimidophenyl)sulfone, synthesis and thermal behavior, 1419C
Bisphenols, interfacial phosgenation, 379C
—, polycondensation, 1653C
Bis(1,3,4-thiadiazoline-5-thione), polycondensation, 1017C
Blending of polymeric fluids, shear-induced coalescence in, 79P
Blends, FT-IR study of interactions in, 1149P(N)
—, phase behavior in, 1697P(N)
—, poly(ethylene oxide)–poly(methyl methacrylate), 2809C
—, rubber, ozone cracking, 135L
—, rubber, vulcanization, 143L
Blends of amorphous polymers, miscibility of, 1857P
Blends of cellulose with PET, 101P
Blends of PEO with PMMA, crystallization of, 1331P
Blends of polypropylene and polyethylene, morphology of, 285P, 739P
Blends of polystyrene and poly(vinyl methyl ether), compatibility in, 107P
—, IR spectra as function of temperature in, 1773P
Blends of PVC and poly(ethyl acrylate-*co*-4-vinyl pyridine), miscibility in, 1529P
Blends of stereoisomeric polyesters, morphology and melting of, 577P
Block copolymers, azobiscyanopentanoic acid-derived, 1783C(N)
—, azobiscyanopentanoic acid-derived, polyamide–polystyrene, 1611C
—, MDI–butanediol urethane model, 1677C
Book reviews, 49L, 50L, 51L, 52L, 53L, 54L, 185L, 186L, 188L, 229L, 230L, 231L, 232L, 233L, 234L, 295L, 296L, 371L, 372L, 373L, 374L, 375L, 423L, 457L, 459L, 460L, 461L, 507L, 508L, 509L, 510L, 575L, 576L, 577L, 578L, 673L, 674L, 675L
Bovine serum albumin, methyl orange binding by, 357L
Branching, in polyethylene, dual-functional catalysis in, 3027C
Branching and drawing behavior of polyethylene copolymers, 475P
Breaking strength, of agave fibers, 3407C
Bromine C.T. complexes, as methyl methacrylate photoinitiators, 2295C
1-Bromo-2-phenylacetylene, molybdenum-initiated polymerization, 2275C(N)
Butadiene, polymerization, active sites in, 1535C
—, solid-state polymerization, 391C
—, Ziegler–Natta polymerization, 1461C
Butadienes, solid-state polymerization of, 2895C
Butadiyne, polymerization, 107L
*N-tert*-Butylacrylamide, thermal- and radiation-induced polymerizations, 453C
—, zinc chloride complexes, 649L
*tert*-Butyl acrylate, copolymerization, with glycidyl methacrylate, 1817C
*tert*-Butyl hydroperoxide, photocatalyzed decomposition, 3885C
*n*-Butyl lithium, as dehalogenating agent, 77L
*n*-Butyllithium/α-methylstyrene/benzene/diethyl ether initiation system, 3343C

Capillary flow, of poly(ethylene terephthalate), 329C
ε-Caprolactam, synthesis with cationic resin and acetic acid, 4041C(N)
Carbazole side chain groups, of poly(L-cysteine) derivatives, 3135C
Carbon black, styrene cationic grafting from, 1515C
Carbon-black-reinforced polybutadiene, cis/trans isomerization, 843C(N)
Carbon dioxide, in diallyl oxalate postpolymerization, 877C(N)
—, high temperature evolution, in alkyl allyl oxalate polymerization, 1541C
Carbonyl-containing functional groups, in oxidized polyethylene, 2539C
Carboxyanhydrides, polymerization, 107C
Catalysis, dual-functional, 3027C
Catalytic activity, imidazole-containing polymers, 1923C
Catalytic system modifiers, for propylene, 3739C
Catechol, as functionalized polyionene group, 129L
Cationic oligomerization, of bicyclic oxalactam, 1733C
Cationic polymerization, photoinitiation by bis[4-(diphenylsulfonio)phenyl]sulfide–bis-hexafluorophosphate, 1789C
—, β-pinene, 673C

—, 1,4,6-trioxaspiro[4,4]-nonane, 29C
Cationic resin, as nylon polymerization catalyst, 4041C(N)
Cellulose, direct dye adsorption on, 221L
—, graft copolymerization, 2767C
—, graft copolymerization, by periodate, 623L
—, graft polymerization, by periodate, 635L
—, isothermal pyrolysis, 3071C
—, single dye crystals in, 1L
—, spherulitic precipitation of, 163L
Cellulose acetate, $^{13}C$ nuclear magnetic resonance studies of, 2363C
Cellulose acetates, solubility in magnesium perchlorate solution, 419L
Cellulose blends with PET, 101P
Cellulose derivatives, phase equilibria of, 273L
Ceric ion–citric acid redox pair initiator, 1883C
Ceric ion–glycolic acid redox pair initiator, 3563C
Ceric ion–isopropyl alcohol redox system, for methyl methacrylate, 2729C(N)
Chain configurations, 1551P
Chain conformation and packing of hard segments in polyurethane elastomer, model compound prediction of, 1247P
Chain conformation in poly(*p*-toluenesulfonyl L-ornithine), 129P(N)
Chain conformation of liquid-crystalline aromatic copolyesters, 1343P(N)
Chain conformations in polydiacetylene rod-to-coil transition, 847P
Chain deformation in flow at pore entrances, 1261P
Chain dynamics in fracture, model for, 881P
Chain entanglement in polystyrene, NMR affected by, 957P
Chain entanglements in polydimethylsiloxane networks, 1483P
Chain interactions in dilute solutions from Zimm's single contact approximation, 853P
Chain lengths in a spherical volume, distribution of, 279P
Chain mechanics in solid-state polymerization, 1417P
Chain motion, local, comparison of Hall–Helfand and Jones–Stockmayer model for, 2195P
Chain motion in poly(*dl*-isobornyl methacrylate), 1745P
Chain motion in poly(vinyl acetate), diluent and temperature effects in, 211P
Chain motion in semicrystalline polyesters, 2185P
Chain packing in aromatic polyimide film, 1105P
Chain relaxation of polyisobutylene, NMR study of, 931P
Chain transfer activity of inifers, 2685C
Chain transfer polymerization, catalytic, 3255C
Charge transfer complexation, of acrylic copolymer, 3161C
Charge-transfer complexes, poly(*N*-vinyl carbazole), 967C
Chemical composition distribution, of copoly(styrene-stat-methyl methacrylate), 71L
Chemiluminescence emission, of extruded polypropylene, 665L
*α*-Chitin, electron diffraction study of, 543L
Chitosan, optical activity, 255L
Chlorination of polyethylene crystals, 255P
Chloromethylation, of polystyrene, 269C
Chlorosulfonation, polyaromatic ether-ketone sulfonamide preparation, 295C
Chromatography, of polyether macromonomers, 3775C
Cinnamate-type photopolymers, 3289C
Circular dichroism, of copoly(propyl-L-aspartate-benzyl-L-aspartate), 2533C
Coalescence, of latex particles, 39L
Coalescence in viscoelastic fluid blends, 79P
Cobaloxime, as catalytic chain transfer agent, 3255C
Coil dimension, flavin catalytic activity effects, 2169C
Compatibility, of poly(ethylene oxide) and poly(methyl methacrylate), 2809C
Compatibility of poly(butylene terephthalate) with liquid-crystalline polyester, 1697P(N)
Complexation, of poly(dimethylaminoethyl methacrylate *N*-oxide), 1661C
Conducting polymers, electronic undoped, 1439P
Conducting polythiophene films, morphology of, 33P
Conductivity of doped polymers, quantum theory of model potentials for, 1987P(N)
Conductivity of ion-implanted PET, 1349P(N)
Conductivity of poly acene quinone radical polymers, 2243P
Conductivity of polymers, influence of carbonyl and ether linkages on, 1987P(N)
Conformation, of asymmetric rigid polyamides, 1153C
Conformational transitions, comparison of models for, 2195P
Conformational variation, of poly[*S*-(2-*N*-carbazolyethyl)-L-cysteine], 2047C
Conformation of molecules in semicrystalline polymers, 1491P
Contact-angle studies, poly(ethylene terephthalate), 419C
Controlled release, by polyelectrolyte microcapsule membranes, 2523C
Coordinate bridge bonding, in bis(difluoroaluminum) organophosphates, 2329C
Cope elimination, of poly(dimethylaminoethyl methacrylate *N*-oxide), 1661C
Copolycondensation, of hydroxybenzoic acids, 3607C(N)
Copolyesters, dimer acid-modified, property relationships, 171C
—, phenylindane-containing, preparation and properties, 1319C
Copolyesters of 4-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid, 1343P(N)
Copolyimides, fire-resistant, 1065C
Copolymer, glycolide–lactide, morphology and hydrolytic attack on, 57P
Copolymer crystal structures of hydrogenated polybutadiene, 1727P
Copolymerization, core–shell emulsion, of styrene–acrylonitrile, 2197C
—, of methacrylate-terminated polystyrene, 1633C
—, of methyl methacrylate and *p*-divinylbenzene, 2123C
—, radiation-induced, 41C
—, reactivity ratio calculations, 3487C
—, of water-soluble comonomers, 2281C(N)
Copolymerization composition equation, 2887C
Copolymerization equations, experimental design and error structure, 3661C
Copolymers, ABA poly(methyl methacrylate-*b*-*α*-methylstyrene) blocks, preparation and dilution solution behavior of, 2119P
—, acrylamide-sodium-2-acrylamido-2-methylpropane sulfonate, 49C
—, acrylate-type, photoconductivity, 579L
—, acrylic acid–acrylamide, interactions, 3697C
—, 4-acryloxyazobenzene–menthyl acrylate, photochromism of, 1267C
—, azlactone-containing, 1179C
—, block, azobiscyanopentanoic acid-derived, 1611C, 1783C(N)
—, chemical composition distribution of, 71L
—, of 1,1-difluoroethene with chloroethene, structure and composition of, 357P
—, of 1,1-difluoroethene with tetrafluoroethene, structure and composition of, 357P
—, ethylene–1-alkene, preparation and characterization, 1383C
—, ethylene–chlorotrifluoroethylene (Halar), melting behavior of, 2175P
—, ethylene–olefins, reactivity ratios, 333C
—, glycidyl methacrylate–*tert*-butyl acrylate, 1817C
—, heat-resistant poly(metal phthalocyanine)imide, 319C
—, indene–*α*-methylstyrene, 2941C
—, methacrylic acid–methacrylamide, interactions, 3697C

—, methacryloyl fluoride, solvent effects, 85C
—, methyl methacrylate–methyl α-benzylacrylate, 801C
—, methyl methacrylate-vinylferrocene, adsorption, 519C
—, model calculations of molecular weight distribution of, 501P
—, nucleic acid–base pair alternating sequences, 2841C, 3715C, 3725C
—, organosilane, dimethylsilylene units, 159C
—, poly(dimethyl siloxane)–ethylene oxide, ionic conductivity, 659L
—, styrene–butadiene, radiation effects upon, 1313P
—, styrene–divinylbenzene, preparation of, 3091C
—, styrene–methyl methacrylate, Mayo–Lewis equation, 2777C
—, vinyl acetate–benzylidenemalononitrile, 583C
—, vinyl acetate–ethyl α-cyanocinnamate, characterization, 577C
—, vinylene carbonate–methyl trifluoroacrylate, 3417C
—, vinylruthenocene, synthesis and characterization, 1077C
Copolymers of 1,1-difluoroethene with bromotrifluoroethene, structure and composition of, 357P
Copolymers of polyethylene, tensile drawing of, 475P
Copolymers of styrene, influence on energy transfer in fluorescence, 2275P(N)
Copolymers of tetrafluoroethylene and hexafluoropropylene, crystallinity and heat of fusion of, 1431P
Copoly(propyl-L-aspartate-benzyl-L-aspartate), helix sense of, 2533C
Copolyureas, phosphorus-containing, 3423C
Copolyurethanes, phosphorus-containing synthesis, 891C
Copper–diamine catalyst system, 3203C
Copper(II) chloride, as polyene polymerization catalyst, 77L
Copper(II) salts, in molecular sieves, 1997C
Core–shell emulsion copolymerization, of styrene–acrylonitrile, 2197C
Counteranions, vinyl polymerization effects, 2287C(N)
Crazes, theory of SAXS applied to, 2215P
Crazing in crosslinked polystyrene, 721P
Crazing of polyethylene in gases, 543P
Creep behavior of ultrahigh-modulus polyethylene, 561P
*p*-Cresol–formaldehyde condensates, nuclear magnetic spectra, 1097C
Crosslinked polyesters, argon ion laser photosensitivity, 215L
Crosslinked polyethersulfone, mechanical losses in, 497L
Crosslinked polystyrene, crazing of, 721P
Crosslinked vinylpyrrolidone–divinylbenzene, methyl orange binding, 4035C(N)
—, methyl orange binding by, 283L
Crosslinking, in epoxy resins at interfaces, 1495C
—, photocationic, of poly(2,3-epithiopropyl methacrylate), 2217C
Crosslinking mechanism, of poly(2-vinyloxyethyl cinnamate), 2801C
Crosslinking reaction, of 1,1′-bis(glycidoxy methyl)-ferrocene, 607L
—, of poly(4-hydroxystyrene), 323L
Crosslinking reactions, in carboxyl-terminated polybutadiene, 1481C
—, by quinones, 2973C
Cross-polarization, of model organic compounds, 519L
Crown ethers, phase-transfer reaction catalysis, 911C
—, as stereospecific polymerization ligands, 2345C
Crystalline order and melting behavior of isotactic polypropylene, 1029P
Crystalline polymer, mechanism of chemical attack on, 255P
Crystalline state photopolymerization, 2095C
Crystallinity and heat of fusion of copolymers of tetrafluoroethylene and hexafluoropropylene, 1431P
Crystallinity in ethylene–propylene–diene terpolymer networks, 1223P
Crystallinity of annealed drawn isotactic polypropylene, 485P
Crystallinity of cyclohexane ring-containing polyamide, 1969P
Crystallinity of 1,1-difluoroethene with tetrafluoroethene, chlorotrifluoroethene, and bromotrifluoroethene, 357P
Crystallinity of drawn fibers, 805P
Crystallinity of polymers, neutron scattering study of, 1491P
Crystallite structure of fractions of linear polyethylene, 1901P
Crystallization, 793P, 1085P
—, of nylon-6, "memory" effect in, 311P(N)
—, of PEO/PMMA blends, 1331P
—, of PET with nucleating agents, 2063P
—, of poly(ethylene terephthalate), 1435C
—, of polyethylene under high pressure, 655P
—, of *cis*-polyisoprene, 7L
—, of solid-state coextruded PET, 1163P
—, velocity in strained glassy polymers, 143P
Crystallization of polymers under high tension, dendrite model for, 143P
Crystallization temperatures, calculation of, in quenching, 295P
Crystallization temperatures in quenched polyethylene, 295P
Crystallized *trans*-1,4-polyisoprene, 793P
Crystal modulus, of polyoxymethylene, 159L
Crystal morphology of polyethylene crystals from high-resolution TEM, 1931P
Crystal orientation in nylon-11, 749P, 1383P
Crystal structure, of poly(cyclopentane-β-carboxyamine), 209L
Crystal structure and density of polyurethane, 163P
Crystal structure of epitaxially grown paraffin, 1919P
Crystal structure of poly(butylene terephthalate) in polyester blends, 1193P
Crystal structures, polymorphic, in hard segments of polyurethane elastomers, 759P
Crystal thickening in solution annealed polymers, 223P
Curing reaction, 4011C
Cyanoacetylene, polymerization products of, 1551C
Cyanoethylcellulose, aminopropylcellulose synthesis, 975C
Cyclic oligomers, as nucleating agents, 3549C
Cycloaddition, of azide–vinyl sulfoxide, 2293C(N)
Cyclohexanone, vinyl polymerization catalyst, 203L
Cyclohexanone-initiated polymerization, 1891C
Cyclohexyl(methyl)silylene, organosilane polymer synthesis, 225C
Cyclopolymerization, of *N*-arylmaleimides, 129C
Cyclotriphosphazenes, maleimido-substituted, fire resistance, 1141C

Debye function, 1551P
*N*-Decanoyl-histidine, catalytic activities, 407C
Deformation, maximum recoverable, of flexible linear-chain polymers, 1155P
Deformation and vapor transport in poly(vinylidene fluoride), 1719P
Deformation of polypropylene, FTIR study of, 681P
Degradation, of acrylic copolymer–melamine formaldehyde coatings, 2009P
—, of glycolide–lactide copolymer by hydrolysis, 57P
—, oxidative, kinetics of, 1799P
—, of polyethylene, effect on phase diagram by, 175P
—, of polysulfones by irradiation, 529P(N)
Dehydrated castor oil fatty acid, methyl ester oligomerization, 3805C
Dehydro-oligomerization, of methylricinoleate, 2317C
Diacid chlorides, copolymers, synthesis and properties, 1981C

Dialkyl monohydroxy aluminum polymer, γ-radiation degradation, 1797C
Diallyl oxalate, prepolymer, postpolymerization, 877C(N)
Diamines, in tetranitrile polycondensation, 1043C
Diaryliodonium salt, free radical initiation effects, 103L
Dibenzyltitaniumiodide, as butadiene polymerization catalyst, 1535C
1,3-Di(2-chloro-2-propyl)4,6-dimethylbenzene, synthesis and characterization, 2685C
Dielectric relaxation, effect of crosslinking and branching on, 1453P
—, low-temperature, due to anhydride end groups, 1399P
Dielectric relaxation of nylon 6 with sorbed water, 1635P
Dielectrics, polymeric, giant polarization in, 1439P
Diels–Alder polymer, of *N*-(2-anthryl)maleimide, 467L
Diels–Alder reaction, of poly-2-vinylfuran, 2551C
Diels–Alder reaction of styrylpyridine-based epoxy resins, 3319C
Diepoxide, in acid-catalyzed epichlorohydrin polymerization, 645C
Diesters, polycondensation, 793C
*N*,*N*-Diethylamine-1,3,2-dioxaphosphorinan, living reversible anionic polymerization, 1251C
Diethylenetriamine, polymerization, 3599C(N)
Differential scanning calorimetry (DSC), of annealed CDPE, 1811P
—, of cyclohexane ring-containing polyamide, 1969P
—, of Halar, 2175P
—, of heat-treated nylon 66 fibers, 781P
—, of irradiated polyethylene, 2017C, 2033C
—, of miscible epoxy/acrylic interpenetrating polymer networks, 3827C
—, of nylon 6 plasticized by water, 1701P
—, of polydiethylsiloxane phase transitions, 3617C
—, of polymethacrylate/chlorinated polymer blends, 1857P
—, of PTFE, 379P
—, of random branched polyethylene copolymers, 1727P
—, of solutions of poly(2,6-dimethyl-1,4-phenylene oxide), 2145P
—, study of phase segregation kinetics in segmented polyurethanes, 1835P
—, of vinyl monomer thermal polymerization, 3217C
Differential scanning (DSC) of PEO/PMMA blends, 1331P
Diffusion, friction coefficients in, 909P(N)
Diffusion coefficient, concentration dependence of, 875P
Diffusion coefficients, of acid dyes, 61C
Diffusion-controlled polymerization, of methyl methacrylate, 2243C
Diffusion during immersion precipitation process of membrane formation, 519P(N)
Diffusion in glassy polymers, 1001P
Diffusion in shrinking or swelling bodies, 875P
Diffusion in ternary polymer–solvent–solvent systems, 459P
Diffusion kinetics, interpretation of Case II, 183P
Diffusion measurements, in dilute solution, 477L
Diffusion of ethylacetate in poly(vinylidene fluoride) under deformation, 1719P
Diffusion of gases in polyimide, 1061P
Diffusion of toluene in oriented polypropylene, 707P
Difluoroaluminumdiorganophosphinates, preparation and bonding characteristics, 2329C
Diglycidyl ether of bisphenol A, 4011C
1,4-Dihydronicotinamide, immobilized, 2735C
1,2-Dihydroxy-1,2-bis(diethoxyphosphinyl)ethane, in phosphorus-containing polyurethane synthesis, 891C
Dihydroxylamines, as polyhydroxamide precursors, 89L
1,5-Dihydroxynaphthalene, photoinduced polyaddition of, 199L
Dilute solution, diffusion and sedimentation measurements, 477L
Dimer acid-modified copolyesters, 171C
4,4′-Dimercaptobenzophenone, interfacial polycondensation, 2265C
1,4-Di(mercaptomethyl)-tetramethylbenzene, interfacial polycondensation of, 1579C
1,4-Di(mercaptomethyl)-2,3,5,6-tetramethylbenzene, interfacial polycondensation, 1025C
*N*,*N*-Dimethylacetamide/LiCl solution, cellulose phase equilibria in, 273L
*N*,*N*-Dimethylacrylamide, radical polymerization behavior, 463C
—, solution properties, 3649C
—, synthesis and characterization, 3643C
*N*,*N*-Dimethyl-*N*′,*N*′-dimethacryloyl hydrazine, polyaddition of, 437L
*N*,*N*-Dimethylformamide, as polycondensation agent, 2181C
*N*-(1,1-Dimethyl-3-oxybutyl)acrylamide, solution properties, 3649C
—, synthesis and characterization, 3643C
2,6-Dimethylphenol, oxidative coupling, 3203C
Dimethylsilylene units, of organosilane polymers, 159C
α,ω-Di[2-(*p*-phenoxy)-2-oxazoline] oligomers, phase transfer catalysis, 523L
Diphenyl chlorophosphate, as polycondensation agent, 2181C, 3983C
1,2-Diphenylethyl methacrylate, asymmetric selective polymerization, 1831C
Diphenyliodonium salts, laser flash photolysis, 69C
—, photosensitization, 77C
Direct polycondensation, of aromatic polyesters, 2705C
Direct pyrolysis–mass spectrometry, of aromatic–aliphatic polyesters, 1217C
—, of totally aromatic polyesters, 1201C
Distribution, triad, of copolymers, 525P(N)
Dithiols, polyaddition of, 437L
Divinylbenzene–styrene copolymer, 3851C
Drawability and chain entanglements of polyethylene, 1353P
Drawing behavior of polyethylene copolymers, 475P
Drawing of fibers, causes of termination of, 805P
Drawing of single crystal mats of ultra high-molecular-weight polyethylene, 133P(N)
Drawing of ultrahigh-modulus polyethylene, effect on creep of, 561P
DTA studies, of polybutadiene thermal oxidation, 1481C
Dye adsorption, sodium alginate effects, 221L
Dye crystals, in cellulose fibers, 1L
Dynamic dilectrical and mechanical properties of nylon 6 with sorbed water, 1635P
Dynamic mechanical properties of epoxide resins, 1461P
Dynamic mechanical properties of Kapton H, 1979P
Dynamic mechanical properties of oriented nylons, 1173P
Dynamic mechanical properties of polyisobutylene, 1991P
Dynamic mechanical studies of polyethylene relaxation, 407P
Dynamic mechanical study of $T_g$ depression in nylon 6, 1701P
Dynamics of labeled chains, concentration dependence of, 853P

Elasticity of networks, dependence on crosslink functionality of, 2281P(N)
Elastic moduli of polyethylene from neutron scattering, 1515P
Electrets, polyethylene, measurements of discharge currents in, 21P
Electrical conductivity, of cyanoacetylene polymerization products, 1551C
—, of doped poly(2,5-selenienylene), 65L
—, of polyamides, 1299C
—, of thiophene copolymers, 3789C

Electrochemical doping, of polyacetylene, 173L
Electroinitiated copolymerization, of indene and α-methylstyrene, 2941C
—, of styrene, 297L
Electron diffraction of epitaxially grown paraffin, 1919P
Electron diffraction of very small crystals of polyethylene, 1931P
Electron diffraction studies, of α-chitin, 543L
Electron diffraction study, of poly(cyclopentane-β-carboxyamine), 209L
Electron microscopy, of dye crystals, 1L
—, of latex particle coalescence, 39L
—, of metal-containing plasma polymers, 3933C
Electron microscopy of crystalline phases of poly(p-xylylene), 669P
Electron microscopy of molecular weight fractions of polyethylene, 1901P
Electron microscopy of polyethylene and paraffin crystals, 1931P
Electron microscopy of polypropylene–polyethylene blends, 285P
Electron spectroscopy, surface derivatization monitoring by, 3367C
—, of 2,4,6-trifluoro-1,3,5-triazine, 2661C
Electron spin resonance (ESR), of free radical initiation, 447L
Electron spin resonance (ESR) of poly(vinyl acetate) with diluents, 211P
Electron spin resonance (ESR) study of decay of polypropylene peroxy radicals, 1407P
Electron spin resonance studies, of spin-labeled alternating copolymers, 2559C
Emulsion polymerization, of methyl methacrylate, 3225C
—, of styrene, 1409C
—, of styrene, kinetics of, 3499C
—, water-soluble versus oil-soluble initiators, 3967C
Enantiomeric ester hydrolysis, catalysis of, 407C
Energy transfer in fluorescence as affected by polystyrene excimers, 2275P(N)
Entropy, of multichain athermal lattice system, 407L
Enzyme immobilization, photochemical method, 2817C
Epichlorohydrin, polymerization, acid-catalyzed, 645C
Epitaxy, 1085P
Epoxide resins, mechanical relaxation mechanism of, 1461P
Epoxy-amine networks, loosely crosslinked, 265P
Epoxy elastomers, interpenetrating polymer networks, charge groups, 1851C
—, interpenetrating polymer networks, synthesis and properties, 1839C
Epoxylated Novolac resin, mass spectroscopy of, 1471C
Epoxy resins, crosslinking at interfaces, 1495C
—, fire-retardant, phthalide-based, 1707C
—, nitric acid reaction, 851C(N)
—, perfluorobutenyloxyphthalic anhydride, curing agent, 831C
—, polyquaternation, 249C
—, styrylpyridine-based, char yields, 3319C
—, thermal decomposition, 1897C
—, thermostability, 2721C(N)
ESCA measurements, poly(ethylene terephthalate), 419C
Esterification, direct low-temperature, 193L
Ethanolysis, in reversible protection of glycols, 657C
Ethers, aromatic bispropenyl, 2105C
Ethyl cellulose, viscosity of concentrated chloroform solutions of, 637P
Ethyl α-cyanocinnamate and vinyl acetate, copolymerization, 577C
Ethylene, dual-functional catalysis, 3027C
—, immobilized catalyst system, 25L
—, polymerization, catalyst systems, 637C
—, polymerization catalysts, 3843C
—, Ziegler–Natta polymerization efficiency, 3877C
Ethylene and 1-alkene, copolymerization, 1383C
Ethylene and α-olefins, copolymerization, 333C
Ethylene glycol oligomer, reversible protection by bis(2,4-dinitrophenylation), 657C
Ethylene–propylene copolymer, amorphous, functionalization of, 1335C
Ethyl α-fluoroacrylate, free radical polymerization, 2381C
Ethylmagnesium bromide-(−)-sparteine catalyst, 1831C
Ethyl methacrylate, ylide-initiated polymerization, 1875C
Ethynyl-terminated polyarylates, 3011C
Eutectic mixtures, molecular weight distribution in, 267L
Excluded volume effect, 279P
Excluded volume of polystyrene near theta point, 1781P
Exothermic reactions, 3851C
Extrusion, pressure drop measurement during flow in, 1P
—, solid-state, of PET, 1163P
Extrusion rate, polypropylene fiber stability effects, 665L

Ferric chloride, in iron-ion-containing polymer preparation, 303C
Fibers, determination of size from light scattered by, 647P
Fibrous gels, electron microscopic analysis of structure of, 1367P
Fibrous silica, formation, 3759C
Film, styrene, plasma-polymerized, 2953C
Film blowing imperfections, 401L
Fire-resistant cyclotriphosphazenes, 1141C
Fire-resistant imide resins, synthesis, 927C
Fire-resistant laminating resins, 3535C
Fire-resistant polyimides, 1065C
Fire-retardant epoxy resins, phthalide derivative-based, 1707C
Fire-retardant polyureas, 3423C
Fire retardant-treated cellulose, isothermal pyrolysis, 3071C
Flammability behavior, of halogenated aromatic polyamides, 3999C
—, of halogenated poly(1,4-phenylene terephthalamide), 3989C
Flavins, polymer-bound, polarity effects, 705C
—, polymer-bound, reaction kinetics, 2169C
Flocculants, model cationic, from Mannich reaction, 3955C
Flow field–flow fractionation, polymer separation by, 339L
Flow-induced crystallization, of poly(ethylene terephthalate), 1435C
Flow of polystyrene solutions through porous media, 1261P
Fluid absorption, NMR imaging of, 241L
Fluid lattice theory, 601L
2,7-Fluorenediol, thermostability of, 2721C(N)
Fluorescamine colorimetric procedure, for primary amine analysis, 3611C(N)
Fluorescence, effect of polystyrene excimers on, 2275P(N)
Fluoride, binding onto poly(*N*-vinyl-2-pyrrolidone), 569L
Fluorinated diols, linear polymers from, 2719C(N)
Fold length, 1085P
Fracture of extended chains, coupled oscillator model for, 881P
Fracture of PET, chemical healing after, 2095P
Free radical initiation, cationic salt effects, 103L
—, ESR measurements, 447L
—, of ethylene–propylene grafting, 1335C
—, water-soluble versus oil-soluble, 3967C
Free radical reactions in γ-irradiated styrene–butadiene copolymers, 1313P
Free-volume theory of transport in concentrated polymer solutions, 459P
Friction coefficients in diffusion and sedimentation, 909P(N)

Friedel–Crafts catalysis, of polyaromatic char formation, 625L
Friedel–Crafts reaction, 3115C
Friedel–Crafts reactions of hexa(aryloxy)-cyclotriphosphazenes with polyhaloalkanes, 3115C
Furan, copolymerization, with acrolein, 3581C(N)

Gamma-radiation degradation, of dialkyl monohydroxy aluminum polymer compound, 1797C
Gamma radiolysis, of polysalicyclide, 749C
Gas chromatography, of vinyl chloride polymerization kinetics, 549L
Gas phase polymerization, of propylene, 2255C
Gel permeation chromatography (GPC), system development, 287C
—, viscosity-average molecular weights from, 449P
Gel plates, from silicic acid, 565L
Germanium, as epoxy resin crosslinking substrate, 1495C
Gibbs–Di Marzio theory, 601L
Glass transition, fluid lattice and Gibbs–Di Marzio theories, 601L
Glass transition and chain motion in poly(*dl*-isobornyl methacrylate), 1745P
Glass transition in nylon 6, depression by water of, 1701P
Glass transition of PTFE, 379P
Glass transition process, temperature relationships in, 547L
Glass transition temperatures, detection of, 149L
—, hydrogen bonding effects, 307L
Glassy polymers, dendrite model for crystallization under tension in, 143P
—, diffusion in, 1001P
—, isobaric thermal behavior during cooling and heating of, 1655P
—, isotope effect on gas sorption in, 2279P(N)
—, theory of relaxation in, 699P
—, volume structural relaxation theory for, 1041P
Glow discharge polymerization, with methoxy, methyl, and vinyl groups, 2083C
—, of photoconductive films, 301L
—, of quaternary nitrogen-containing films, 315L
Glucose oxidase, immobilized, on nylon capsule membrane, 595L
Glycidyl methacrylate, copolymerization, with *tert*-butyl acrylate, 1817C
Graft copolymerization, of lignin–2-propenamide, 1963C
—, by periodate, 623L
—, redox systems, 2767C
Graft copolymers, acrylic acid on polyethylene, 153L
—, ethylene–propylene, 1335C
—, polyethylene with acrylonitrile, mechanical properties, 611L
Grafted film, acrylic acid on poly(tetrafluoroethylene–perfluorovinyl ether), 3673C
Graft polymerization, of acrylic acid on poly(tetrafluoroethylene–perfluorovinyl ether), 597C
—, of acrylic monomers on starch fractions, 1327C
—, on cellulose, by periodate, 635L
—, inhibited method, 611L
—, with macromonomers, 1633C
—, of poly(methyl methacrylate), on amylopectin, 21L
—, of styrene, on polyethylene, 769C
—, of styrene on carbon black, 1515C
—, of uracil, 813C
—, of *N*-vinylpyrrolidone, 493C
Grüneisen parameters of polyethylene, 835P

Haloacetic acids, polyglycolide synthesis from, 1131C
Healing of fracture in polycondensates by chemical reaction, 2095P
Heat capacity of PTFE, 379P
Heat-resistant adhesive resins, 1717C
Heat-resistant imide resins, synthesis, 927C
Heat-resistant poly(metal phthalocyanine)imide copolymers, 319C
Hematic polyesters, molecular arrangements, 13L
Highly crosslinked polymers, 3851C
High-performance liquid chromatography, 4011C
High-strength/high-modulus polyethylene fiber, 1541P(N)
High-temperature reactions, in organic phosphites, 2567C
Hindered amine *N*-substituted derivatives, photostabilizing activity, 277C(N)
Histidine, catalytic hydrolysis of enantiomeric esters, 407C
Homopolymerization, of methoxymethyl methacrylate, 2305C
Hydration, of linear polydivinylbenzene, 2443C
Hydrodynamic invariant, molecular weight determination by, 3447C
Hydrogen, as chain terminator, 2255C
Hydrogen bonding, glass transition temperature effects, 307L
Hydrogen-bonding interactions, in polycondensation, 793C
Hydrogen peroxide, decomposition reaction catalysts, 1309C
—, as photoinitiator, 1357C
Hydroperoxides, 3865C
Hydrophobic interactions, by imidazole-containing polymers, 1923C
Hydroquinone, as functionalized polyionene group, 129L
Hydroxamic acid polymers, chelation activity, 2131C
*p*-Hydroxybenzoic acid, microstructure, 347L
Hydroxybenzoic acids, direct polycondensation reaction, 3607C(N)
—, direct polycondensations, 2181C
2-Hydroxyethyl methacrylate, solution copolymerization, 261L
Hydroxypropylcellulose, lyotropic mesophases, 239C
4-Hydroxy-2,2,6,6-tetramethylpiperidinoxyl, processing transformations of, 1573C

Imidazole-containing polymers, hydrophobic interactions in catalysis, 1923C
Imide and imine functions, 113L
Imide resins, heat- and fire-resistant, synthesis, 927C
Iminolization–cyclization mechanism, thermal degradation, 847C(N)
Immobilized catalyst system, for ethylene polymerization, 25L
Immobilized NADH model, regeneration, 2735C
Immunomicrospheres, of polyacrolein, structure and properties, 609C
Indene, copolymerization, with α-methylstyrene, 2941C
—, electroinitiated copolymerization of, 297L
Infrared birefringence of molded crystalline polymers, 471P
Infrared spectra of blends of polystyrene and poly(vinyl methyl ether), 107P
Infrared spectra of ordered structures of syndiotactic PMMA, 617P
Infrared spectra of PEO/PMMA blends, 1331P
Infrared spectra of polarized poly(vinylidene fluoride), 345P
Infrared spectra of polymer blends, 1149P(N)
Infrared spectra of polyolefins laminates, 1011P
Infrared spectra of polypropylene in mechanical deformation, 681P
Infrared spectra of polystyrene/poly(vinyl methyl ether) blends at high temperature, 1773P
Infrared spectra of polystyrene sulfonic acid ionomer films, 67P
Infrared spectra of pyrolyzed polyacrylonitrile, 1239P
Infrared spectra of thermal degradation products of polyacrylonitrile, 1211P
Infrared spectroscopy, of acid–base complexes, 547C

—, internal reflectance, of polypropylene films, 1283P, 1293P
—, of poly(vinyl chloride)–ketone interaction, 533C
Inifers, sterically hindered, 2685C
Interaction parameter, for molecular weight determination, 95L
Interfacial bonding and adhesion of elastomers, 1483P
Interfacial polycondensation, of 4,4′-dimercaptobenzophenone, 2265C
—, of 1,4-di(mercaptomethyl)-tetramethylbenzene, 1579C
—, of 1,4-di(mercaptomethyl)-2,3,5,6-tetramethylbenzene, 1025C
Intermacromolecular complexes, formation, 3697C
Interpenetrating polymer networks, miscible epoxy/acrylic, synthesis and properties, 3827C
—, opposite charge groups of, 1035C
—, from polyurethanes and epoxies, 1851C
—, from polyurethanes and epoxies, synthesis and properties, 1839C
—, three-component, 2667C
Interpolymer adduct formation, 437C
Intrinsic viscosity and GPC chromatogram, molecular weights from, 449P
Intrinsic viscosity of ABA block copolymers of methyl methacrylate and α-methylstyrene, 2119P
Intrinsic viscosity of PMMA, anomalous behavior of, 2105P
Intrinsic viscosity of poly(*n*-butyl methacrylate) ionomers, 1845P(N)
Intrinsic viscosity of polystyrene near theta point, 1781P
Ion-containing polymers, solution properties in polar solvents, 1757C
Ion-exchange membranes, synthesis by cografting, 1775C(N)
Ionic conductivity, in poly(dimethyl siloxane-co-ethylene oxide) dissolving lithium perchlorate, 659L
Ionic interactions in polystyrene sulfonic acid ionomers, 67P
Ion-implanted conducting films of PET, 1349P(N)
Ionizing radiation, melting behavior effects, 2017C, 2033C
Ionomers, ionic microdomains in, 2073P
—, sample history of, 377L
Ionomers of *n*-butyl methacrylate, clustering in, 2261P
—, dilute solution behavior of, 1845P(N)
Ionomer–surfactant interactions in nonaqueous media, 2051P
Iron(III) chelation, by hydroxamic acid polymers, 2131C
Iron-ion-containing polymers, from polyvinylpyridine, 303C
Irradiation of random and block styrene–butadiene copolymers, 1313P
*N*-Isobutoxymethylacrylamide, in metal-containing polymer synthesis, 353C
Isobutyl propenyl ether, living cationic polymerization, 3173C
Isobutyl vinyl ether, living cationic polymerization, 3173C
Isocyanato acryloylurea monomers, synthesis and polymerization, 3585C(N)
Isomerization, trans–cis, polyelectrolyte influences, 2945C
—, UV-induced, of undoped polyacetylene films, 3393C
Isoprene, photopolymerization, 1357C
Isoquinoline–chlorine charge-transfer complex, in methyl methacrylate photopolymerization, 429C
Isotropic media, micelle-forming monomer polymerization in, 3383C

Kapton H, molecular aggregation and mechanical properties of, 1979P
Ketones, IR study of poly(vinyl chloride) interaction, 533C
—, stress relaxation effects, 291L
Kinetic network model for flow of entangled-chain melts, 1561P
Kinetics, of emulsion polymerization, 3499C
—, gas chromatography determination of, 549L
—, of methyl methacrylate emulsion polymerization, 3225C
Kinetics of crystallization of coextruded PET, 1163P
Kinetics of diffusion-controlled termination, steric effect on, 139P(N)
Kinetics of photoinitiated free-radical polymerization, 1753P
Kinetics of reactions on polymers, 525P(N)
Kornblum reaction, 841C(N)

Lactones, anionic polymerization, 905C
Laminates, polypropylene–copolymer, refractometry and IR spectra of, 1011P
Laminating resins, fire-resistant, 3535C
Laser flash photolysis, of diphenyliodonium salts, 69C
Laser-initiated polymerization, of thiol-ene monomer system, 1865C
Laser radiation, pulsed far-ultraviolet, photodecomposition by, 2601C
Latex particles, coalescence, 39L
—, core–shell morphology of, 1365C
—, droplet families, 2923C
—, droplet families, growth of, 2931C
Ligands, nucleophilic, in Ziegler–Natta catalytic systems, 2345C
Light scattering, small-angle polarized, from amorphous spheres, 2159P
Light scattering from diameters of fibers, 647P
Lignin, graft copolymerization, with 2-propenamide, 1963C
Linear condensation polymers, of aromatic 1,3-diamines, preparation, 1231C
Lipoamides–iron(II), reducing catalyst system, 821C
Liquid crystalline phase, of poly(4-substituted γ-benzyl-L-glutamate), 559L
Liquid crystalline polyesters, preparation and characterization, 3189C
Liquid-crystalline polymers, thermal changes of, 41P
Liquid crystalline thermotropic poly(β-thioester)s, 587L
Liquid crystals, aromatic copolyester, x-ray diffraction of, 1343P(N)
Liquid crystals of polypeptide, transitions of, 2207P
Liquid networks, structure, 43L
Lithium electrolytes, for anodic oxidation of polyacetylene, 173L
Lithium–titanium catalysts, in Ziegler–Natta ethylene polymerization, 3877C
Living cationic polymerization, of isobutyl propenyl ether, 3173C
Longitudinal acoustical modes, 533L
Low-temperature reactions, in organic phosphates, 2579C
Luminescence, of ruthenium(II) complex-containing vinyl polymers, 3779C
Lyotropic mesophases, of hydroxypropylcellulose, 239C

Macromolecules, structure factors, 1545P(N)
Macromonomers, synthesis and radical copolymerization, 2829C
Magic angle sample spinning NMR, of model organic compounds, 519L
Magnesium perchlorate solutions, cellulose acetate solubility in, 419L
Maleic anhydride, in radiation-induced copolymerization, 41C
—, radical copolymerization with, 2829C
Maleic anhydride adduct, of poly-2-vinylfuran, 2551C
Mannich reaction, of polyacrylamide, model cationic flocculants from, 3955C

Mass spectroscopy, of epoxylated Novolac resin, 1471C
Matrix copolymerization, composition equation, 2887C
Mayo–Lewis equation, for high-conversion copolymerization, 2777C
MDI–butadiene urethane compounds, synthesis and characterization, 1677C
Mechanical behavior, of epoxy networks, 265P
Mechanical losses, in crosslinked polyethersulfone, 497L
Mechanical properties, of ethylene–propylene–diene terpolymers, 1223P
—, of graft copolymers, 611L
—, of irradiated polysulfones, 529P(N)
—, of linear-chain polymers, 1155P
—, of polydiacetylene single crystal fibers, 1589P
—, of unvulcanized rubber, 1623P
Mechanical rupture of chains, activation energy for, 881P
Meeting behavior of blends of polyester stereoisomers, 577P
Melt flow, technique for study of pressure drop in, 1P
Melting behavior of copolymers of tetrafluoroethylene and hexafluoropropylene, 1431P
Melting behavior of Halar film, 2175P
Melting behavior of $\alpha$-isotactic polypropylene, 1029P
Melting of nylon 66, measurement of $\Delta H_f$ for, 1615P
Melting of poly(L-lactic acid), hot-stage microscopy of, 537P
Melt surface entropy, 335L
Membrane formation by immersion precipitation, 519P(N)
Membrane osmometry, 899P(N)
Membrane separation, of water–alcohol mixture, 2159C
Mesogenic bisphenols, polyesters of, 637L
Mesogenic polyesters, liquid crystalline properties, 3189C
Mesomorphic transitions of polybenzylglutamate liquid crystals, 2207P
Mesophases, in linear thermotropic nematic polyesters, 13L
Metal carboxylates, as PVC stabilizers, 425L
Metal ionic polymers, synthesis with *N*-isobutoxymethylacrylamide, 353C
Metal-porphyrazine derivatives, decomposition reaction, 1309C
Methacrylate polymers, interpenetrating polymer networks, 1035C
Methacrylic acid, aqueous polymerization, 3563C
—, poly(4-vinylpyridine) interaction, 2479C
Methacryloyl fluoride, copolymerization, 85C
Methoxy groups, glow discharge polymerization effects, 2083C
Methoxymethyl methacrylate, radical-initiated polymerization, 2305C
*N*-Methylacridinium perchlorate, reduction, by immobilized 1,4-dihydronicotinamide, 2735C
Methyl $\omega$-alkenoates, synthesis and characterization, 2501C
Methyl aryloxymethacrylates, stereospecific polymerization, 1909C
Methylation, of adenine-containing polymethacrylate derivatives, 3943C
—, of polymethacrylate derivatives, 2455C
*N*-$\alpha$-Methylbenzylmaleimide, optically active, 2789C
Methyl-$\alpha$-chloroacrylate, copolymers, radiolysis, 195C
3-Methyl-2,5-dibromothiopene, polymerization, 77L
4,4′-Methylene bis($p$-phenylisocyanate), in block copolymer model, 1677C
2-Methylene-4-phenyl-1,3-dioxolane, copolymerization, with vinyl monomers, 487L
Methyl $\omega$-epoxyalkanoates, synthesis and characterization, 2501C
Methyl groups, glow discharge polymerization effects, 2083C
*N*-Methyl-3-hydroxymethyl carbazolyl acrylate, copolymerization, with acryloyl-3′-hydroxypropyl-3,5-dinitrobenzoate, 3161C
Methyl-5-hydroxymethyl-2-furoate, transesterification polymerization, 863C(N)
*N*-Methyl-methacrylamide, polymerization, with living propagating radicals, 3921C
Methyl methacrylate, ceric ion–isopropyl alcohol redox initiator, 2729C(N)
—, copolymerization, with methyl $\alpha$-benzylacrylate, 801C
—, copolymerization, with vinylferrocene, 519C
—, cyclohexanone-initiated polymerization, 1891C
—, diffusion-controlled polymerization, 2243C
—, emulsion polymerization, kinetics, 3225C
—, free radical polymerization, 3255C
—, graft polymerization, on starch fractions, 1327C
—, peroxydiphosphate-initiated polymerization, 1191C(N)
—, peroxydisulfate–thioacetamide redox polymerization, 995C(N)
—, photopolymerization, by oxosulfonium ylide, 1187C(N)
—, photopolymerization, with benzoin methyl ether, 391L
—, photopolymerization, with C.T. complex, 2295C
—, photopolymerization with isoquinoline–chlorine charge-transfer complex, 429C
Methyl methacrylate–$p$-divinylbenzene copolymerization, 2123C
Methyl methacrylate emulsion polymerization, oil-soluble initiators, 31L
Methyl orange, binding, by vinylpyrrolidone–divinylbenzene copolymers, 4035C(N)
—, binding by vinylpyrrolidone–divinylbenzene, 283L
—, binding of, by bovine serum albumin, 357L
Methyl orange poly-L-lysine interaction, 1281C
Methyl($\beta$-phenethyl)silylene, organosilane polymer synthesis, 225C
Methyl 2-(1-pyrenyl)acetamidopropenoate, synthesis, 1587C
Methylricinoleate, dehydro-oligomerization, 2317C
Methyl trifluoroacrylate, copolymerization, with vinylene carbonate, 3417C
—, in ion-exchange membrane synthesis, 1775C(N)
Micellar media, micelle-forming monomer polymerization in, 3383C
Michaelis–Menten model, copper–diamine catalyst system, 3203C
Microcapsule membranes, controlled release by, 2523C
Microemulsions, oil-in-water, 31L
—, of styrene, 1699C
Microenvironments, fluorescence spectroscopy probes of, 2395C
Microspheres, monodisperse polyacrolein, 145C
—, of polyaldehyde, 3521C
Miniemulsion, PVC plastisol generation by, 2923C, 2931C
Miscibility, of epoxy/acrylic interpenetrating polymer networks, 3827C
—, in multicomponent polymer system, 567C
Miscibility enhancement in blends of PVC with PEO–VP copolymers, 1529P
Miscibility of polymethacrylate/chlorinated polymer blends, 1857P
Mixing of immiscible polymers, 79P
Modulus of trifunctional model elastomers of polydimethylsiloxane, 1201P
Molecular conformational energy, calculation of, 1097P
Molecular diffusion in adhesion of elastomers, 1953P
Molecular interactions in blends, IR study of, 1773P
Molecular motion of poly($\beta$-hydroxybutyrate) in films, 1821P
Molecular orientation and high-elastic deformation, 1155P
Molecular relaxation in polymer–penetrant sorption kinetics, 1885P
Molecular sieves, copper-exchanged-13X, 1997C
Molecular weight, viscosity-average, from GPC, 449P

Molecular weight determination, by chromatographic analysis, 3775C
—, by hydrodynamic invariant, 3447C
—, interaction parameter, 95L
Molecular weight distribution, in butadiene Ziegler–Natta polymerization, 1461C
—, of eutectic mixtures, 267L
—, in polystyrene–polybutadiene–toluene system, 3895C
Molecular weight distribution and viscoelasticity of melts, 1561P
Molecular weight distribution from photon correlation spectroscopy, 307P(N)
Molecular weight distributions of binary statistical copolymers, 501P
Molecular weight effect on $du/dc$ of polybutadiene, 777P(N)
Molybdenum, catalyst for trimethylsilylacetylene polymerization, 1603C
Molybdenum-initiated polymerization, of 1-bromo-2-phenylacetylene, 2275C(N)
Molybdenum oxide, catalyst for oligomerization of dehydrated castor oil fatty acid, 3805C
Monomethoxy polyethyleneglycol vinyl ethers, synthesis and copolymerization, 2829C
Monte Carlo test, of multichain athermal lattice system, 407L
Morphological changes in heat-treated nylon 66 fibers, 781P
Morphology, of core–shell latex particles, 1365C
Morphology of blends of polypropylene and polyethylene, 739P
Morphology of blends of stereoisometric polyesters, 577P
Morphology of conducting polythiophenes, 33P
Morphology of glycolide–lactide copolymer under hydrolytic attack, 57P
Morphology of polypropylene–polyethylene blends, 285P
Morphology of solid-state extruded polyethylene, 1353P
Morphology of solvent-annealed poly(TMPS) crystal mats, 223P
Mössebauer spectroscopy, of polyvinylhalogencarbazole, 395L
Multichain athermal lattice system, entropy of, 407L
Multicomponent polymer system, partial miscibility, 567C
Multifunctional polycondensation and gelation, 365C

Nadimidized diaminobenzenes, synthesis and characterization, 3535C
1,1′(2,6-Naphthalenedicarbonyl)diaziridine, as photocrosslinking agent, 323L
—, photoinduced polyaddition of, 199L
Networks, analysis of two dimensional sections of, 1367P
—, bimodal, elastomeric properties of, 1849P
—, dependence of elastomeric properties on junction functionality of, 2281P(N)
—, epoxy-amine, 265P
—, gas permeabilities in, 237P
—, liquid, structure of, 43L
—, silicone, entanglements and elasticity in, 49P
—, stress–optical properties of PDET in, 917P
Networks of EPDM terpolymers, swelling and viscoelasticity of, 317P
Networks of ethylene–propylene–diene terpolymers, crystallization in, 1223P
Networks of polydimethylsiloxane, molecular entanglements in, 1483P
Networks of polyisobutylene-co-isoprene and polyisobutylene, adhesive properties of, 1953P
Networks of poly(vinyl acetate), strain birefringence in, 863P
Neutron scattering, determination of elastic constants of polyethylene from, 1515P
Neutron scattering from semicrystalline polymers, 1491P
Neutron scattering measurements of shear-induced coalescence, 79P
Nicotinamide adenine dinucleotide, model reduction reactions, 1945C
Nitric acid reaction, cured epoxy resins, 851C(N)
Nitriles, in styrene polymerization, 135C
Nitrogen-containing films, glow discharge polymerization of, 315L
Nitrogen dioxide-initiated polymerization, of acrylamide, 491L
Nitro groups, poly(*m*-phenylene isophthalamide), 1531C(N)
Nitroxide decay rates, in photoinitiation rate measurement, 447L
NMR of 1,1-difluoroethylene with tetrafluoroethene, chlorotrifluoroethene, and bromotrifluoroethene, 357P
NMR spectroscopy, 4011C
*N,N′*-Diphenyl-*p*-phenylenediamine, polyamide synthesis, 1291C
Nomenclature, for polymers, 413L
Non-Newtonian fluids, $\gamma$-radiation degradation, 1797C
Norbornene trisulfide, anionic polymerization, 1085C
Nuclear magnetic resonance (NMR), of acrylic–melamine formaldehyde coatings, 2009P
—, of cellulose acetate, 2363C
—, of *p*-cresol–formaldehyde condensates, 1097C
—, $^1$H spectra of semicrystalline polyolefins, 589P
—, magic angle sample spinning, of model organic compounds, 519L
—, of polyacrolein, 279L
—, of polybenzyls, 1349C
—, of polyethylene at high pressure, 655P
—, of polyisobutylene, 931P
—, of polymer composite fluid absorption, 241L
—, of polystyrene, effect of chain entanglement on, 957P
—, of poly(vinyl acetate) with diluents, 211P
—, of quaternary polystyrene gels, 509C
—, of solid polysaccharides, 95P
—, study of tie-chain length distribution in oriented polymers, 117P
Nucleation of PET with metal salts, 2063P
Nucleic acid–base pairs, alternating sequences, 2841C
—, alternating sequences, controlled sequence distribution, 3715C
—, alternating sequences, spectroscopic analysis, 3725C
Nucleic acid bases, spacer-separated, 2061C
Nucleophilic displacements, in poly(ethylene glycol) derivative synthesis, 341C
Nylon 6, effect of crystallinity and crosslinking on depression of $T_g$ by water in, 1701P
—, mechanical relaxations of, 1173P
—, "memory" effect in repeated crystallization of, 311P(N)
—, NMR study of tie-chain length distribution in, 117P
—, synthesis with cationic resin and acetic acid, 4041C(N)
Nylon-4,2, preparation and properties, 1373C
Nylon 66, heat of fusion from P–V–T data for, 1615P
—, mechanical relaxations of, 1173P
Nylon capsule membrane, glucose oxidase immobilzation on, 595L
Nylon 66 fibers, structural changes on heating of, 781P
Nylon-11 lamellar crystals, anisotropic swelling of, 749P
—, orientation of boundary faces in, 1383P

O-Benzylhydroxylamine, reducing catalyst system, 821C
Olefin and ethylene, copolymerization, 333C
Olefin polymerization, catalyst modification mechanism, 3747C
Olefins, small molecule, sulfonation intermediates, 3905C
Oligomerization, of dehydrated castor oil fatty acid methyl ester, 3805C

Oligomer models, of polyethyleneimine derivatives, 2061C
Oligo-oxyethylene chains, of polymethacrylates, 617L
Optical absorption of PMMA-$d_8$, influence of water on, 1607P
Optical anisotropy, of polyacetylene film, 119L
Optical behavior, of epoxy networks, 265P
Optically active monomers, of L-[$\alpha$-(*N*-*p*-acryloxybenzoyl)alanine ether esters], 2413C
Optical microscopy of blends of polyester stereoisomers, 577P
Optical microscopy of melting of poly(L-lactic acid) spherulites, 537P
Optical properties, of chitosan–azo dye complexes, 255L
—, of *N*-$\alpha$-methylbenzylmaleimide, 2789C
Optical rotary dispersion, of copoly(propyl-L-aspartate-benzyl-L-aspartate), 2533C
Optical spectra of pyrolyzed polyacrylonitrile, 1239P
Ordered structures of syndiotactic PMMA in solution and solid state, 617P
Organic phosphites, amidation in, high-temperature, 2567C
—, amidation in, low-temperature, 2579C
Organolithium compounds, oxidation of, 2993C
Organosilane high polymers, dimethylsilyene units, 159C
—, synthesis, 225C
Organosilicon aramids, thermal stability, 1565C
Organotin compounds, in thermal stabilization, 2871C
Organotitanium derivatives, as butadiene polymerization catalysts, 1535C
Oscillatory reactions, in polymer systems, 2699C
Oxidation, of polymeric organolithium compounds, 2993C
Oxidized polyethylene, carbonyl group determination in, 2539C
Oxiranes, triethylaluminum/water/acetylacetone initiating system, 2489C
Oxosulfonium ylide, as photoinitiator, 1187C(N)
4,4′-Oxydianiline, aromatic–aliphatic polyamides from, 3183C
Oxygen, polystyrene ignition, 263C
Ozone cracking, of natural rubber and ethylene/propylene blends, 135L

Paraffin, *m*-hexatiacontane, epitaxially grown crystals of, 1919P
Para-xylylene derivatives, parylene polymerization, 475C
Parylene polymerization, deposition kinetics, 475C
Penta-acetyl-glucose, as trioxane comonomer, 3295C
Perfluorobenzene, plasma polymerization, 17C
—, plasma-polymerized, mercury incorporation, 3933C
Perfluorobutenyloxyphthalic anhydride, epoxy resin curing, 831C
Periodate, graft polymerization, 635L
Permeability of gases in crosslinked networks, 237P
Permeation of $CO_2$ in uniaxially drawn polymers, 1645P
Peroxydiphosphate–silver ion redox system, 1191C(N)
Peroxydisulfate–thioacetamide redox system, polymerization of methyl methacrylate, 995C(N)
Pervaporation, through poly(acrylic acid-co-acrylonitrile) membrane, 473L
—, of water–ethanol mixture, 125L
Phase equilibria, of cellulose derivatives, 273L
—, of polyethylene, 175P
Phase equilibria in solutions of butyralized poly(vinyl alcohol), 1305P
Phase segregation in segmented linear polyurethanes, 1835P
Phase separation in solutions of poly(2,6-dimethyl-2,4-phenylene oxide), 2145P
Phase transfer catalysis, of $\alpha,\omega$-di[2-(*p*-phenoxy)-2-oxazoline] oligomers, 523L
—, by phosphonium salts, 1243C
Phase transfer catalysts, polymeric formamides, 249L
Phase-transfer-catalyzed polycondensation, of phenylphosphonic dichloride with bisphenols, 1259C
Phase-transfer reactions, catalysts, 911C
Phase transitions, of polydiethylsiloxane, 3617C
Phase transitions in poly(*p*-xylylene), 669P
Phenacyl thiocyanate, photoisomerization, 739C
Phenothiaphosphine-containing polymers, synthesis and properties, 1055C
*N*-Phenylated aromatic polyamide-esters, preparation and properties, 1981C
*N*-Phenylated aromatic polyamides, preparation and properties, 1291C
Phenylazotriphenylmethane, as free radical initiator, 103L
5,5′-1,4-Phenylene-bis(2-cyano-2,4-pentadienoic acid) derivatives, 2095C
*p*-Phenylenedioxydiacetic acid, polyamides of, synthesis and properties, 1743C
Phenylindane-containing polyesters, preparation and properties, 1319C
Phenylphosphonic dichloride, phase-transfer-catalyzed polycondensation, 1259C
Phenylvinyl alkyl ethers, radiation-induced copolymerization, 41C
Phenyl vinyl sulfoxide, cycloaddition, with azides, 2293C(N)
Phosphazines, synthesis, by Friedel–Crafts reaction, 3115C
Phosphonium salts, as phase-transfer catalysts, 1243C
Phosphorylation reaction, polyamides, 873C(N)
—, of poly(*p*-phenylene terephthalamide, 4045C(N)
Photocatalyzed oxidation, of polyolefins, 3885C
Photochemical behavior, of poly[*p*-(disilanylene)-phenylene, 669L
Photochemical enzyme immobilization, 2817C
Photochemical reactions, thiocyanatoacetyl-containing polymers, 739C
Photochromism, of 4-acryloxyazobenzene–menthyl acrylate copolymers, 1267C
—, organic solid, by photoreduction mechanism, 383C
Photoconductive films, glow discharge polymerization of, 301L
Photoconductivity, of acrylate-type copolymers, 579L
Photodecomposition, of polymer films, by laser, 2601C
Photodimerization, side chain structure effects, 2427C
—, thymine bases, 623C
Photoetching, development-free vapor, 3289C
Photoinduced decomposition, of polybromostyryl carbanions, 2713C
Photoinduced organic compound release, 881C(N)
Photoinduced permeation control, of proteins, 515L
Photoinduced pH change, in aqueous solution, 3687C
Photoinitiated cationic polymerization, flash photolysis, 69C
—, photosensitization, 77C
Photoinitiated free-radical polymerization, kinetics of, 1753P
Photoinitiated polymerization, by bis[4-(diphenylsulfonio)phenyl]sulfide–bis-hexafluorophosphate, 1789C
—, isoprene, 1357C
—, of styrene, 605C
Photoinitiation, benzil-initiated, 2469C
Photon correlation spectra of poly(phenylmethyl siloxane), 1471P
Photon correlation spectroscopy, data analysis for, 307P(N)
Photooxidation reactions, 3865C
Photopolymerization, of methyl methacrylate with isoquinoline–chlorine charge-transfer complex, 429C
—, solid state, of 2,5-distyrylpyrazine, 1417P

Photopolymers, azide-type, 3289C
Photoreactivity, of poly(2-vinyloxyethyl cinnamate), 2801C
Photoreduction mechanism, of viologens, 383C
Photosensitization, of diphenyliodonium and triphenylsulfonium salts, 77C
Phthalocyanine tetraamines, in epoxylated Novolac resin curing, 1471C
4-Picolinium *p*-chlorophenacylide, ethyl methacrylate polymerization initiation, 1875C
Piezoelectric effect, 827P
Piezoelectricity in poly(vinylidene fluoride), 245P
Piezoelectricity of polarized poly(vinylidene fluoride), 345P
Piezoelectricity of poly(β-hydroxybutyrate), 1821P
β-Pinene, cationic polymerization, 673C
Plasma-initiated polymerization, of acrylamide, 3351C
Plasma–polymer films, tetrafluoropyridazine, 1C
Plasma polymerization, of trifluoromethyl-substituted aromatic compounds, 1123C
—, of 2,4,6-trifluoro-1,3,5-triazine, 2661C
Plasma-polymerized diazines, 17C
Plasma-polymerized perfluorobenzene, mercury-containing, electron microscopy of, 3933C
Plasma-polymerized styrene thin films, 2953C
Plasticized PVC, weathering-induced degradation, 869C(N)
Polarity, bound flavin polymer chains, 705C
Polarization microscopy of polybenzylglutamate liquid crystals, 2207P
Polarography, for vinyl monomer, determination, 501L
Polar solvents, ion-containing polymers in, 1757C
Polyacenaphthylene, singlet energy migration, 857C(N)
Poly(acenaphthylene-co-*N*-vinylcarbazole), single energy migration, 857C(N)
Poly acene quinone radical polymers, synthesis and conductivity of, 2243P
Poly(acetoxyethyl methacrylate), 773P(N)
Polyacetylene, electrochemical doping of, 173L
—, films, UV-induced isomerization, 3393C
Polyacetylene film, optical anisotropy of, 119L
Polyacrolein, microstructure, 279L
—, structure and immunological properties, 609C
Polyacrolein microspheres, 145C
Polyacrylamide, branched, dielectric relaxation of, 1453P
—, liquid network structure, 43L
—, model cationic flocculants, from Mannich reaction, 3955C
Polyacrylates, x-ray diffraction and structural regularity in, 2021P, 2043P
Poly(acrylic acid-co-acrylonitrile) membrane, water–ethanol pervaporation through, 473L
Polyacrylonitrile, IR study of thermal degradation of, 1211P
—, optical studies of pyrolysis of, 1239P
Polyaldehyde, microspheres, characterization and chemistry, 3521C
Poly(alkylene oxide) ionomers, copolymerization, 3263C
—, synthesis and characterization, 2501C
—, triethylaluminum/water/acetylacetone initiator, 2489C
Polyamide, cyclohexane ring-containing, crystallinity and thermal properties of, 1969P
Poly(amide–amine)s, synthesis and characterization, 985C(N)
Poly(amide-ester)s, direct polycondensation, with diphenyl chlorophosphate, 3983C
Polyamideimides, *s*-triazine nuclei, 503C(N)
Polyamide–polystyrene block copolymer, 1611C
Polyamides, aromatic–aliphatic, preparation and properties, 3183C
—, asymmetric rigid, synthesis and conformation, 1153C
—, direct synthesis, by *N*-acyl phosphoramidites, 2371C
—, phenothiaphosphine-containing, synthesis and properties, 1055C
—, of *p*-phenylenedioxydiacetic acid, synthesis and properties, 1743C
—, preparation, by phosphorylation reaction, 873C(N)
—, preparation, from DETA and TETA, 3599C(N)
—, *p*-terphenyl units, 3063C
—, tetrathiafulvalene-containing, electrical conductivity, 1299C
Polyaromatic ether-ketone sulfonamides, from polydiphenyl ether-ketones, 295C
Polyarylate, ethynyl-terminated, 3011C
Polyazomethines, soluble aromatic, synthesis and characterization, 3771C
Polybenzyls, structural characterization, 1349C
Poly(4-bromo-1,3-phenylene-isophthalamide), thermal degradation products, 847C(N)
Polybromostyryl carbanions, photoinduced decomposition of, 2713C
Polybutadiene, carboxyl-terminated, wetting effect, 607L
—, DTA studies of carboxyl-terminated, 1481C
—, hydrogenated hydroxylated, 25L
—, isomerization, in black-reinforced, 843C(N)
—, microstructures, anionic polymerization, 669C
1,4-*trans*-Polybutadiene, crystal structure and solution properties, 2895C
Polybutadiene in cyclohexane, refractive index increment of, 777P(N)
Polybut-1-ene, $^1$H NMR spectra of, 589P
Poly(1,4-butylene terephthalate), polyaromatic char formation, 625L
Poly(butylene terephthalate) in polyester blends, ordering of, 1193P
Poly(*n*-butyl methacrylate) ionomers, dilute solution behavior of, 1845P(N)
Poly[*S*-(2-*N*-carbazolyethyl)-L-cysteine], conformation in solid state, 2047C
Poly[*S*-(*N*-carbazolylalkyl)-L-cysteine]s, synthesis and characterization, 3135C
Polycarboxylic acids, tetranitriles of, synthesis, 1043C
Polycondensation, diesters, through hydrogen-bonding interaction, 793C
—, kinetic approach to size distribution, 365C
—, of nylon-4,2, 1373C
—, of poly(amide-ester)s, with diphenyl chlorophosphate, 3983C
Poly(cyclopentane-β-carboxyamine), crystalline structure, 209L
Poly(L-cysteine) derivatives synthesis and characterization, 3135C
Polydiacetylene, rod-to-coil transition in, 847P
Polydiacetylene single crystal fibers, 1589P
Poly(*N*,*N*-diacylhydrazone), preparation and characterization, 113L
Poly(diethylene glycol terephthalate), stress–optical behavior of, 917P
Polydiethylsiloxane, phase transitions, differential scanning calorimetry, 3617C
Poly(diketamide-sulfide), preparation of, 437L
Poly(dimethylaminoethyl methacrylate *N*-oxide), cope elimination and complexation of, 1661C
Poly(2,6-dimethyl-1,4-phenylene oxide), solvent effects on thermodynamic parameters of, 2145P
Poly(dimethylsiloxane), bimodal elastomeric networks of, 1849P
—, copolymerization, with ethylene oxide, 659L
—, trifunctional networks of, elasticity, 1201P
Poly(3,3-dimethylthietane), thermal transitions, 1197C(N)
Poly(diphenylene ditelluride), synthesis and photoconductivity, 365L
Poly[*p*-(disilanylene)phenylene], synthesis and photochemical behavior, 669L
Polydispersity of polymers and colloids from QELS, 307P(N)
Polydivinylbenzene, synthesis, with hydroxyl pendants/end groups, 2443C

Polyelectrolyte microcapsule membranes, controlled release by, 2523C
Polyelectrolytes, effect on trans–cis isomerization, 2945C
—, sulfonated ionomers, in nonaqueous media, 2051P
Poly(2,3-epithiopropyl methacrylate), photocationic crosslinking, 2217C
—, photoinitiated cationic polymerization, 2217C
Polyester carbonates, synthesis via interfacial phosgenation, 679C
Polyester resins, thickening reaction, 3309C
Polyesters, linear, synthesis from fluorinated diols, 2719C(N)
—, linear thermotropic nematic, 13L
—, phenothiaphosphine-containing, synthesis and properties, 1055C
—, photocrosslinkable, 215L
—, random-coil configurations of, 917P
—, thermotropic aromatic, 347L
Polyester single crystals, Raman spectra of, 2185P
Polyetherification, phase-transfer-catalyzed, 637L
Polyethers, macromonomers, chromatographic analysis, 3775C
—, of mesogenic bisphenols, 637L
Polyethersulfone, crosslinked, mechanical losses in, 497L
Polyethylacrylate, graft copolymerization, 2767C
Polyethylene, acrylic acid copolymers, 153L
—, calculation of temperature distributions in quenching of, 295P
—, chlorination mechanism of, 255P
—, $CO_2$ permeation affected by, 1645P
—, crazing in gases, 543P
—, drawing of ultra high-molecular-weight single crystal mats of, 133P(N)
—, elastic shear constants from neutron scattering by, 1515P
—, graft polymerization, to styrene, 769C
—, $^1H$ NMR spectra of, 589P
—, infrared birefringence and molding pressure of, 471P
—, irradiated, differential scanning calorimetry, 2017C, 2033C
—, laminar diffusion during annealing of, 1811P
—, low molecular weight, hexagonal phase of, 175P
—, mechanism of swelling of crystals of, 1871P
—, molecular weight distribution of, 267L
—, NMR study of crystallization kinetics, 655P
—, orientation and crystallinity dependence of thermal expansion of, 835P
—, random branched copolymers of, crystal structure of, 1727P
—, solid-state extrusion of, 1353P
—, stress relaxation of, 291L
—, ultradrawn high-density, 443L
—, ultrahigh-modulus, creep of, 561P
—, x-ray scattering during annealing of crystals of, 1167P
—, yield process in, 191P
Polyethylene crystallized at high supercoolings, 1085P
Polyethylene electrets, study of thermally stimulated discharge in, 21P
Polyethylene fiber, morphology of, 1541P(N)
—, tensile properties, 1541P(N)
Polyethylene films, imperfections, 401L
Polyethylene fractions, electron microscopy of crystallites in, 1901P
Polyethylene freeze-dried single crystals, Raman spectra of, 1871P
Polyethylene glycol, initiated vinyl polymerization, 1507C
—, preparation, 1623C
Poly(ethylene glycol) derivatives, synthesis and characterization, 341C
Polyethyleneimine derivatives, oligomer models of, 2061C
Poly(ethylene oxide)–poly(methyl methacrylate) blends, 2809C
Polyethylenes, $\alpha$ and $\beta$ relaxations of, 407P
Poly(ethylene terephthalate), capillary flow, 329C
—, chemical healing in, 2095P
—, converging flow and high pressure crystallized, 1435C
—, cyclic oligomers, 3549C
—, flow characterization in extrusion of, 1P
—, fluoride implanted, conductivity of, 1349P(N)
—, heterogeneous nucleation of, 2063P
—, polyaromatic char formation, 625L
—, solid-state coextrusion of, 1163P
—, surface modification studies, 419C
—, thermal decomposition products, 945C
Poly(ethylene terephthalate) blends with cellulose, 101P
Poly(4-fluoro-1,3-phenylene-isophthalamide), thermal degradation products, 847C(N)
Polyfumaramides, double-bonded, synthesis and characterization, 3705C
Poly(2,5-furandiylcarbonyloxymethylene), transesterification polymerization, 863C(N)
Polyglycolide, one-step synthesis, 1131C
Polyhydrazides, amide linkages, 3401C
Polyhydroxamides, synthesis, 89L
Poly(*p*-hydroxybenzoic acid), structure, 433L
Poly[(4-hydroxybutyl)oxirane], synthesis and properties, 781C
Poly($\beta$-hydroxybutyrate) films, piezoelectricity of, 1821P
Poly(2-hydroxyethyl methacrylate), tactic, dilute properties, 3555C
Polyhydroxyketones, preparation, by acyloin condensation, 3107C
Poly[(3-hydroxypropyl)oxirane], synthesis and properties, 781C
Poly(4-hydroxystyrene), photocrosslinking, 323L
Polyimide, poly(?-methylstyrene) kinetics of oxidative degradation of, 1799P
—, selective permeation of $CO_2$ and $CH_4$ in, 1061P
—, silica–aminopropylsilane interface, thermal stability, 3043C
Polyimide films, x-ray study of morphology in, 1105P
Polyimides, fire-resistant, 1065C
—, soluble, synthesis and characterization, 2189C
—, synthesis, from PMDA and BTDA, 3359C
—, *s*-triazine rings, 503C(N)
Polyimidosulfides, synthesis and properties, 589C
Polyionenes, functionalized, hydroquinone/catechol structures, 129L
Poly(*dl*-isobornyl methacrylate), $T_g$ and chain flexibility in, 1745P
Polyisobutylene, dynamics of mechanical relaxation in, 1991P
—, NMR study of chain relaxation in, 931P
—, viscoelasticity of concentrated solutions of, 1119P
*cis*-Polyisoprene, crystallization kinetics, 7L
*Trans*-1,4-polyisoprene, properties of, 793P
Poly-L-lysine, methyl orange interaction, 1281C
Poly(maleimide-co-acrylonitrile) membrane, pervaporation through, 125L
—, water–alcohol separation through, 2159C
Polymer crystals, thermal expansion of, 979P
Polymer films, photodecomposition of, by laser, 2601C
Polymeric formamides, as phase transfer catalysts, 249L
Polymeric unit linkage, of aromatic polyamides, thermal and flammability effects, 3990C
Polymerization, of *N*-carboxyanhydrides, 1070C
Polymer melts, surface tension of, 335L
Polymer membrane swelling control, 121C
Polymer systems, oscillatory reactions in, 2699C
Poly(metal phthalocyanine)imide heat-resistant copolymers, 319C
Poly(metal-yne), preparation, 1077L
Polymethacrylate derivatives, adenine-containing, methylation of, 3943C
—, uracil-containing, 2455C
Polymethacrylates, interpenetrating polymer networks from, 2667C
—, solid polymer electrolyte complexes, 617L
Poly(methacrylic acid), interpolymer adduct formation, 437C

Poly(*N*-methyl 3-hydroxymethyl carbazolyl acrylate), copolymerization, 579L
Poly(methyl methacrylate), dielectric relaxation of, 1453P
—, glass transition temperatures, 149L
—, glass transition temperatures of, 307L
—, graft polymerization, onto amylopectin, 21L
—, kinetics of oxidative degradation of, 1799P
—, monomers, copolymerization reactivity, 2983C
—, ordered structures in solution and solid state of, 617P
—, perdeuterated, effect of moisture on optical absorption of, 1607P
—, photocrosslinking, 2973C
Poly(methyl methacrylates) from anionic polymerization, anomalous viscosity behavior of, 2105P
Poly(α-methylstyrene), preparation and dilute solution behavior of, 2119P
—, radiation chemistry, 213C
Poly(2-methylstyrene), kinetics of oxidative degradation of, 1799P
Poly(α-methylstyrene–butadiene-α-methylstyrene), thermal properties and morphology, 1525C
Poly(3-methyltetrahydrofuran), stress-optical behavior of, 2165P
Poly(methyl vinyl ether-alt-ammonium maleamate), ring formation, 1115C
Polymonocyanoacetylene, semiconducting, 2749C
Polynomial approximation method, 1001P
Polyorganophosphazenes, 3115C
—, synthesis, by Friedel–Crafts reaction, 3115C
Polyoxides, amorphous, birefringence of, 2165P
Poly(4,4′-oxydiphenylene pyromellitimide), dielectric relaxation in, 1399P
Polyoxyethylene, in styrene–divinylbenzene preparation, 3091C
Polyoxymethylene, copolymerization, 3263C
—, crystal modulus of, 159L
Poly(phenylene ditelluride), synthesis and photoconductivity, 365L
Poly(*m*-phenylene isophthalamide), nitro groups, 1531C(N)
Poly(1,4-phenylene terephthalamide), halogenated, thermal and flammability behavior, 3989C
Poly(*p*-phenylene terephthalamide), molecular weight distribution, 865C(N)
—, preparation, by phosphorylation reaction, 4045C(N)
Poly(phenylmethyl siloxane), photon correlation study of relaxation in, 1471P
Poly(phenylvinyl alkyl ethers), spin-labeled alternating copolymers of, 2559C
Poly(phosphonoacetal)s, synthesis and characterization, 3335C
Poly(pivaloyloxyethyl methacrylate), 773P(N)
Polypropene, $^1H$ NMR spectra of, 589P
Polypropylene, decomposition of, temperature effects, 83L
—, ESR study of peroxy radical decay in, 1407P
—, α forms, isotactic, crystalline order and melting behavior of, 1029P
—, HTMPO processing in, 1573C
—, infrared study of mechanical deformation in, 681P
—, kinetics of oxidative degradation of, 1799P
—, nucleation by cyclic oligomers, 3549C
—, photo-oxidation, hindered amine effects, 277C(N)
—, sorption and diffusion of toluene in, 707P
—, stability, extrusion rate effects, 665L
—, structural changes upon drawing and annealing of, 485P
—, surface orientation of, 1283P, 1293P
—, transcrystallinity, 3571C
Polypropylene–copolymer laminates, refractometry and IR spectra of, 1011P
Poly(propylene glycol) crosslinked networks, gas permeation in, 237P
Polypropylene hydroperoxides, atactic, photocatalyzed decomposition, 3885C
Polypyromellitimide film, thermal cyclodehydration, 3439C
Polypyromellitimide films, effect of structure on properties, 1487C
Polyquat films, 249C
Polysaccharides, molecular motion in solid state of, 95P
Polysalicylide, gamma-radiolysis, 749C
Poly(2,5-selenienylene), electrical conductivity, 65L
Polysiloxanes, preparation, from silicic acid, 3759C
—, preparation from silicic acid, 761C
—, preparation of, from silicic acid, 565L
Polystilbenediamides, double-bonded, synthesis and characterization, 3705C
Polystyrene, cationic grafting from carbon black, 1515C
—, chloromethylation, 269C
—, compatibility with poly(vinyl methyl ether) in blends, 107P
—, $CO_2$ permeability and draw ratio of, 1645P
—, crazing in shear deformation of networks of, 721P
—, crosslinked, dielectric relaxation of, 1453P
—, effect of chain entanglement on NMR spectra of, 957P
—, ignition, 263C
—, intrinsic viscosity and excluded volume of, 1781P
—, methacrylate-terminated, copolymerization, 1633C
—, partitioning, in polystyrene–polybutadiene–toluene system, 3895C
—, SAXS of crazes in, 2215P
—, viscoelasticity of concentrated solutions of, 1119P
Poly(styrene divinylbenzene), sulfonated, 2859C
Poly(styrene peroxide), oxidative degradation, 539L
Polystyrene sulfonic acid, ionic interactions in ionomer films of, 67P
Poly(styryl)lithium, oxidation of, 2993C
Poly(4-substituted γ-benzyl-L-glutamate), liquid crystalline, 559L
Polysulfones, irradiated, mechanical properties of, 529P(N)
—, synthesis and characterization, 721C
Polytetrafluoroethylene, thermodynamic properties of, 379P
Poly(tetrafluoroethylene–hexafluoropropylene), *N*-vinylpyrrolidone graft polymerization onto, 493C
Poly(tetrafluoroethylene–perfluorovinyl ether), acrylic acid grafting, 3673C
—, preirradiation grafting, 597C
Poly(tetramethyl-*p*-silphenylene siloxane), annealing of crystals, 223P
Polythioamide-oxothioxoquinazolines, synthesis, 1017C
Polythioesters, linear, interfacial polycondensation, 1025C, 2265C
—, linear, synthesis, 1579C
—, thermotropic liquid crystalline, 587L
Polythiophenes, morphology of conducting films of, 33P
Poly(*p*-toluenesulfonyl L-ornithine), molecular conformation of, 129P(N)
Polyureas, phosphorus-containing, 3423C
Polyurethane, structure of hard segments in, 163P
Polyurethane elastomers, hard segment polymorphism in, 759P
Polyurethanes, interpenetrating polymer networks, charge groups, 1851C
—, interpenetrating polymer networks, synthesis and properties, 1839C
—, interpenetrating polymer networks, with opposite charge groups, 1035C
—, interpenetrating polymer networks from, 2667C
—, phosphorus-containing, synthesis, 891C
—, segmented linear, phase segregation kinetics in, 1835P
Polyurethane structures predicted from model compounds, 1247P
Poly(vinyl acetate), segmental motion in swollen states of, 211P
—, strain birefringence networks in, 863P
—, viscoelasticity of concentrated solutions of, 1119P

—, volume relaxation of, 699P
Poly(vinyl alcohol), acetalization, by Kornblum reaction, 841C(N)
—, photocrosslinkable, 2817C
—, solubility behavior of butyralized derivatives of, 1305P
—, transacetalation, 3335C
Poly(vinylbenzo-18-crown-6), binding, 3001C
Poly[(vinylbenzyltrimethyl)ammonium chloride-co-styrene], catalyst for vinyl polymerization, 385L
Poly(*N*-vinyl-*tert*-butylcarbamate-co-vinylacetate), acid hydrolysis of, 2353C
Poly(*N*-vinyl carbazole), photopolymerization, with C.T. complexes, 2295C
Poly(vinyl chloride), conformational energy calculation for, 1097P
—, IR study of ketone interaction, 533C
—, metal carboxylate stabilization, 425L
—, miniemulsion polymerization, 2923C, 2931C
—, reactivity, 3603C(N)
—, thermal stabilization, 2871C
—, weathering-induced degradation, 869C(N)
Poly-2-vinylfuran, synthesis, characterization, and Diels–Alder reaction, 2551C
Polyvinylhalogencarbazole, Mössebauer spectra effect, 395L
Poly(*N*-vinyl halogenocarbazole), charge-transfer complexes, 967C
Poly(vinylidene fluoride), deformation and vapor transport in, 1719P
—, *D–E* hysteresis of, 2139P
—, increased piezoelectric effect at high temperature, 827P
—, piezoelectricity and molecular motion in, 245P
—, polarized, far-infrared and x-ray studies on, 345P
Poly(vinyl nitrate), reactivity, 3603C(N)
Poly(2-vinyloxyethyl cinnamate), photocrosslinkable, 2801C
Polyvinylpyridine, in iron-ion-containing polymer preparation, 303C
Poly(4-vinylpyridine), polymerization rate effects, 2479C
Poly(*N*-vinylpyrrolidone), interpolymer adduct formation, 437C
Poly(*N*-vinyl-2-pyrrolidone), fluoride binding on, 569L
Polyvinylpyrrolidone binding of organic anions, 185C
Poly(*p*-xylylene), high temperature phases of, 669P
Poly-yne, preparation, 107L
Potassium permanganate/glycine, as acrylamide polymerization initiator, 1803C
Potassium persulfate, initiator of styrene polymerization by, 1409C
Potassium persulfate–ferrous iron redox system, 1193C(N)
*p,p'*-Diaminodiphenylsulfone, primary amine analysis, 3611C(N)
Precatalysts, in propene polymerization, 2641C
Primary amine analysis, fluorescamine colorimetric procedure, 3611C(N)
2-Propenamide, graft copolymerization, with lignin, 1963C
Propene, Ziegler–Natta catalytic system, 2625C
—, Ziegler–Natta catalytic system, model, 2611C
—, Ziegler–Natta catalytic system, precatalyst, 2641C
Propylene, gas phase polymerization, 2255C
—, in ion-exchange membrane synthesis, 1775C(N)
—, polymerization, catalyst modification, 3739C
Proteins, photoinduced permeation control of, 515L
Pyrazine, structural isomers, 2145C
Pyrene-containing monomers, synthesis, 1587C
4-(1-Pyrenyl)butyltrimethylammonium, binding, salt effects on, 3001C
2-(1-Pyrenyl)methyl-2-oxazoline, synthesis, 1587C
Pyridazine, structural isomers, 2145C
3-Pyridinealdehyde, in linear condensation polymer preparation, 1231C
Pyrimidine, structural isomers, 2145C
Pyrolysis, isothermal, of cellulose, 3071C
Pyrolysis of polyacrylonitrile, 1239P
Pyrolytic behavior, 3851C
Pyromellitic dianhydride, polyimide synthesis from, 3359C

Quantum chemical calculation of polymer conformational energy, 1097P
Quantum theory calculation of bond structures for polymers containing carbonyl or ether linkages, 1987P(N)
Quaternary onium ions, solvation in polystyrene gels, 509C
Quinones, photocrosslinking by, 2973C
Quinoxaline oligomers, acetone adduct and acetylene-terminated, 1939C

Radiation-induced copolymerization, of trioxane, 3295C
Radiation-induced polymerization, of *N-tert*-butylacrylamide, 453C
—, of polyacrolein microspheres, 609C
Radical decay in polypropylene, ESR study of, 1407P
Radical-initiated polymerization, of methoxymethyl methacrylate, 2305C
Radical polymerization, absolute rate constants, 2381C
—, *N,N*-dimethylacrylamide, 463C
Radicals, living propagating, of *N*-methylmethacrylamide, 3921C
Raman scattering from crystals of random branched polyethylene, 1727P
Raman spectra, of aliphatic polyester single crystals, 2185P
—, of freeze-dried polyethylene single crystals, 1871P
Rare earth chloride catalysts, for ethylene polymerization, 3843C
Reactive crystals, 2095C
Reactivity ratios, calcul...ion methods, 3487C
—, comparative calculations, 3661C
—, for poly(methyl methacrylate) monomers, 2983C
Refractive index increments of polybutadiene in cyclohexane, 777P(N)
Refractive indices of polyolefin laminates, 1011P
Rejection of polystyrene from microporous membranes, 1261P
Relaxation, mechanical, in polyisobutylene, 1991P
—, structural, in amorphous polymers, 699P
Relaxation behavior, of poly(acetoxyethyl methacrylate), 773P(N)
—, of poly(pivaloyloxyethyl methacrylate), 773P(N)
Relaxation in polymer melts, photon correlation study of, 1471P
Relaxation in semicrystalline polyolefins, effect of structural heterogenity on, 589P
Relaxation of epoxide resins at low temperature, 1461P
Relaxation of structural volume near $T_g$, 1041P
Relaxations, $\alpha$ and $\beta$, of polyethylenes, 407P
Relaxations in ionomers of *n*-butyl methacrylate/methacrylic acid copolymers, 2261P
Relaxation theory of *D–E* hysteresis of ferroelectric polymers, 2139P
Resins, thermoplastic, 249C
Resist polymers, radiolysis, of copolymers, 195C
—, radiolysis, parasubstituent effects, 213C
Ring formation, of poly(methyl vinyl ether-alt-ammonium maleamate), 1115C
Ring-opening polymerization, of 1,6-anhydro-3,4-di-O-benzyl-2-deoxy-$\beta$-D-*arabino*-hexopyranose, 1987C
—, of 2-methylene-4-phenyl-1,3-dioxolane, 487L
—, by zinc–methoxypropanol complex catalyst, 3593C(N)
Rubber, EPDM, sulfonation chemistry of, 3905C
—, natural, antioxidant incorporation, 327L
—, natural, ozone cracking, 135L
—, natural, unvulcanized, tear behavior of, 1623P
—, natural, vulcanization, 143L
Rubber elasticity of silicones, effect of entanglements on, 49P

Rubberlike elasticity of polydimethylsiloxane trifunctional networks, 1201P
Rubbery polymers, thermoviscoelasticity and characterization of EPDM terpolymers, 317P
Ruthenium(II) complex-containing vinyl polymers, luminescence of, 3779C
Rutherford backscattering spectrometry (RBS), surface derivatization monitoring by, 3367C

Salts, binding effects, 3001C
Sample history, of ionomers, 377L
Sanchez–Lacombe equation of state for polymeric liquids, 903P(N)
SAXS surface scattering, 2215P
Scandium naphthenate/trialkylaluminum catalyst system, 1009C
Scattering functions, 1551P
Scattering patterns (SALS) of polarized radiation from isotropic and anisotropic scatterers, 2159P
Sedimentation measurements, in dilute solution, 477L
Semiconducting polymonocyanoacetylene, 2749C
Semifluorinated *n*-alkanes, 533L
Separation, by flow field–flow fractionation, 339L
Shish crystals, lateral sizes of, 993P
Side chain structure, photodimerization effects, 2427C
Silica-alumina catalyst, in dehydro-oligomerization, 2317C
Silica–aminopropylsilane–polyimide interface, thermal stability, 3043C
Silica fiber formation, 761C
Silicic acid, gel-like silica glass from, 565L
Silicic acid butyl esters, condensation, 761C
Silicic acid esters, preparation of, degree of esterification effects, 3759C
Silicon-containing polymers, thermal stability, 1565C
Singlet energy migration, polyacenaphthylene, 857C(N)
Small-angle neutron scattering, 1545P(N)
Small-angle x-ray scattering, of agave fibers, 3407C
Sodium-2-acrylamido-2-methylpropane sulfonate, copolymerization, 49C
Sodium alginate, dye adsorption effects, 221L
Sodium azide, reactivity, 3603C(N)
Sodium *m*-(4-ethoxyphenylazo)benzene sulfonate, trans–cis isomerization, 2945C
Sodium polygalacturonate, degree of polymerization of, 899P(N)
Sodium styrene sulfonate, copolymerization, with sodium-4(*N*-sulfophenyl)maleimide, 2281C(N)
Sodium-4(*N*-sulfophenyl)maleimide, copolymerization, with sodium styrene sulfonate, 2281C(N)
Solid polymer electrolyte complexes, of polymethacrylates, 617L
Solid-state plasma-initiated polymerization, of acrylamide, 3351C
Solid-state polymerization, of butadienes, 391C
—, of 1,4-*trans*-polybutadiene, 2895C
Solid-state polymerization of 2,5-distyrylpyrazine, 1417P
Solubility coefficient, time-dependent, of penetrant in glassy polymer, 1885P
Soluble microgel, 2123C
Solution behavior, of ampholytic styrene ionomers, 2005C
Solution copolymerization, of 2-hydroxyethyl methacrylate–styrene, 261L
Solution properties, of ion-containing polymers, 1757C
—, of poly(2-hydroxyethyl methacrylate), 3555C
Solvent effects on methacryloyl fluoride copolymerization, 85C
Sorption kinetics in polymer–penetrant systems, 1885P
Sorption of $CO_2$ and $CH_4$ in Kapton polyimide, 1061P
Sorption of gas in polymer glasses, isotope effect in, 2279P(N)
Sorption of liquid in stressed films, 183P
Sorption of toluene in oriented polypropylene, 707P
Sorption of water by PMMA-$d_8$, effect on optical absorption of, 1607P
Sorption of water in nylon 6, effect on mechanical and dielectrical behavior of, 1635P
Spectroscopy, 827P
—, of nucleic acid–base pair alternating sequences, 3725C
Spherulite precipitation, of cellulose, 163L
Spherulites, anisotropic, interpretation of SALS from, 2159P
—, melting process of poly(L-lactic acid), 537P
Spherulite structures in polypropylene and polyethylene blends, 739P
Spin-labeled copolymers, of poly(phenylvinyl alkyl ethers), 2559C
Spin trapping, polymer stabilization by, 553L
Star-branched polymers, Monte Carlo studies, 97C
Starch fractions, acrylic monomer graft polymerization on, 1327C
Statistical mechanics, distribution of chain lengths inside a spherical volume, 279P
Statistical mechanics of volume relaxation in amorphous polymers, 1041P
Stereospecific polymerization, methyl aryloxymethacrylates, 1909C
Strain birefringence in poly(vinyl acetate) networks, 863P
Stress-optical behavior of poly(3-methyltetrahydrofuran), 2165P
Stress relaxation, of polyethylene, 291L
Stress–strain behavior of polyethylene, 191P
Stress–strain behavior of polyethylene in gaseous environments, 543P
Stress–strain in bimodal elastomeric networks, 1849P
Stress–strain relations in silicone networks of high functionality, 49P
Structural regularities in amorphous polymers, 2021P, 2043P
Structure, of polypyromellitimide films, 1487C
—, of thiophene copolymers, 3789C
Structure in amorphous regions of semicrystalline polymer, 117P
Styrene, anionic polymerization, initiation system, 3343C
—, copolymerization, core–shell emulsion, 2197C
—, copolymerization, with divinylbenzene, 3091C
—, copolymerization, with methyl methacrylate, 71L, 2777C
—, electroinitiated copolyermization of, 297L
—, emulsion polymerization, 1409C
—, emulsion polymerization, initiators, 3967C
—, emulsion polymerization, kinetics, 3499C
—, fluorescence spectroscopy probes of, 2395C
—, graft polymerization, on polyethylene, 769C
—, photopolymerization, by oxosulfonium ylide, 1187C(N)
—, plasma-polymerized thin films, 2953C
—, polymerization, with organic nitriles, 135C
—, polymerization by photoelectrochemical initiation, 605C
—, solution copolymerization, 261L
—, W/O microemulsions of, 1699C
Styrene–butadiene–styrene, thermal properties and morphology, 1525C
Styrene emulsion polymerization, oil-soluble initiators, 31L
Styrene ionomers, ampholytic, solution behavior, 2005C
Styrylpyridine-based epoxy resins, char yields, 3319C
Sulfonated polysulfones, synthesis and characterization, 721C
Sulfonation chemistry, of EPDM rubbers, 3905C
Superacid polymers, from sulfonated poly(styrene divinylbenzene), 2859C
Surface derivatization, monitoring of, 3367C
Surface tension, of polymer melts, 335L
Surfactant–ionomer interactions in nonaqueous solutions, 2051P

Swelling and birefringence of poly(vinyl acetate) networks, 863P
Swelling control of amphiphilic azoaromatic polymer membrane, 121C
Swelling of lamellar nylon-11 crystals, 749P
Swelling stress model for diffusion in stretched polymer, 183P
Symbols, for polymers, 413L

Tearing of unvulcanized natural rubber, 1623P
Telechelic acrylamides, preparation and properties, 3149C
Temperature relationships, of glass transition process, 547L
Terephthaloyl chloride, acyloin condensation of, 3107C
Termination process in free-radical polymerization, steric effects on, 139P(N)
*p*-Terphenyl units, of polyamides, 3063C
Terpolymers, viscoelasticity and characterization of EPDM networks of, 317P
Tetraalkyl titanium–zirconium metal chloride catalyst system, for ethylene polymerization, 637C
Tetracarboxylic dianhydrides, polyimide synthesis, 2189C
Tetracyanoethylene, charge-transfer complexes, 967C
Tetrafluoropyridazine, plasma polymer films, 1C
Tetranitriles, of polycarboxylic acids, synthesis, 1043C
Tetrathiafulvalene, polyamide synthesis, 1299C
Thermal behavior, of bismaleimides, 1419C
—, of glasses, KAHR model for, 1655P
—, of halogenated aromatic polyamides, 3999C
—, of halogenated poly(1,4-phenylene terephthalamide), 3989C
—, of organosilicon aramids, 1565C
—, of polypyromellitimide films, 3439C
Thermal changes of liquid crystalline order in polymers with mesogenic side groups, 41P
Thermal cyclodehydration, of polyamic acids, 3439C
Thermal decomposition, epoxy resins, 1897C
—, poly(ethylene terephthalate), 945C
Thermal degradation of polyacrylonitrile, IR spectra of products of, 1211P
Thermal effects, on polypropylene decomposition, 83L
Thermal expansion of isotropic and oriented polyethylene, 835P
Thermal expansivity, of polymer crystals. linear chain model for, 979P
—, of ultradrawn high-density polyethylene, 443L
Thermal fragmentation processes, in aromatic–aliphatic polyesters, 1217C
—, in totally aromatic polyesters, 1201C
Thermal-induced polymerization, of *N-tert*-butylacrylamide, 453C
Thermally stimulated currents, effect of ionic clusters in, 2261P
Thermally stimulated discharge in polyethylene, 21P
Thermal polymerization, initiation reactions, 3217C
Thermal stability, of silica–aminopropylsilane–polyimide interface, 3043C
Thermal stabilization, of poly(vinyl chloride), 2871C
Thermodynamic interaction parameters in solutions of PPO, 2145P
Thermodynamic properties of PTFE, 379P
Thermodynamics, of poly(3,3-dimethylthietane), 1197C(N)
—, of star-branched polymers, 97C
Thermodynamics of polymeric liquids, *P–V–T* relation in, 903P(N)
Thermogravimetric analysis (TGA) of pyrolyzed polyacrylonitrile, 1239P
Thermostability, of 2,7-fluorenediol polymers, 2721C(N)
Thickening reaction, of polyester resins, 3309C
Thiocyanatoacetyl-containing polymers, photochemical reactions, 739C
Thiol-ene monomer system, laser-initiated polymerization, 1865C
Thiophene, copolymerization, with acrolein, 3581C(N)
Thiophene copolymers, structure, 3789C
Thymine bases, photodimerization, 2427C
Thymine-containing poly-lysine derivatives, photodimerization, 623C
Thymine derivatives, optically active esters, 193L
Titanium catalysts, for ethylene polymerization, 3843C
*p*-Toluene sulfonyl ester, preparation and characterization, 1623C
Transacetalation, of poly(vinyl alcohol), 3335C
Transcrystallinity, in polypropylene, 3571C
Transesterification, of methyl-5-hydroxymethyl-2-furoate, 863C(N)
Transition, rod-to-coil of polydiacetylene, 847P
Transition metal salicylates, in poly(styrene peroxide) degradation, 539L
Transmission electron microscopy, 993P
Transport of gases in crosslinked networks, 237P
Triethylaluminum–ethylbenzoate cocatalytic system, 2611C, 2625C
Triethylaluminum/water/acetylacetone initiating system, 2489C
Triethylenetetraamine, polymerization, 3599C(N)
Trifluoroacetophenone, reduction by 1,4-dihydronicotinamide, 1945C
Trifluoromethyl-substituted aromatic compounds, plasma polymerization, 1123C
2,4,6-Trifluoro-1,3,5-triazine, plasma polymerization, 2661C
Trihaloethylmethacrylate, copolymers, radiolysis, 195C
Trimethylsilylacetylene, polymerization of, 1603C
Trioxane, copolymerization, radiation-induced, 3295C
—, copolymerization, with methyl 10-undecenoate, 3263C
1,4,6-Trioxaspiro[4,4]-nonane, cationic polymerization, 29C
Triphenylphosphine dichloride, as condensing agent, 2705C
Tungsten, catalyst for trimethylsilylacetylene polymerization, 1603C

Ultradrawn modulus, of polyoxymethylene, 159L
Ultraviolet irradiation-induced isomerization, of polyacetylene, 3393C
Ultraviolet light, wood surface degradation by, 2227C
Uncatalyzed polymerization, of vinyl monomers, 2287C(N)
Uracil, graft polymers synthesis, 813C
Uracil bases, of polymethyacrylate derivatives, 2455C

δ-Valerolactone, anionic polymerization, 905C
Vapor deposition polymerization, of cyanoacetylene, 1551C
Velocity distributions, of poly(ethylene terephthalate) capillary flow, 329C
Vinyl, peroxydiphosphate-initiated polymerization, 1191C(N)
Vinyl acetate–benzylidenemalononitrile copolymers, 583C
Vinyl acetate–ethyl α-cyanocinnamate copolymers, characterization, 577C
Vinyl alcohol, copolymerization, by acid hydrolysis, 2353C
Vinyl amine, copolymerization, by acid hydrolysis, 2353C
Vinylbenzenetrialkylammonium halides, fluorescence spectroscopy probes of, 2395C
Vinylcarbazole, polymerization, on copper(II)-13X molecular sieves, 1997C
Vinyl chloride monomers, polymerization kinetics determination, 549L
Vinylene carbonate, copolymerization, with methyl trifluoroacrylate, 3417C

Vinylferrocene, methylmethacrylate copolymerization, 519C
Vinyl monomers, aqueous polymerization, 385L
—, cellulose graft copolymerization, 623L
—, electron-deficient, 487L
—, photopolymerization, benzil-sensitized, 2469C
—, polarography of, 501L
—, polymerization, 959C
—, polymerization, in water–1,4-dioxane system, 3815C
—, polymerization, with cyclohexanone, 203L
—, radical polymerization of, 1507C
—, thermal polymerization, 3217C
—, uncatalyzed polymerization, counterion effects, 2287C(N)
*p*-Vinylphenylsulfonylmethyl isocyanide, synthesis, 1393C
*N*-Vinylpyrrolidone, preirradiation grafting, 493C
Vinylpyrrolidone–divinylbenzene copolymers, 283L
Vinylruthenocene, synthesis, and characterization, 1077C
Viologen polymers, color-development behavior, 383C
Viscoelastic crystalline dispersion and piezoelectricity in PVF, 245P
Viscoelasticity of concentrated polymer solutions, 1119P
Viscoelasticity of polydisperse entangled melts, 1561P
Viscoelasticity of polyethylene, 191P
Viscosity, of phosphorylation-prepared poly(*p*-phenylene terephthalamide), 4045C(N)
—, shear dependent, of ethyl cellulose in chloroform, 637P
Viscosity of concentrated solutions of ethyl cellulose, 637P
Vulcanization, dynamic mechanical analysis, 143L

Water–alcohol mixture, selective separation, 2159C
Water–1,4-dioxane initiating system, 3815C
Water–ethanol pervaporation, 125L, 473L
Water/2-propanol mixtures, flavin reaction kinetics in, 2169C
Wavelength effects, 3865C
Weathering degradation, plasticized PVC, 869C(N)
Wood, surface degradation, by ultraviolet light, 2227C

X-ray absorption fine structure of ionomers, 2073P
X-ray diffraction, of amorphous polymers, 2021P, 2043P
—, of annealed polypropylene, 485P
—, of aromatic polyimide, 1105P
—, during annealing of polyethylene, 367P
—, of fibers under elastic extension, 805P
—, of heat-treated nylon 66 fibers, 781P
—, of Kapton H, 1979P
—, of liquid-crystalline aromatic copolyesters, 1343P(N)
—, of nylon-11 lamellar crystals, 1383P
—, of polarized poly(vinylidene fluoride), 345P
—, of poly(butylene terephthalate) in polyester blends, 1193P
—, of polymers with mesogenic side groups, 41P
—, of polypropylene–polyethylene blends, 285P
—, of polyurethane, 163P
—, of polyurethane elastomers, 759P
—, theory of, 2215P
X-ray scattering from crystals of random branched polyethylene, 1727P

Yamazaki reaction, aromatic–aliphatic polyamide synthesis, 3183C
Yield process in polyethylene, 191P
Ylide-initiated polymerization, 1875C

Ziegler–Natta catalysts, in butadiene polymerization, 1461C
—, scandium naphthenate/trialkylaluminum, 1009C
Ziegler–Natta catalytic systems, crown ether ligands in, 2345C
—, for propene, kinetics, 2625C
—, for propene, precatalyst, 2641C
—, for propene model, 2611C
Ziegler–Natta ethylene polymerization, efficiency, 3877C
Zinc–methoxypropanol complex catalyst, in ring-opening polymerization, 3593C(N)